# ARK
ELEVATORS

ELEVATING PEOPLE. CONNECTING SPACES.

HOME LIFTS · PASSENGER LIFTS · COMPACT LIFTS

# Built for Every *Level of Life*

+91 78890 88890 | +91 88821 43594 | INFO@ARKELEVATORS.IN

DESIGN-LED ELEVATORS

# The Architect's Choice

# Our Mission

Welcome to Ark Elevators, where we are dedicated to **elevating the standard of vertical mobility across India**. Our mission is to deliver **safe, reliable, and innovative** elevator solutions tailored to the unique needs of our diverse communities.

Built on a foundation of precision engineering and rigorous safety standards, Ark Elevators ensures a smooth and secure experience in every building, from residential complexes to commercial spaces. We pride ourselves on our **robust maintenance network**, providing prompt and reliable support to keep your vertical transportation running at its best.

# Our Vision

To be the **foremost pioneers in vertical mobility**, reshaping India's future skyline with intelligent elevators where **uncompromising safety and exquisite architecture** move forward together, redefining the very essence of vertical living.

# Our Values

Inspired by our mission and vision, our core values prioritize **uncompromising safety** for every passenger, **intelligent design** that enhances architecture, and **dedicated support** that builds trust with every client we serve across India.

# One Partner, Every Stage

Site survey, model recommendation, installation, testing and maintenance, all handled by one ARK team.

*Because every floor deserves a safe, beautiful ride.*

# Safe for Every Generation

## Vision & Ark Rise

HOME ELEVATORS

# Range at a Glance

| MODEL | BEST FOR |
|---|---|
| **Vision 360** | Round cabin that becomes a design feature; 150 mm pit, up to G+3 |
| **Vision Cube** | Square cabin for tight indoor spaces; 1050 × 1050 mm footprint |
| **Vision Cube Plus** | Larger, more premium square cabin; up to G+5, no pit |
| **Ark Rise** | New or existing homes; no pit, no headroom, indoor or outdoor |
| **Ark Rise Infinity** | Ark Rise with premium cabin materials and personalised panels |

### Key Differentiators

- Every home model runs on normal single-phase household power
- Vision lifts are self-supporting, so no civil shaft is needed
- Ark Rise needs no pit and no headroom, for minimal civil work
- Rope, belt and hydraulic drives, chosen to suit your site
- Compliant with Machinery Directive 2006/42/EC (Ark Rise)

### Tailored For

Villas, independent homes, duplexes, triplexes and existing houses up to G+5.

## Not sure which model fits?

Share your floors and space, and we will recommend the right lift after a free site survey. **+91 78890 88890 / +91 88821 43594**

VISION SERIES · CIRCULAR

# Vision 360

A round cabin with a powder-coated metal frame, for a modern look and corrosion resistance.

**STRUCTURE**
SELF-SUPPORTING

**DRIVE**
HYDRAULIC

**RATED LOAD**
250 KG

**FLOORS**
UP TO G+3

**SPEED**
0.25 – 0.50 M/S

**POWER**
SINGLE PHASE

**EXTERNAL Ø**
1050 MM

**PIT**
150 MM

**Entrance 600 mm · cabin Ø 850 mm · headroom 2850 mm*

VISION SERIES · SQUARE

# Vision Cube

A square cabin with clean lines and a powder-coated metal frame, made for tight indoor spaces.

**STRUCTURE**
SELF-SUPPORTING

**DRIVE**
HYDRAULIC

**RATED LOAD**
250 KG

**FLOORS**
UP TO G+3

**SPEED**
0.25 – 0.50 M/S

**POWER**
SINGLE PHASE

**EXTERNAL**
1050 × 1050 MM

**PIT**
150 MM

**Entrance 600 mm · cabin 850 × 850 mm · headroom 2850 mm*

VISION SERIES · NEW

# Vision Cube Plus

A slightly larger, more premium version of the square Vision Cube, with more floors and no pit.

**STRUCTURE**
SELF-SUPPORTING

**DRIVE**
ROPE / BELT

**RATED LOAD**
300 – 408 KG

**FLOORS**
UP TO G+5

**SPEED**
0.25 – 0.75 M/S

**POWER**
SINGLE PHASE

**ENVIRONMENT**
INDOOR

**PIT**
NOT REQUIRED

**Full data sheet available on request*

ARK RISE SERIES · PITLESS

# Ark Rise

The easy way to add a lift to your home. No deep pit, no headroom, and it runs on normal single-phase household power.

**SHAFT**
CIVIL (RCC)

**DRIVE**
ROPE / BELT

**RATED LOAD**
300 – 408 KG

**FLOORS**
UP TO G+4

**SPEED**
0.25 – 0.75 M/S

**POWER**
SINGLE PHASE

**ENVIRONMENT**
INDOOR / OUTDOOR

**PIT**
NOT REQUIRED

**Compliant with Machinery Directive 2006/42/EC*

ARK RISE SERIES · CUSTOMISABLE

# Ark Rise Infinity

Everything Ark Rise offers, with premium cabin materials, ambient lighting and personalised control panels chosen to match your home.

**SHAFT**
CIVIL (RCC)

**DRIVE**
ROPE / BELT

**RATED LOAD**
300 – 408 KG

**FLOORS**
UP TO G+4

**SPEED**
0.25 – 0.75 M/S

**POWER**
SINGLE PHASE

**ENVIRONMENT**
INDOOR / OUTDOOR

**PIT**
NOT REQUIRED

**Fully customisable cabin and landing doors*

HOME ELEVATORS

# Model Comparison

| MODEL | SHAFT | DRIVE | SPEED | LOAD | FLOORS | PIT |
|---|---|---|---|---|---|---|
| **Vision 360** | Self-supporting | Hydraulic | 0.25–0.50 m/s | 250 kg | G+3 | 150 mm |
| **Vision Cube** | Self-supporting | Hydraulic | 0.25–0.50 m/s | 250 kg | G+3 | 150 mm |
| **Vision Cube Plus** | Self-supporting | Rope / Belt | 0.25–0.75 m/s | 300–408 kg | G+5 | No pit |
| **Ark Rise** | Civil (RCC) | Rope / Belt | 0.25–0.75 m/s | 300–408 kg | G+4 | No pit |
| **Ark Rise Infinity** | Civil (RCC) | Rope / Belt | 0.25–0.75 m/s | 300–408 kg | G+4 | No pit |

All home models run on single-phase power.

## Vision Dimensions

| DIMENSION | VISION 360 | VISION CUBE |
|---|---|---|
| **External size** | 1050 mm diameter | 1050 × 1050 mm |
| **Internal cabin** | 850 mm diameter | 850 × 850 mm |
| **Internal cabin height** | 2010 mm | 2010 mm |
| **Entrance width** | 600 mm | 600 mm |
| **Minimum headroom** | 2850 mm | 2850 mm |
| **Pit required** | 150 mm | 150 mm |

## Model Types & Finish

STANDARD

### Ark Rise · Vision

Clean, modern cabins with powder-coated metal frames and steel finishes.

INFINITY

### Ark Rise Infinity · Ark Z1 Infinity

Premium cabin interiors, lighting, flooring and personalised control panels.

VISION CUBE

# Upgrade your life with style and safety



**SPACE EFFICIENT**
1050 × 1050 mm footprint fits beside a staircase

**FULLY CUSTOMISABLE**
Frame colour and cabin finishes to suit your interiors

**150 MM PIT**
No deep pit or civil shaft needed

**SELF-SUPPORTING**
Powder-coated metal frame, resists corrosion

**BUILT TO STANDARD**
CE-marked safety components, ISO 9001:2015

**SINGLE PHASE**
Runs on normal household power

Illustration is a schematic representation for brochure use.

FOR BUILDERS & DEVELOPERS

# Built for Builders

## Ark Z1 Series

**Built for high-rise performance, with stable, efficient and vibration-free travel.**

- Machine-room-less (MRL) design
- 2 drive options: rope drive and belt drive
- Rated speed 0.75 to 1.5 m/s
- 6 to 18 passenger capacity
- Up to G+11 stops
- Three-phase power · 5 ft pit · 15 ft headroom

Tailored for apartments, offices, showrooms, hospitals and commercial buildings.

PASSENGER LIFTS

# Range at a Glance

| MODEL | BEST FOR |
|---|---|
| **Ark Z1** | Mid- to high-rise buildings; rope or belt drive, 6–18 passengers, up to G+11 |
| **Ark Z1 Infinity** | Ark Z1 performance with a fully customised premium cabin |

| SPECIFICATION | ARK Z1 / ARK Z1 INFINITY |
|---|---|
| **Operating system** | Rope drive / belt drive |
| **Rated speed** | 0.75 – 1.5 m/s |
| **Capacity** | 6 – 18 passengers |
| **Number of stops** | Up to G+11 |
| **Power supply** | Three phase |
| **Pit requirement** | 5 ft |
| **Headroom** | 15 ft, clearance for the traction system |
| **Shaft** | Civil (RCC) shaft |

## Key Differentiators

- Machine-room-less design saves space on the roof
- Rope and belt-drive options on both models
- Highest capacity in the ARK range, up to 18 passengers
- Infinity cabins with premium interiors, lighting and flooring

## Tailored For

Apartment complexes, commercial offices, showrooms, hospitals, hotels and public buildings up to G+11.

# Features & Technology

## Drive Technology

ARK lifts use three proven drive systems. We recommend the one that best suits your building after the site survey.




### Rope Drive

Proven traction. Smooth and reliable.




### Belt Drive

Quieter operation. Low maintenance.




### Hydraulic

Smooth, quiet and safe. Minimal infrastructure.

### Machine-Room-Less

- Ark Z1 needs no machine room on the roof
- Saves space and civil cost in new buildings
- Rope or belt traction up to 1.5 m/s

### Pitless Design

- Ark Rise needs no pit and no headroom
- Ideal for adding a lift to an existing home
- Indoor and outdoor installation

### Self-Supporting Structure

- Vision lifts stand on their own frame
- No civil shaft, just a 150 mm pit
- Simple turnkey installation

### Power Ready

- Ark Rise and Vision run on single-phase power
- No special electrical connection at home
- Ark Z1 runs on three-phase power

## Smart Controls & Comfort




- **Colour display** with floor and direction indicator
- **Feather-touch buttons** on a full-height operating panel
- **Voice announcer** and floor arrival gong
- **Automatic rescue** to the nearest floor on power failure
- **Emergency light, alarm and intercom** inside the cabin
- **Designer ceiling** with LED spots and blower
- **Gentle, quiet rides** and easy controls for children and elders

## Durable Materials

- Powder-coated metal frames resist corrosion
- Cabins stay clear and bright
- SS hairline and glass finishes

## Universal & Inclusive Design

- Easy controls for every generation
- Smooth levelling at every floor
- Door sensors for safe entry and exit

## Infinity Cabin Finishes



# Safety

## Philosophy

Every ARK elevator is engineered with passenger safety as the first design criterion, not an afterthought. Built to protect across all conditions: normal operation, power failure and emergency.

## Safety Features

| FEATURE | DESCRIPTION |
|---|---|
| **Automatic Rescue Device (ARD)** | Moves the cabin to the nearest floor during a power failure |
| **Door Interlock System** | Mechanical and electrical interlocks keep landing doors shut unless the cabin is present |
| **Door Sensor** | Prevents the doors closing on a person or object |
| **Overspeed Governor** | Triggers the safety gear if the cabin exceeds rated speed |
| **Safety Gear** | Brings the cabin to a controlled stop |
| **Terminal Limit Switches** | Upper and lower terminal and final limit switches |
| **Emergency Lighting** | Illuminates the cabin during power outages |
| **Alarm & Intercom** | Instant communication from inside the cabin |

## Certifications

BUREAU OF INDIAN STANDARDS

### IS 14665 & IS 17900

Indian standards for lifts and lift safety.

SAFETY & MANUFACTURING

### CE + ISO 9001:2015

CE-marked safety components and quality-assured manufacturing.

EUROPEAN COMPLIANCE

### 2006/42/EC

Machinery Directive for machinery safety.

## Before Your First Ride

- Structural fit of shaft, pit and headroom
- Drive and guide rail alignment
- Rated load test
- Emergency functions
- Speed and levelling check at every floor
- Doors, controls and indicators
- Electrical connections and power supply
- User walkthrough and handover

# Installation

### What ARK Handles

- Site survey and General Arrangement (GA) drawings
- Complete supply: structure, cabin, drive and controls
- Installation by trained ARK technicians
- Testing, commissioning and handover

### What the Customer Provides

- Civil shaft for Ark Z1 and Ark Rise as per GA drawing
- Power supply up to the controller with MCB and earthing
- Secure, dry storage space near the shaft
- Scaffolding and unloading of material at site

### Space Requirements

| MODEL | SHAFT | PIT | HEADROOM |
|---|---|---|---|
| **Vision 360** | Self-supporting · 1050 mm diameter | 150 mm | 2850 mm |
| **Vision Cube** | Self-supporting · 1050 × 1050 mm | 150 mm | 2850 mm |
| **Vision Cube Plus** | Self-supporting | Not required | As per survey |
| **Ark Rise / Infinity** | Civil (RCC) shaft | Not required | Not required |
| **Ark Z1 / Infinity** | Civil (RCC) shaft | 5 ft | 15 ft |

**1 : Site survey**

- Floor plan measured
- Power point confirmed
- GA drawing approved

**2 : Shaft & structure**

- Shaft or frame ready
- Landing door frames set
- Guide rails aligned

**3 : Install cabin**




- Drive unit fitted
- Cabin installed
- Panel and controls wired

**4 : Handover**

- Load test done
- Safety checks complete
- User walkthrough

Civil works, electrical supply, storage space and statutory approvals are the client's responsibility.
Installation supervised end to end by ARK Elevators trained technicians.

# Warranty & Sales

## Warranty Coverage

- **1-year warranty** from the date of handover, covering repair or replacement of defective parts
- **4 free preventive maintenance services** during the warranty year
- In-warranty service by ARK's own trained technicians

## Warranty Does Not Cover

- Damage due to misuse, power fluctuation or mishandling
- Consumables such as lights and batteries
- Unauthorised modifications or service by non-ARK personnel

## Annual Maintenance Contract (AMC)

A lift's journey begins with installation. Our AMC plans protect your investment and keep your lift running at its best after the warranty year.

| PLAN | COVERAGE |
|---|---|
| **Standard AMC** | Scheduled preventive maintenance, inspection, lubrication and safety checks |
| **Comprehensive AMC** | All Standard services plus repair and replacement of parts, with priority breakdown support |

## How to Buy

**1. Enquire**
Call, WhatsApp or email with your floors and space.

**2. Free survey**
We check shaft, pit, headroom and power at your site.

**3. Quotation**
A clear, itemised quote for the right model and finishes.

**4. Order**
Drawings and finishes approved, then supply and installation.

Final warranty, AMC and payment terms are as per the quotation issued for your project.

ARK ELEVATORS

# Elevating India's Skyline

# Support & Contact

One ARK team supports your lift from the first site visit to every service call after handover.

## OUR OFFICE

| | |
|---|---|
| ADDRESS | Unicity Business Park, Zirakpur–Shimla Highway,<br>Zirakpur, Punjab 140603 |
| CALL | +91 78890 88890<br>+91 88821 43594 |
| WHATSAPP | +91 78890 88890 |
| EMAIL | info@arkelevators.in |

## AFTER-SALES SUPPORT

### Preventive Maintenance

Scheduled checks that keep your lift safe and running smoothly.

### Breakdown Support

Prompt response from our trained technicians when you need it.

### Upgrades & Repairs

Genuine parts, repairs and cabin upgrades for your ARK lift.

FREQUENTLY ASKED

# Before You Call

**What is the difference between the three series?**

Ark Z1 lifts are high-capacity traction lifts for mid- to high-rise buildings. Ark Rise lifts are home lifts with no pit or headroom. Vision lifts are compact, self-supporting turnkey lifts for tight indoor spaces.

**Which lifts run on single-phase power?**

The Ark Rise series and the Vision series run on single-phase power. The Ark Z1 series needs three-phase power.

**What does "Infinity" mean?**

Infinity models add premium cabin interiors, lighting, flooring and personalised control panels to the standard model.

**Rope or belt drive – which is better?**

Both give smooth, efficient travel. We recommend the drive that best suits your building after the site survey.

**Is every lift tested before handover?**

Yes. Every installation is load- and function-tested on site before we hand it over.

**How much space does a Vision lift need?**

Vision 360 has a 1050 mm external diameter and Vision Cube a 1050 × 1050 mm footprint, with just a 150 mm pit.

**Can Ark Rise be installed outdoors?**

Yes. Ark Rise is designed for both indoor and outdoor installation, with no pit or headroom needed.

**Can I get copies of the certificates?**

Yes. Contact us and we will share the documents for your chosen model.

FOR A QUICK QUOTE, SHARE

- Building type
- Number of floors
- Space available
- Power supply

# ARK ELEVATORS

ELEVATING PEOPLE. CONNECTING SPACES.

*Planning a lift? Let's talk.*

FREE SITE SURVEY & MODEL RECOMMENDATION

+91 78890 88890 | +91 88821 43594 | INFO@ARKELEVATORS.IN
UNICITY BUSINESS PARK, ZIRAKPUR–SHIMLA HIGHWAY, ZIRAKPUR 140603