




AIVRA

AI Workforce Operating System

Frontend UI/UX Complete Implementation Specification

Frontend-only source of truth for Claude / AI coding agents



Reference visual: generated AIVRA homepage direction.

1. Purpose & Scope

- Frontend-only source of truth for the AIVRA MVP. Build a polished enterprise SaaS interface for exactly two initial AI Employees: AI HR Employee and AI Voice Employee.
- The supplied AIVRA master document defines the wider product as a governed AI Workforce Operating System. This spec narrows that vision to the two-employee MVP while preserving reusable navigation and components. [\[filecite\turn0file0\L12-L16\]](#)
- Do not build additional employee workflows in the MVP. The UI must remain extensible for future employees.

2. Product Experience

- AIVRA must feel like an AI workforce control center, not a chatbot.
- Visual direction: premium, clean, calm, trustworthy and enterprise-grade. Use the supplied AIVRA logo and purple accent.
- Human oversight is always visible through Active, Testing, Paused, Needs Attention, Waiting for Approval, Completed and Failed states.
- Prefer structured UI—cards, tables, timelines, drawers, evidence panels and dashboards—over chat-only screens.

3. Global Application Shell

- Desktop: fixed left sidebar, top header and responsive content area.
- Sidebar: AIVRA logo; Dashboard; AI Employees; Company Brain; Inbox; Approvals; Analytics; Integrations; Settings.
- Advanced later items can include Workflows, People & Access, Audit and Billing, matching the broader AIVRA information architecture. [\[filecite\turn0file0\L1214-L1238\]](#)
- Top bar: page title, breadcrumbs where useful, global search, notifications, help and user menu. Bottom sidebar: organization switcher.
- Mobile/tablet: collapse sidebar into drawer; keep primary actions accessible.

4. Design System

- Use an 8px spacing system, modern sans-serif typography, subtle borders, rounded cards and generous whitespace.
- Purple is the primary accent for buttons, active navigation and links. Use green/amber/red only for semantic states.
- Use one consistent outline icon family. Provide visible focus states, keyboard navigation, adequate contrast and non-color-only status indicators.
- Motion: 150–250ms transitions; waveform animation only for live voice. Avoid excessive gradients/glassmorphism.

5. Public Homepage

- Header: AIVRA logo; Product; AI Employees; Solutions; Resources; Pricing; About; Login; Book a Demo.
- Hero: “Hire AI Employees. Scale Your Business.” Supporting copy explains voice, chat, email and business-system execution with human oversight.
- Primary CTA: Get Started / Book a Demo. Secondary CTA: Watch Overview.
- Hero visual: dashboard mockup, employee cards, KPI cards, activity chart and floating Voice Support Agent widget.
- Benefit strip: Deploy AI Employees; Connect Your Systems; Automate Workflows; Governed & Secure.
- Use the generated homepage image as visual direction, not as a static screenshot.

6. Dashboard

- Hero greeting: “Good morning, [Admin]. Here’s what’s happening in your AI workforce today.”
- Top KPI cards: Active AI Employees; Tasks Completed; Conversations; Pending Approvals.
- AI Employee cards for HR and Voice with status, KPI, activity and quick actions.
- Activity Overview chart with 7-day/30-day selector.
- Needs Attention panel for escalations, failed integrations, pending approvals and employee warnings.
- Recent Activity timeline and quick actions: Configure HR Employee, Configure Voice Employee, Upload Knowledge, Connect Integration.
- New-tenant empty state explains first setup steps with one clear CTA.

7. AI Employees Catalog

- Only two functional cards: AI HR Employee and AI Voice Employee.

- Card fields: icon/avatar, name, description, status, KPI, channels, last activity and actions.
- Actions: Open, Configure, Test, Pause/Resume.
- HR summary: “Screens candidates, conducts structured AI interviews and schedules human interviews.”
- Voice summary: “Handles customer conversations, enquiries, bookings and support across configured industries.”

8. AI HR Employee Overview

- Header: AI HR Employee; status; last active; Pause; Test Employee.
- KPIs: Candidates Processed; Screened; Interviews Completed; Interviews Scheduled.
- Sections: Current Job; Candidate Funnel; Recent Candidates; Recent Interviews; Employee Activity.
- Configuration summary: rubric version; interview template; calendar; notifications.
- Unconfigured state: Configure HR Employee CTA.

9. HR Setup Wizard

- Step 1: HR/business profile—company, hiring team, timezone.
- Step 2: Job—title, department, location, employment type, experience, JD.
- Step 3: Evaluation rubric—AI-generated criteria shown as editable rows with weight/evidence; HR approves.
- Step 4: Screening—screening questions and optional voice screening.
- Step 5: AI interview—stages, question categories, duration, language and intro.
- Step 6: Scheduling—calendar, interviewer, hours, buffers and meeting duration.
- Step 7: Review & Activate—summary, warnings and missing requirements.
- Use persistent stepper, back/next, autosave and Saved/Saving states.

10. HR Candidate Pipeline

- Filters: Job, Stage, Score, Interview Status, Date, Source.
- Stages: Applied; Screening; Shortlisted; AI Interview; Human Interview; Selected; Rejected; On Hold.
- Candidate row: name, role, score, stage, latest activity, interview date and attention state.
- Detail tabs: Overview; Resume Evidence; Screening; AI Interview; Human Feedback; Timeline.
- Score must be evidence-backed, not an opaque decision. Display that final employment decisions remain with authorized humans.

11. HR AI Interview

- Configuration: template, duration, question categories, scoring criteria, language and fallback.
- Live simulator: conversation, speaker state, timer, current question, transcript toggle and end test.
- Right panel: objective, question progress, tool/event status and quality indicators.
- Post-interview report: summary, criterion evidence, transcript, strengths, gaps, unanswered items and next-step recommendation.
- Always show “Human review required” after an interview.

12. HR Scheduling

- Show candidate and interviewer availability with explicit timezone.
- Selectable slot cards; after selection show candidate, interviewer, date/time, duration, calendar event and notifications.
- Failure states: calendar unavailable, slot taken, expired integration; provide retry and alternative slot.

13. AI Voice Employee Overview

- Header: AI Voice Employee; status; configured industry; phone number; Test Call.
- KPIs: Calls; Connected Minutes; Resolution Rate; Escalations; Actions/Bookings.
- Sections: Today’s Calls; Intent Distribution; Recent Escalations; Knowledge/Tool Health.
- Show configured business type prominently, e.g. Jewellery Support, Hotel Booking or Restaurant Reservations.
- Quick actions: Configure; Test Call; View Inbox; Analytics; Pause.

14. Voice Employee Configuration

- Step 1: Business profile—name, industry, description, timezone and operating hours.
- Step 2: Voice identity—language, voice, tone, greeting and fallback.
- Step 3: Knowledge—Company Brain sources.
- Step 4: Capabilities—Support, Booking, Enquiry, Qualification, Cancellation, Status Lookup, Human Escalation.
- Step 5: Tools—business APIs with permission/risk and approval state.
- Step 6: Escalation—low confidence, complaint, sensitive action, repeated failure or customer request.
- Step 7: Phone—provider/number and inbound/outbound settings.
- Step 8: Test & Activate—simulator scenarios, review and activation.
- Configuration must be data-driven so one Voice Employee supports many industries without separate frontend codebases.

15. Voice Simulator

- Browser simulator before real phone deployment.
- Conversation transcript with speaker labels and live state: Listening; Thinking; Speaking; Tool Call; Human Handoff.
- Debug/evidence panel: Intent; Retrieved Knowledge; Tool; Tool Result; Latency; Session Duration; Guardrail.
- Controls: Start; Stop; Mute; Restart; Scenario.
- Scenarios: FAQ; Booking; Cancellation; API Failure; Unknown Question; Human Escalation.
- After test: Pass/Needs Review, transcript, failed step and configuration suggestion.

16. Voice Inbox / Call Detail

- Call list filters: date, employee, intent, outcome, duration, escalation and customer.
- Row: caller, time, duration, intent, outcome and status.
- Detail: transcript, metadata, summary, tools, actions, escalation reason and timeline.
- Audio playback only when recording is enabled and permitted. Human notes and outcome actions are supported.
- Immutable audit events are not editable from normal UI.

17. Company Brain

- Overview: source count, indexed documents, freshness, failed sources and access scope.
- Add Source: Upload File; Add URL; Connect Source.
- Source table: name, type, owner, last sync, status and employee access.
- Document detail: metadata, version, sections/chunks, permissions and re-index.
- Assign sources to specific AI Employees. Empty state explains why approved knowledge is needed.

18. Inbox

- Unified human-review inbox for candidate conversations, voice escalations and system tasks.
- Tabs: All; Needs Attention; Voice; HR; Escalations.
- Conversation view: transcript/messages, customer/candidate context, AI summary and actions.
- Human handoff banner explains why escalation happened and what the human should do.
- Actions: Take Over/Reply where supported; Add Note; Resolve; Escalate; View Source Record.

19. Approvals

- Approval queue for consequential actions.
- Approval card: employee, requested action, affected record, reason, evidence, timestamp and expiry.
- Actions: Approve; Reject; Request More Information.
- High-risk warning before confirmation; approval history shows actor and decision.

20. Analytics

- Overview: employee activity, conversations, tasks, resolution, escalations, usage and estimated cost.
- HR: candidates, screened, interview completion, scheduled interviews, funnel conversion and time-to-screen.
- Voice: calls, connected minutes, resolution, escalation, intent mix, actions and failures.
- Filters: date range, employee, industry configuration and outcome. Every KPI needs a tooltip/definition.

21. Integrations

- Cards for Calendar, ATS, CRM, Telephony, Email and Custom API.
- States: Connected; Not Connected; Expired.
- Connection flow explains permissions and success/failure. Show which AI Employees can use each integration.
- Reconnect/disconnect requires confirmation. Errors provide human-readable remediation steps.

22. Settings

- Organization profile; users/roles; notifications; timezone; branding; security; AI preferences.
- Advanced governance settings can be collapsed for the POC.
- Profile menu: account, preferences, help, logout. Keep organization switcher in shell.

23. Global UX States

- Loading: skeletons for page content; spinners only for short actions.
- Empty: explain why empty and give one clear next action.
- Error: what failed, whether data is safe and Retry.
- Success: concise confirmation with link/action.
- Unsaved changes: warn before leaving. Destructive actions: explicit confirmation.
- Network failure: preserve safe drafts and provide retry. Long-running operations use progress/status.
- Permission denied: explain required permission. Critical errors must not exist only as disappearing toasts.

24. Reusable Component Library

- AppShell; Sidebar; TopHeader; Breadcrumbs; PageHeader; KPI Card; EmployeeCard; StatusBadge; Avatar; DataTable; FilterBar; SearchInput; EmptyState; ErrorState; Skeleton; Modal; Drawer; Tabs; Stepper; Timeline; ActivityItem; ApprovalCard; IntegrationCard; KnowledgeSourceCard; ChartCard; AudioPlayer; CallStateIndicator; Transcript; ToolExecutionCard; EvidenceCard; CandidateScoreCard; CalendarSlotCard; Toast; ConfirmationDialog.
- Employee-specific screens must compose shared components instead of duplicating styles.

25. Frontend Data Boundary

- Use typed API clients and typed UI models. Keep business rules out of presentation components.
- Minimum UI entities: Organization, User, AIEmployee, EmployeeConfig, Job, Candidate, Interview, Call, Conversation, KnowledgeSource, Integration, Approval, AnalyticsMetric and ActivityEvent.
- Create mock service adapters so the full UI works without backend APIs. Centralize API access in service modules/hooks.

26. Frontend Project Structure

- Recommended folders: app/routes/pages; components/ui; components/layout; components/employees/hr; components/employees/voice; components/knowledge; components/inbox; components/approvals; components/analytics; components/integrations; hooks; services/api; services/mock; types; utils; assets; styles.
- Centralize design tokens: colors, typography, spacing, radius, shadows, breakpoints and motion. Use route-level code splitting for major areas.

27. Responsive Design

- Desktop target: 1280-1440px SaaS workspace.
- Tablet: collapsible sidebar; horizontally scrollable or card-based dense tables.
- Mobile: stacked cards; full-screen detail; single-column forms.
- Voice simulator on mobile collapses debug/evidence into tabs or a bottom sheet.

28. Homepage + App Branding

- Public homepage and authenticated app share design tokens and brand identity but use separate layout components.
- Use the supplied AIVRA logo as the official brand mark.
- Use the generated homepage visual as reference for spacing, hierarchy, purple accent and dashboard presentation.

29. Claude Implementation Rules

- Treat this document as the frontend source of truth.

- Build the complete shell and routes before real API integration.
- Use realistic mock data so every page looks finished.
- Do not leave blank placeholder pages for listed screens.
- Implement loading, empty, error, success, permission and confirmation states.
- Do not invent additional employee workflows. Do not hard-code industry-specific Voice Employee screens; use configuration-driven UI.
- Use reusable components and design tokens. Backend can replace mock services later without rewriting screens.
- After each major feature, run the app and fix overflow, spacing, accessibility and responsive issues.

30. Route Map

- / — public homepage; /login — authentication; /app — dashboard; /app/employees — employee catalog; /app/employees/hr — HR overview; /app/employees/hr/setup — HR setup; /app/employees/hr/jobs — jobs; /app/employees/hr/candidates — pipeline; /app/employees/hr/candidates/:id — candidate detail; /app/employees/hr/interview — AI interview; /app/employees/hr/schedule — scheduling.
- /app/employees/voice — voice overview; /app/employees/voice/setup — voice configuration; /app/employees/voice/simulator — simulator; /app/inbox — unified inbox; /app/inbox/calls/:id — call detail; /app/knowledge — Company Brain; /app/approvals — approval queue; /app/analytics — analytics; /app/integrations — integrations; /app/settings — settings.

31. Frontend Definition of Done

- Homepage polished and branded; authenticated shell responsive; dashboard complete; employee catalog contains HR and Voice.
- HR setup, candidate pipeline, interview, report and scheduling complete.
- Voice setup, simulator, inbox and call detail complete.
- Company Brain, Inbox, Approvals, Analytics, Integrations and Settings complete at MVP depth.
- Reusable component library centralized; mock services allow full demo; all major states implemented.
- Keyboard navigation and accessible labels present; desktop/tablet/mobile layouts tested; visual consistency maintained.

32. Final Instruction to Claude

Build AIVRA's frontend as a polished enterprise SaaS product using this document as the UI/UX contract. The initial product has only two AI Employees: AI HR Employee and AI Voice Employee. Complete the public homepage, authenticated shell, dashboard, employee catalog, both employee experiences, Company Brain, Inbox, Approvals, Analytics, Integrations and Settings. Use reusable components, realistic mock data, typed service boundaries, responsive layouts and complete UI states. Do not wait for backend APIs. Build against mock services first and keep the API boundary replaceable.