REVIEWED AND NO CHANGES REQUIRED
Reviewed on 24/07/2023 Next Review Date 23/07/2026
Reviewed by Approved by
Sign & Date 24/07/2023 Sign & Date 24/07/2023

Attachment – 11 30/01/2025

MASTER COPY

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.						
Standard Operating Procedure	Doc. No.	:	QC-SOP/001-00	Effective date	:	04/08/2020
	Supersedes	:	Nil	Next review	:	03/08/2023
	Department	:	Quality Control	Page	:	1 of 12
Title	Sampling of materials					

1.0 Objective

To provide written instructions for performing sampling activity of raw materials and packaging materials in Quality Control laboratory at Vinuthana Chem Tech premises.

2.0 Scope

The scope of this procedure is to cover sampling technique of raw materials and packaging materials obtained from the vendors at Vinuthana Chem Tech Pvt. Ltd.

3.0 Responsibility

3.1 QC is responsible for sampling of materials.

3.2 Warehouse is responsible for support of sampling.

UNCONTROLLED COPY

4.0 Procedure

Sampling of raw materials

4.1 Precautions

4.1.1 Use only clean and dry sampling device for sampling.

4.1.2 Store the samplers under closed conditions free from dust and contamination.

4.1.3 Use different sampling devices for sampling of materials based on suitability.

4.1.4 Raw material sampling shall be carried out under designated areas.

4.1.5 Status labeling shall be affixed to the tools after cleaning and or sampling.

4.1.6 Appropriate personal protective equipment such as hand-gloves, face-mask, nose-mask, safety goggles, safety shoes…etc. shall be worn during sampling.

4.1.7 While handling of hazardous and corrosive materials, additional safety precautions shall be followed.

4.2 Sampling Tools

4.2.1 For the sampling of powder material following tools are used:

4.2.1.1 Long tail stainless steel spoons for medium size containers.

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	29/07/2020	29/07/2020	29/07/2020

4.2.1.2 Stainless steel spoon for small packs or tins

4.3 Sampling plan

4.3.1 The number of containers/ bags to be sampled against an individual Batch No. or Lot No. in the consignment shall be followed as per the following table.

S. No.	No. of containers/bags in the lot	No. of containers to be sampled
1.	Upto 3 containers	100 %
2.	4-10 containers	4
3.	11-20 containers	5
4.	21 or above	$\sqrt{n} + 1$ Where: n – Total number o containers.

UNCONTROLLED COPY

- Any decimal point is observed after applying $\sqrt{n}$, and then it will be considered as an additional container.
- For Example:

  In case the number of containers received is 50, then the value of $\sqrt{50}$ is 7.1, so the number of containers to be sampled is 8+1= 9.

  In case the number of containers received is 60, then the value of $\sqrt{60}$ is 7.8, so the number of containers to be sampled is 8+1= 9.

  Note: The containers to be sampled shall be selected on a random basis.

4.4 Sampling quantity

4.4.1 It shall be ensured that the quantity of the sample to be sampled from each batch is enough for full complete analyses of the material as per the respective STP.

4.4.2 Total quantity to be sampled for different products/ materials shall be as per the quantity mentioned in the individual product specifications.

4.4.3 Quantity of material to be sampled from each container is calculated by using the following formula:

$$\text{Quantity to be sampled from each container} = \frac{\text{Total quantity to be sampled}}{\text{Number of containers}}$$

4.5 Sampling instructions

4.5.1 On receipt of invoice/ DC from raw material stores, Quality control chemist assigns QC AR No. and makes entries in inward register as per Annexure-1 containing the details with S. No., Date, Name of raw materials, Mfg. / Supplier name, quantity received, Batch No., QC. AR No., sampled by/ date and remark. This shall be checked against QC request report.

UNCONTROLLED COPY

4.5.2 Before attending for sampling of raw material, Vendor list is verified by QC personnel for vendor's name, specification for quantity to be drawn and precautions to be taken while sampling.

4.5.3 QC personnel shall visually check for all check-points mentioned in the sampling check-list as per the Annexure-2.

4.5.4 Labels are prepared by QC Chemist for 'sample for analyses' as per Annexure-3and SAMPLED label as per Annexure-4, reference sample giving details like item, B. No, QC. AR No., date and sign.

4.5.5 Clean sampling tools such as stainless steel sampling rods, stainless steel scoop, stainless steel spoons, dry glass tube are ensured by QC Chemist.

4.5.6 Before commencing sampling of consignment the condition of sampling room is inspected by the QC Chemist with respect to cleanliness and in case not cleaned properly get it cleaned immediately.

4.5.7 Before collecting sample, Quality Control Chemist identifies that the containers are kept

in 'Quarantine' area and shall verify for the physical condition and labeling and ensures that the containers are not damaged and the seals are intact.

4.5.8 Then the labels are checked with respect to the following details :

- Name of the material and grade mentioned as per purchase order.
- Batch No. / Lot No.
- Quantity
- Date of manufacturing
- Date of Expiry/Retest

UNCONTROLLED COPY

4.6 Closing of opened raw material bags

4.6.1 After sampling is over care is taken to close the containers by removing the air from the bag and then by twisting neck of the bag and folding down to avoid moisture entering into the bag and tightly tied with suitable thread or rubber band or any suitable device. And containers are taken out from exit area and kept in under test area.

4.7 Preparation of composite sample

4.7.1 Sample collected in 100 gm polybag is used to make a pooled sample. The mouth of the polybag is properly closed and mixed the contents by shaking up and down for several time and thus making a composite sample that is used for analysis and reference purpose.

4.7.2 Each and every container is sampled, mix it and analyzed in case total number of containers in the consignment are less than or equal to 5.

4.8 Storage of sample for analysis

4.8.1 The samples are separately stored in a tray for Incoming samples for analysis as per storage conditions.

4.8.2 Once it is taken for analysis and in case it is kept under test for some tests then the same is put back again in the same tray.

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

4.8.3 In case the analysis of material is pending for more than 10 days, Quality Control Chemist resamples the same.

4.9 Non-compliance

4.9.1 In case of Non-Compliance or discrepancy observed, the same shall be reported to Head – Quality.

4.10 Disposal of left over samples after analysis

Procedure performed for disposal is as follows:

4.10.1 Dissolve the available sample in water or appropriate solvent and send to effluent, if insoluble make slurry and send to effluent.

4.10.2 In case of corrosive material will be separately sent to effluent for disposal.

4.10.3 The person checking the test report shall be responsible for the disposal of left over material and shall put the remark of disposal on the back side of test report with counter signature and date.

UNCONTROLLED COPY

4.11 Disposal of left over samples after analysis

Procedure performed for disposal is as follows:

4.12 Sampling of packaging materials

4.12.1 **Sampling plan**

The number of consignments to be sampled against an individual Batch No. or Lot No. in the consignment shall be followed as per the following table.

S. No.	No. of carboys	No. of carboys to be sampled
1.	Up to 5	1
2.	6 to 10	2
3.	11 to 20	3
4.	21 to 30	4
5.	31 and above	5

4.12.2 In case of containers, randomly 5 containers shall be selected for measurements and physical condition of containers will be verified.

4.13 **Sampling instructions**

4.13.1 The following shall be verified against the consignment, but not limited to:

i. Physical condition
ii. Quantity against GRN
iii. Purchase order
iv. Vendor details
v. Visual inspection
vi. Communication to QC

UNCONTROLLED COPY

4.13.2 On receipt of invoice / DC of Packaging material from Warehouse, Quality control chemist assigns QC AR No. and makes entries in inward register as per Annexure-1.

4.13.3 Before attending for sampling of Packaging material, Vendor list is verified by QC personnel for vendor's name, specification for quantity to be examined.

4.13.4 QC personnel shall visually check for all check-points mentioned in the sampling check-list as per the Annexure-5.

4.13.5 Labels are prepared by QC Chemist for 'sample for analyses' as per Annexure-1and SAMPLED label as per Annexure-4.

4.13.6 Quality Control Chemist identifies that the packaging material are kept in 'Quarantine' area and shall verify for the physical condition and labeling and ensures that the packaging material are not damaged.

5.0 Definitions and Abbreviations

5.1 Definitions

5.1.1 **Raw Material**

The basic material which is used to make a product.

5.1.2 **Packaging material**

The basic material which is used to make a product.

5.1.3 **Packing material**

Any material used especially to protect the product.

5.1.4 **Solvent**

A solvent is usually a liquid; A solvent is a substance that dissolves a solute resulting in a solution.

UNCONTROLLED COPY

5.2 Abbreviations

5.2.1 AR No.: Analytical Report Number

5.2.2 KSM : Key Staring Material

5.2.3 STP : Standard Testing Procedure

5.2.4 HDPE : High Density Poly Ethylene

5.2.5 SS : Stainless Steel

5.2.6 PVC : Poly Vinyl Chloride

6.0 Formats / Attachments

6.1 Annexure– 1: Raw / Packaging Material Inward Register

6.2 Annexure– 2: Sampling Checklist for raw materials

6.3 Annexure– 3: Sample for analyses

6.4 Annexure– 4: Sampled label

6.5 Annexure– 5: Sampling Checklist for packaging materials

7.0 Revision History

CCF No.	Rev. No.	Details of change in brief
CCF/QC/00120	00	New SOP

Annexure – 1

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.

Raw / Packaging material inward register

UNCONTROLLED COPY

S. No.	Date	Product	Manufacturer / Supplier	In-house B. No.	Qty.	UOM	AR No.	Sampled by	Status	Remarks	Sign. & Date

QC-001-F01-00

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

REVIEWED AND NO CHANGES REQUIRED
Reviewed on 24/07/2023 Next Review Date 23/07/2026
Reviewed by: Approved by:
Sign & Date 24/07/2023 Sign & Date 24/07/2023
MASTER COPY

Annexure – 2

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.
Sampling checklist for raw materials

Product			
Manufacturer			
Manufacturer's/ Supplier's Batch No.		AR No.	
No. of containers received		Qty.	

Note: Please put a "✓"mark in the column wherever applicable.

UNCONTROLLED COPY

S. No.	Check points	Yes	No	NA
1.0	Is the sampling area is in good condition			---
2.0	Is the sampling device is in good condition			---
3.0	Has all the containers of the batch/lot have been segregated			---
4.0	Has all the containers of the batch/lot have been de-dusted			---
5.0	Does all the containers of the batch/lot have manufacturer's labels			---
6.0	Is the information on the labels is legible			---
7.0	Are all the containers/tanker having Quarantine labels			---
8.0	Has the batch been received from an approved vendor			---
9.0	Has the Vendor COA have been enclosed			---
10.0	Are the packing conditions of the material are good			
11.0	Is the integrity of the seals is in good condition			
12.0	Are the details on the material analyses requisition, Vendor COA and the labels are matching with one another			
13.0	Is the "cleaning certificate" for the tanker is available			---
14.0	Mode of packing of the material			
15.0	Sampling tool used : Spatula/ Scoop/ Glass liquid sampler /Stainless steel solid sampler/Sampling thieve			
16.0	Is there any variation in the physical appearance of the material from container to container			

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

S. No.	Check points		Yes	No	NA
17.0	Other Observations (In case any):				
18.0	No. of containers To be sampled				
19.0	No. of samples collected				
Sampled by: **Sign & Date**					

QC-001-F02-00

Annexure – 3

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.
Sample for analyses label

UNCONTROLLED COPY

Vinuthana Chem Tech Pvt. Ltd.
Sample for analyses
Product :
AR No. :
Sampled by Sign. :
Date :

QC-001-F03-00

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

QA-001-F01-00

Annexure – 4

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.
Sampled label

Vinuthana Chem Tech Pvt. Ltd.	
Sampled	
Product	:
AR No.	:
Container No.	:
Sampled on	:
Sampled by	:

UNCONTROLLED COPY

QC-001-F04-00

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

QA-001-F01-00

Annexure – 5

Vinuthana Chem Tech Pvt. Ltd., Pashamylaram, Hyderabad.
Sampling checklist for packaging materials

Product			
Manufacturer			
Manufacturer's/ Supplier's Batch No.		AR No.	
No. of containers received		Qty.	

UNCONTROLLED COPY

Note: Please put a "✓"mark in the column wherever applicable.

S. No.	Check points	Yes	No	NA
1.0	Product is received from approved vendor			---
2.0	Analytical report / COA is received			---
3.0	Bundles are packed in good condition and free from extraneous particles and dust			---
4.0	Size is suitable and as per purchase order			---
5.0	Containers are free from sharp edges and no dents			---
6.0	Containers are free from dust and finishing is good.			---
7.0	Closure system of containers found to be good			---
8.0	Metallic ring / closure ring, locking system is good and free from rust			---
9.0	Bottom supporting metallic ring is good and free from rust			---
10.0	Any other observations			
17.0	Other Observations (In case any):			
Sampled by : **Sign & Date**				

QC-001-F05-00

	Prepared by	Reviewed by	Approved by
Name	D. Prudhvi	B. Chandra Sekhar	Y. Praveen
Designation	Chemist – Quality	Executive – Quality	Manager – Quality
Signature & Date	Prudhvi 29/07/2020	29/07/2020	30/07/2020

Attachment - 12 30/01/2025

Date: 30.01.2025

TO WHOM SO EVER IT MAY CONCERN

PACKING & STORAGE DECLARATION

Name of the product : **N, N Dicyclo hexyl carbodiimide**
CAS Registry : **[535-75-0]**

We, **Vinuthana Chem Tech Pvt. Ltd.,** hereby confirm that the material will be packed in HDPE Carboys and closed appropriately with leak-proof lid.

Storage Condition: Store in a well-closed container.

For Vinuthana Chem Tech Pvt. Ltd.

Name : K. Bhoopal Reddy

Designation & department : Manager - Quality

Company seal

VINUTHANA CHEM TECH PVT. LTD. QUALITY ASSURANCE

Bhoopal Reddy

Vinuthana Chem Tech Pvt. Ltd.
Office & Factory : Shed No.: D22, Phase-I, IDA Pashamylaram, Patancheru (Md), Sangareddy (Dt), PIN-502 307.
Phone No: 9704885999, Email : infopsm@vinuthanachem.com, www.vinuthanachem.com

Attachment - 13 30/01/2025

Vinuthana Chem Tech Pvt. Ltd.
Shed No. 22 D, Phase-I, IDA Pashamylaram, Patancheru (M), Sangareddy Dist., Telangana, India, Pin -502307

Date : 30.01.2025

LETTER OF DECLARATION OF MANUFACTURE ACCORDING TO THE PRESENTED DOSSIER AND TO GMP RULES FOR APIs FOR HUMAN/VETERINARY USE

We M/s. **Vinuthana Chem Tech Pvt. Ltd.** hereby declare that we manufacture **N,N-Dicyclohexyl Carbodiimide** according to the presented dossier and to the GMP requirements:

o EU guidelines on Good Manufacturing Practice for Active Substances used as Starting Materials (as published in the Rules governing Medicinal Products in the European Union, Volume 4, Part II)

(These above declaration is not applicable to us, as this material **N,N - Dicyclohexyl Carbodiimide** does not fall under DOSSIER / APIs for HUMAN / VERTINARY Category.)

Vinuthana Chem Tech Pvt. Ltd.

Name : K. Bhoopal Reeddy

Designation of person : Manager - Quality

Sign & Date : Bhoopalreddy 30/01/2024

Attachment - 14 30/01/2025

Date: 30.01.2025

RESIDUAL SOLVENT STATEMENT/ OVI DECLARATION

Name of the product : **N,N-Dicyclohexyl carbodiimide**

This is to certify that the mentioned below residual solvent are used for the manufacturing of the above said product.

S. No	Description of Residual Solvents	Solvent Class*
1.	Methylene dichloride (MDC)	Class-2

*As per ICH guideline "Impurities: Guideline for Residual solvents Q3C"

From the above-mentioned solvent profile and as per ICH classification, it is evident that the class 1 solvents (Benzene, Carbon Tetrachloride, 1-2 Dichloroethane: 1,1 Dichloroethane and 1,1,1 trichloroethane) are not used in the process. Only class 2 solvent is utilized in the process.

This is to state that the solvent denoted from S.No (no of solvents) is utilized at manufacturing process and tested during the time of batch release as a part of our QC analytical testing.
As a collective note, based on our process controls and our analytical monitoring of the complete solvent range, we certify that the solvent levels are below the specification limits specified in ICH guideline "Impurities: Guideline for Residual solvents Q3C"

For Vinuthana Chem Tech Pvt. Ltd.

Name : K. Bhoopal Reddy

Designation & department : Manager- Quality

Company seal

Bhoopalreddy

Attachment - 15 30/01/2025

Date: 30.01.2025

TO WHOMSOEVER IT MAY CONCERN

Name of the product : **N, N- Dicyclohexyl carbodiimide**
CAS Registry : **[538-75-0]**

We, **Vinuthana Chem Tech Pvt. Ltd.**, hereby declare that manufacturing of our product **N,N-Dicyclohexyl carbodiimide** is being manufactured at our site Shed No. 22D, Phase-I, IDA Pashamylaram, Patancheru (Md), Sangareddy (Dt.), Telangana, INDIA, PIN-502 307 from last three years. There has been no change related to route of synthesis, production process or solvents during last 3 years. We also confirm that we will provide prior information to M/s. **Avaco Research & Development LLP.** of the changes and will provide all necessary documentation.

For Vinuthana Chem Tech Pvt. Ltd.

Name : K. Bhoopal Reddy

Designation & department : Manager - Quality

Company seal

VINUTHANA CHEM TECH PVT. LTD. QUALITY ASSURANCE

Bhoopal Reddy

Vinuthana Chem Tech Pvt. Ltd.
Office & Factory : Shed No. D22, Phase-I, IDA Pashamylaram, Patancheru (Md.), Sangareddy (Dt), PIN-502 307.
Phone No. 9704388999, Email : info@vinuthanachem.com, www.vinuthanachem.com