stereokem

Stereokem Pharmaceuticals(Pvt) Ltd
R&D center, Plot No. 36A, IDA,
Uppal, Hyderabad 500039, India
Email: info@stereokem.com

SUBJECT	PRODUCT	IN-HOUSE REFERENCE	
Certificate of analysis	**N-Cyanoacetylurethane** (CAS# 6629-04-5)	Batch#	KEM406B-001/24
		Date of analysis	November 15, 2024
		Manufacturing date	November, 2024
		Retest date	December, 2025
		Quantity	500.0 gm

ENTRY	TEST	SPECIFICATION	RESULT
1	Description	Off white to pale yellow solid	Complies
2	Solubility	Soluble in methanol	Complies
3	Identification by NMR	Should conform to structure	Conforms
4	Water content by KF (%, w/w)	Not more than 1.0	0.45
5	Purity by HPLC (%, w/w)	Not less than 98.0	98.95

The product conforms to the in-house specifications

PREPARED BY	CHECKED BY	APPROVED BY
15/11/2024	15/11/2024	15/11/2024.

STEREOKEM PHARMACEUTICALS PVT. LTD. STEREOKEM

Mfg. address: Plot No.27A22, Sy#14P, DN Area-APSEZ, IALA-Atchutapuram, Lalamkoduru(V), Rambilli (M), Anakapalli District, AP, INDIA-531061