

City			
City_id (PK)	Is_tourist_city	Cityname	Agencyid (FK)

Agency				
Agency_id (PK)	Address	Name	Supervisor	Phone

Package								
Package_id (PK)	Pname	Type	Transport_mode	Source_city (FK)	Destination_city (FK)	Days	Nights	Price

Package_Group_Hotel				
Groupid (PK)	Package_id (PK)(FK)	Hotel_id (FK)	Journey_date (PK)	

Passenger								
Passenger_id (PK)	Groupid	Fname	Lname	Aadharo	Birthdate	Phone	Gender	Insurance_id (FK)

Insurance		
Insurance_id (PK)	Company	Due_date

Booking				
BookingID (PK)	Date_of_booking	Groupid (FK)	Package_id (FK)	Price


Ticket		
TicketNo (PK)	Date	Bookingid (FK)


A

B

D

C





Passenger_Offer

Groupid (PK)	Offerid (PK) (FK)
-----------------	-----------------------------

Notes:

1.3 offers can be applied to one group.

2.suppose 5 people in a group then they will have one single entry in Package_Group_Hotel, and 5 entries in passenger_service, 5 entries in service table, if they want insurance then 5 entries in service table with 5 entries updated in insurance table. And also ids added in passenger table(insurance_id).