>



<u>Unit 0. Course Overview, Homework</u>

Project 0 Setup, Numpy Exercises,

Course > 0, Project 0 (1 week)

> Tutorial on Common Packages

8. Debugging exercise

Audit Access Expires May 11, 2020

You lose all access to this course, including your progress, on May 11, 2020. Upgrade by Mar 25, 2020 to get unlimited access to the course as long as it exists on the site. **Upgrade now**

8. Debugging exercise

In machine learning, there a lot of reasons why a model would fail to perform well. The model could be poorly designed, the data could be too noisy, it could just be a poor initialization, or a poor choice of hyperparameters, etc. Therefore, it is vital to at least exclude engineering bugs using a debugger.

Fortunately, Python comes with a fully functional interactive debugger called <u>pdb</u>.

Before you tackle the last problem of this project, we recommend you take some time to learn how to use, for example with this tutorial.

Debugging exercise

1.0/1 point (graded)

In this problem, you are given a buggy piece of code and are asked to debug it.

The goal of this exercise is for you to set up a working debugging system for yourselves. (See the next page for an example.) Feel free to use other debuggers as you wish. But note that any extra print statement in submitted code will be graded as incorrect in the online code graders.

The function <code>get_sum_metrics</code> takes two arguments: a <code>prediction</code> and a list of <code>metrics</code> to apply to the prediction (say, for instance, the accuracy or the precision). Note that each metric is a function, not a number. The function should compute each of the metrics for the prediction and sum them. It should also add to this sum three default metrics, in this case, adding 0, 1 or 2 to the prediction.

Reminder: You should fix this function locally first, and run python debug.py in your project0 directory to make sure it behaves as expected on the simple test cases provided

Grader Note: : If the grader appears unresponsive and displays "Processing", it means (most likely) it has crashed. Please resubmit your answers, and leave a message in the forum and we will work on fixing it as soon as possible.

```
1 def get sum metrics(predictions, metrics=None):
2
      if metrics is None:
 3
           metrics = []
 4
 5
      for i in range(3):
 6
           metrics.append(lambda x, i=i: x + i)
 7
8
      sum metrics = 0
 9
      for metric in metrics:
10
           sum_metrics += metric(predictions)
11
12
       return sum metrics
13
```

Press ESC then TAB or click outside of the code editor to exit

Correct

Test results

```
See full output
CORRECT
See full output
```

Submit

You have used 4 of 25 attempts

Discussion

Hide Discussion

Topic: Unit 0. Course Overview, Homework 0, Project 0 (1 week):Project 0 Setup, Numpy Exercises, Tutorial on Common Packages / 8. Debugging exercise

Add a Post

| Show all posts by recent | activity |
|---|----------|
| ? Is debugger a must? I did not solve this task, as I did not know how to use the debugger in this case. I only use it a | 2 |
| <u>List copy</u> If a mutable container such as list, is passed into a function, and some items are appended to | 5 |
| ? Additional explanation to the code Is that possible to add short comments to the code in the answer? I think a little bit of explan | 2 |
| ? My code give also same answer as your solution I don't understand how the platform works but I have written a Code that gives also same an | 2 |
| Will the solution not be shared? It is important for learning that solution is shared Please suggest | 3 |
| I'm crazy with this excersice I debugged and find the error in the cumulated sum, but when i want to prove get_sum_metr | 5 |
| Is an argument passed by references or by value. It matters. https://www.tutorialspoint.com/how-are-arguments-passed-by-value-or-by-reference-in-pyth | 1 |
| Hint: there is more than 1 bug in the code Enough said. In case you are still getting incorrect fixing only 1 bug. I fixed mine without even | 7 new_ |
| Paramters in the code Hello, When we say def get_sum_metrics(0) does 0 belong to prediction or metrics? Also w | 2 |
| ? Staff please answer Staff please answer this discussion for me. Thank you https://courses.edx.org/courses/cours | 1 |

8. Debugging exercise | Project 0 Setup, Numpy ... https://courses.edx.org/courses/course-v1:MITx+...

