




Agent Multiplayer Setups


Explore modern developer **harnesses**, structured **communication protocols**, and local **orchestration frameworks** designed to facilitate cooperative multi-agent engineering workflows and high-concurrency developer execution environments.



Alex Rivera

Presenter • October 3, 2026

Scaling with Agent Swarms



Single-agent setups face context exhaustion and rigid bottlenecks when handling complex enterprise software codebases.



Architect Agents

They **decompose** complex goals into structured subtasks, guiding system flow effectively.



Dedicated Coders

Specialized agents implement modular solutions inside **isolated workspaces** without leaks.



Automated Reviewers

They **test and enforce standards** diligently before triggering any codebase merge event.

Harness Architecture



Container Sandboxing

Strict **file system boundaries** isolate execution to prevent unauthorized host access.



Safe Tool Execution

Local runtime coordinates **shell and debug commands** under verified safety policies.



Persistent Context

Vector indices and **markdown vaults** preserve critical state across development loops.



Agent Orchestration



01 Task Dispatching

Directs **sub-tasks to specialized subagents** dynamically through an event-driven message architecture.

02 Shared Scratchpad

Preserves **consensus state across agents** effectively while eliminating cumulative context bloat.

03 Local Model Proxy

Dynamically **routes requests between models** based on real-time latency, budget, and capabilities.





Autonomous Workflows

Community systems advance toward **autonomous adaptation** and **distributed collaboration**. Continuous human feedback updates memory vaults, while decentralized peer protocols allow agents to negotiate secure task handoffs across machines.