TREE® TILE

Exceeding The Limits To Always Get The Best

800x3000 MM
800x3200 MM

CONNECTING THE VALUE OF SLAB

Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist

CONTINUA+ LAMGEA SYSTEM Lamina

CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.

CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT
Formats





The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE
Profiles

Double straight rounded edge

Straight squared edge


Rounded straight edge


Double straight squared edge


Half bullnoss


Rounded edge at 45°


Full bullnoss


Squared edge at 45°


Demi bullnoss


Micro bevel

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES


Birds beak

45° corner


Soft corner

White



Black



Green



Blue



TREE TILE®

Our collections offer
professional-grade performance while
seamlessly blending the latest innovations with
a premium design aesthetic that is crafted
with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

PRODUCT Range

Angel Jasper	Black Fusion	Blue Pearl	Forest Green
Lourent Gold	Marquina Nero	Portoro Black	Crisocolla
Jade Green	Verde Issorie	Agata Blue	Karzai Green
Amazonite	Onice Persia	Afyon White	Apuane Statuario
Arabescato Gold	Bianco Extra	Calcatta Ultra	Delmare
Herozin White	Machia Vechia	Marble Volakas	Mont Blanc
Panda White	Pearl Cream Onyx	Statuario Altissimo	Statuario Pearl
Statuario Unico	Desert Gold	Espresso	Essel Brown
Jet Black Glaze	Jet Black	Pearl White	Royal Quartzite
Saga White	Scabas	Terazzo Black Salt and Pepper	Terazzo Brown Salt and Pepper
Terazzo Ivory Salt and Pepper	Terazzo Verde Salt and Pepper	Terrazzo Grey Salt and Pepper	Wall Street Grey

PRODUCT Finishes

CLAS STONE

Gloss is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.

APPLICATION Areas

- KITCHEN COUNTERTOP
- DINING TABLE
- LIVING ROOM
- FURNITURE
- STAIRCASE
- OFFICE TABLE
- TABLE TOP
- DOOR \WINDOW FRAME

TECHNICAL Features

- LIGHTWEIGHT
- WATERPROOF
- RESISTANT TO SCRATCHES
- RESISTANT TO HIGH TEMPERATURES
- EASY TO CLEAN
- RESISTANT TO BENDING
- 100% NATURAL
- RECYCLABLE
- HYGIENIC
- RESISTANT TO UV RAYS

ANGEL JASPER

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

BLACK FUSION

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

BLUE PEARL

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

FOREST GREEN

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

LOURENT GOLD

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

MARQUINA NERO

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

PORTORO BLACK

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

CRISOCOLLA

BODY	FINISH	SIZE	THICKNESS
BLACK GREEN BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

JADE GREEN

BODY	FINISH	SIZE	THICKNESS
BLACK GREEN BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

VERDE ISSORIE

BODY	FINISH	SIZE	THICKNESS
BLACK GREEN BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

AGATA BLUE

BODY	FINISH	SIZE	THICKNESS
BLUE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

KARZAI GREEN

BODY	FINISH	SIZE	THICKNESS
DARK GREEN BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

AMAZONITE

BODY
LIGHT GREEN BODY

FINISH
GLOSSY

SIZE
800x3000 MM
800x3200 MM

THICKNESS
15 MM

ONICE PERSIA

BODY	FINISH	SIZE	THICKNESS
LIGHT GREEN BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

AFYON WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

APUANE STATUARIO

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

ARABESCATO GOLD

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

BIANCO EXTRA

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

CALCATTA ULTRA

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

DELMARE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

HEROZIN WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

MACHIA VECHIA

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

MARBLE VOLAKAS

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

MONT BLANC

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

PANDA WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

PEARL CREAM ONYX

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

STATUARIO ALTISSIMO

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

STATUARIO PEARL

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

STATUARIO UNICO

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

DESERT GOLD

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

ESPRESSO

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

ESSEL BROWN

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM



JET BLACK GLAZE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

JET BLACK

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

PEARL WHITE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

ROYAL QUARTZITE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY	800x3000 MM 800x3200 MM	15 MM

SAGA WHITE

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x3000 MM
800x3200 MM

THICKNESS
15 MM

SCABAS

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

TERAZZO BLACK SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x3000 MM
800x3200 MM

THICKNESS
15 MM

TERAZZO BROWN SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

TERAZZO IVORY SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x3000 MM
800x3200 MM

THICKNESS
15 MM

TERAZZO VERDE SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

TERAZZO GREY SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x3000 MM
800x3200 MM

THICKNESS
15 MM

WALL STREET GREY

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x3000 MM 800x3200 MM	15 MM

TREE® TILE

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥(7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm³	Max. 132mm³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10^{-6}	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<12) / Posh ≥P1(12-24)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R13	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
** Except Hydrofluoric Acid & it's compound
# Tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Glossy	Color Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs
	Color Body	800x3200mm	15mm	1pc	27.55 Sq ft	90 Kgs
Glossy & Matt	Full Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs
	Full Body	800x3200mm	15mm	1pc	27.55 Sq ft	90 Kgs

TREE®
TILE

TREE TILE LLP
8-A National Highway, Behind Shakti chamber
Morbi-363641, Gujarat-India

Contact: +91 97127 04400
Email: export@treetile.in | Web: www.treetile.in

Join us on :