



**HIGH GLOSS
SERIES**

**600x
600mm**

**MODERN AMBIANCE REQUIRE
MODERN SURFACE**



HIGH GLOSS

The many inspirations behind the TREETILE glossy range can be used to customize any space and create constantly changing material effects. Marble, metal, wood, solid colors and decorative pattern are skillfully combined to create a surprising crossover style ideal for highly contemporary architectural solutions.

We help you visualize your dream space. Our tiles are as unique as you are. Experience and hard work has resulted into such creative expressions which fit into your world perfectly. Three sizes and six finishes are available while the possibilities of designing your favourite spaces with these brilliant digital tiles remain endless.



**ESSENTIAL
AND STYLISH**



HIGH GLOSS SHADES



PAINT BLUE



BLACK ELECTRA



PEARL PORTRO




ARMANI BLUE



ARMANI BROWN




ENDEAVOUR BLUE



CRYSTAL MOSAICO




EMPIRE BLUE



CRYSTAL PABBLES

SURFACE : High Gloss

THICKNESS : 8.5mm



NEVER ENDING FEATURES

HYGIENIC

WATERPROOF

EASY TO CLEAN

RESISTANT TO ICE AND FROST

SCRATCH AND IMPACT RESISTANT

UNALTERABLE TO UV RAYS

CHEMICAL AND STAIN RESISTANCE

FIRE AND HIGH-TEMPERATURE RESISTANT







high-gloss
finish




PAINT BLUE



Random Phase




PAINT BROWN




Random Phase




BLACK ELECTRA




Random Phase




BLACK MARMO




Random Phase



BLACK PORTRO




Random Phase






BLACK PORTRO

BLACK ROSE



Random Phase





TREE[®]
TILE




BLACK ROSE

BLACK LOTUS



Random Phase






BLACK LOTUS


PEARL PORTRO




Random Phase



ARMANI BLUE




Random Phase







ARMANI BROWN




Random Phase



VELVET BLUE




Random Phase



ENDEAVOUR BLUE




Random Phase






high-gloss
finish


CRYSTAL MOSAICO




Random Phase



TWIRL NERRO



Random Phase






TWIRL NERRO

23

STROM BROWN




Random Phase



EMPIRE BLUE

BOOK MATCH CONCEPT

NEW



DARK PHONIX





BOOK MATCH CONCEPT



CRYSTAL PABBLES

BOOK MATCH CONCEPT







CRYSTAL PABBLES

28

MARVELA STONE

BOOK MATCH CONCEPT







MARVELA STONE

30

VENETO BROWN

BOOK MATCH CONCEPT



TECHNICAL

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness (ONLY FOR PGVT)	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

PACKAGING

Size	600x600mm
Thickness (approx.)	8.5 mm
Tiles Per Box	4 pcs
Coverage Area (approx.)	1.44 sq mtr
Wt. kg (approx.)	27 kg





TREETILE LLP

8-A National Highway,
Behind-Shakti Chamber,
Morbi
(Gujarat-India)

E-mail : export@treetile.in

Web : www.treetile.in

Phone No : +91 97127 04400