

**Name:** Partha Bodke

**Roll No:** 281044

**Batch:** A2

# Assignment 4

## **Problem Statement:**

Apply appropriate ML algorithm on a dataset. Create confusion matrix based on the data and find

a) Accuracy

b) Precision

c) Recall

d) F-1 score

## **Objectives:**

- 1) To apply a supervised machine learning algorithm to predict customer response.
- 2) To analyze the dataset and preprocess the data for better model performance.
- 3) To evaluate model performance using a confusion matrix.
- 4) To compute key classification metrics (Accuracy, Precision, Recall, F1-score).

## **Resources used:**

- 1) Software used: Visual Studio Code
- 2) Libraries used: Pandas, Matplotlib, Seaborn, SKLearn

## **Theory:**

Classification is a supervised learning technique where the model learns to map input features to predefined labels. The goal is to train a model that can accurately classify new

data points into one of the given categories. In this assignment, we focus on binary classification (Customer will respond: Yes or No).

#### Confusion Matrix:

A confusion matrix is a performance measurement tool for classification models. It consists of four components:

- True Positives (TP): Correctly predicted positive cases.
- True Negatives (TN): Correctly predicted negative cases.
- False Positives (FP): Incorrectly predicted positive cases (Type I Error).
- False Negatives (FN): Incorrectly predicted negative cases (Type II Error).

#### Evaluation Metrics:

- Accuracy: Measures the overall correctness of the model.
- Precision: Measures how many predicted positive cases were actually positive.
- Recall: Measures how many actual positive cases were correctly predicted.
- F1-Score: Harmonic mean of precision and recall, balancing both metrics.

#### Methodology:

1. Data Preprocessing
  - Load the dataset using Pandas.
  - Handle missing values (imputation or removal).
  - Encode categorical variables (e.g., gender) using one-hot encoding.
  - Normalize numerical features using MinMaxScaler or StandardScaler.
  - Split the dataset into training and testing sets (e.g., 75% training, 25% testing).

2. Choosing the ML Algorithm

Since the problem is a binary classification task, suitable algorithms include:

- Logistic Regression
- Decision Tree Classifier
- Random Forest Classifier
- Support Vector Machine (SVM)

- K-Nearest Neighbors (KNN)
- Neural Networks (optional for advanced modeling)

### 3. Model Training & Prediction

- Train the selected ML model on the training dataset.
- Predict customer responses on the test dataset.

### 4. Confusion Matrix & Performance Metrics Calculation

- Compute the confusion matrix (True Positives, True Negatives, False Positives, False Negatives).
- Derive the following metrics from the confusion matrix:
  - a) Accuracy
  - b) Precision
  - c) Recall (Sensitivity)
  - d) F1-Score

### Conclusion:

- The chosen ML model was able to predict responses with reasonable accuracy.
- Based on the evaluation metrics, the model's performance can be assessed for further improvements.
- Feature engineering and hyperparameter tuning could further enhance the model's effectiveness.