

Question 1: Navigate and List Files

Answer:

```
pwd          # Check current directory
cd myapp     # Go to myapp folder
cd src       # Go inside src folder
ls           # List all files
```

Question 2: Create Folder and File

Answer:

```
mkdir reports # Create folder
cd reports    # Enter folder
touch summary.txt # Create empty file
```

Question 3: View File Quickly

Answer:

```
cat notes.txt
```

Why:

It displays the file content directly in the terminal without opening an editor.

Question 4: Fix Permission Denied

Answer:

```
chmod +x filename
```

Explanation:

This command gives execute permission so the file can run as a program.

Question 5: Find "error" in File

Answer:

```
grep "error" app.log
```

Question 6: Combine Commands

Answer:

```
ls | grep config
```

Explanation:

| (pipe) sends output of `ls` to `grep`.

Question 7: Missing DOCTYPE Issue

Answer:

Without DOCTYPE and proper HTML structure:

- Browser may not render page correctly
- Layout may break
- Inconsistent behavior across browsers

Proper structure ensures correct interpretation of HTML.

Question 8: Semantic HTML Tags

Answer:

- Header → `<header>`
- Product listing → `<section>`
- Individual product → `<article>`
- Contact form → `<form>`
- Footer → `<footer>`

Why:

Semantic tags improve readability, SEO, and accessibility.

Question 9: > vs >>

Answer:

- `>` → Overwrites file
- `>>` → Appends to file

Examples:

```
echo "Hello" > file.txt    # overwrite
echo "World" >> file.txt   # append
```

Question 10: rm vs rm -r

Answer:

- `rm` → deletes files
- `rm -r` → deletes folders and contents

Warning:

`rm -r` can delete everything inside a directory permanently, so use carefully.

Question 11: Semantic Tags vs div

Answer:

- Semantic tags (`<section>`, `<article>`) → meaningful structure
- `<div>` → generic container

Importance:

- Better SEO
- Easier for developers to understand
- Improves accessibility

Question 12: Importance of Forms

Answer:

Forms allow users to input data and interact with websites.

Input types:

- `text` → for names or general input
- `email` → for email addresses (with validation)
- `password` → hides user input