

Class 12

practical 1

```
import java.util.Scanner;

public class mydata {

    public static void main(String[] args) {

        // Create Scanner class object

        Scanner sc = new Scanner(System.in);


        // Declaration of variables

        String name;

        int age;


        // Ask user

        System.out.println("Enter your name: ");

        name = sc.nextLine();


        System.out.println("Enter you age: ");

        age = sc.nextInt();


        // Display User info

        System.out.println("Your name is: " + name);

        System.out.println("Your age is:" + age);


        sc.close();
```

```
}  
}
```

practical 2

```
import java.util.Scanner;
```

```
public class calculator {
```

```
    public static void main(String[] args) {
```

```
        // Create Scanner class object
```

```
        Scanner sc = new Scanner(System.in);
```

```
        // Declaration of variables
```

```
        int num1;
```

```
        int num2;
```

```
        // Ask user
```

```
        System.out.println("Enter your first number: ");
```

```
        num1 = sc.nextInt();
```

```
        System.out.println("Enter your Second number: ");
```

```
        num2 = sc.nextInt();
```

```
        int sum = num1+num2;
```

```
        // Display User info
```

```
        System.out.println(num1 + " and " + num2 + "addition is: " + sum);
```

```
        sc.close();

    }

}
```

practical 3

```
import java.util.Scanner;

public class vote {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int age;

        System.out.println("Enter Your age: ");
        age = sc.nextInt();

        if (age >= 18) {
            System.out.println("You Are Eligible For Vote");
        } else {
            System.out.println("You Are Not Eligible For Vote");
        }

        sc.close();
    }
}
```

practical 4

```
import java.util.Scanner;

class grade {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        int marks;

        System.out.println("Enter you marks: ");
        marks = sc.nextInt();

        if (marks >= 100 || marks <= 0) {
            System.out.println("Invalid marks!");
        }

        else if (marks >= 90) {
            System.out.println("Grade A");
        }

        else if (marks >= 75) {
            System.out.println("Grade B");
        }

        else if (marks >= 60) {
            System.out.println("Grade C");
        }

        else {
```

```
        System.out.println("Fail!");
    }
}
}
```

practical 5

```
import java.util.Scanner;
```

```
public class VotingEligibility {

    public static void main(String[] args) {

        // Create a Scanner object to read input from the console
        Scanner scanner = new Scanner(System.in);

        // Prompt the user for their age
        System.out.print("Enter your age: ");

        int age = scanner.nextInt();

        // Prompt the user for their citizenship status
        System.out.print("Are you a citizen? (true/false): ");

        boolean isCitizen = scanner.nextBoolean();

        // Evaluate voting eligibility based on the dynamic input
        if (age >= 18) {

            System.out.println("Old enough to vote.");

            if (isCitizen) {

                System.out.println("And you are a citizen, so you can vote!");

            } else {
```

```
        System.out.println("But you must be a citizen to vote.");
    }
} else {
    System.out.println("Not old enough to vote.");
}

// Close the scanner to prevent resource leaks
scanner.close();
}
}
```

practical 6

```
import java.util.Scanner;

public class mealOrder {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        double totalBill = 0.0;

        System.out.println("Welcome to the Java Cafe!");

        // Display the menu
        System.out.println("\n=== MENU ===");
        System.out.println("1. Burger - $5.99");
        System.out.println("2. Pizza - $8.99");
        System.out.println("3. Pasta - $7.50");
        System.out.println("4. Soda - $1.99");
```

```
System.out.print("Please enter your choice (1-4): ");

// Read the user's choice
int choice = sc.nextInt();

// Switch case processes the single selected menu item
switch (choice) {
    case 1:
        totalBill = 5.99;
        System.out.println("You ordered 1 Burger.");
        break;
    case 2:
        totalBill = 8.99;
        System.out.println("You ordered 1 Pizza.");
        break;
    case 3:
        totalBill = 7.50;
        System.out.println("You ordered 1 Pasta.");
        break;
    case 4:
        totalBill = 1.99;
        System.out.println("You ordered 1 Soda.");
        break;
    default:
        // Handles any numbers outside 1-4
        System.out.println("Invalid choice. No items ordered.");
}
```

```
// Only print the bill if a valid item was selected
if (totalBill > 0) {
    System.out.println("\n=====");
    System.out.printf("Your Total Bill is: $%.2f\n", totalBill);
    System.out.println("Thank you for dining with us!");
}

sc.close();
}
}
```