

TEST REPORT


Page 1 of 1

ULR - TC1195226000040471F			
Report No.	ITCPL-26-020656-0	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		
Lab No.	26-020656	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 40mm Round Bar,Heat No. SSFF-8038		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		

Discipline : Chemical		Group : Metals & Alloys	
Test Name : SPECTRO CHEMICAL ANALYSIS			
Test Method : JIS G 1253(RA2013):2002 (Stainless Steel)			
Equipment :Optical Emission Spectrometer (SPECTROMAXx_09)		Cal. Dt: 10-Apr-2026	Testing date:05-08-2026
Element	Result	Requirement	
% Carbon (C)	0.123	0.15 max.	
% Silicon (Si)	0.475	1.00 max.	
% Manganese (Mn)	0.587	1.00 max.	
% Phosphorus (P)	0.022	0.040 max.	
% Sulphur (S)	0.017	0.030 max.	
% Chromium (Cr)	11.68	11.50-13.50	
Statement of conformity: The Result meets the Requirement of ASTM A479/A479M:2025 Type 410 UNS (S41000)			
Test Witnessed By:M/s."DNV"			

.....END OF REPORT.....


Krushil Bhalani
Reviewed by


J.G.Prajapati (M.D.)
Authorized by



Signature Valid
Digitally signed by: Jayeshkumar G Prajapati
ITCPL
Date: 05/08/2026 03:14:45 PM IST

Notes:-

1. This report relates to the sample (s) submitted and tested only.
2. Sample(s) and Details submitted by the customers only.
3. Report shall not be reproduced except in full, without prior written permission of ITCPL.
4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction.
5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results.
6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
7. Sample retention period is fifteen days from the date of testing
8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.
9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040475F

Report No.	ITCPL-26-020656-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020656	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 40mm Round Bar, Heat No. SSFF-8038		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		

Specimen Details

Size of Impact Specimen (mm): 10 X 10 X 55

Discipline : Mechanical | Group : Mechanical Properties of Metals

Test Name : Impact Test @ -29°C

Test Method : ASTM A370:2026

Equipment : Impact Machine (ASTM) Cal. Dt: 26-Oct-2025

Testing date: 05-08-2026

Parameter	Reading 1	Reading 2	Reading 3	Average
Energy Absorbed (Joules)	90	72	78	80.00

Note : Requirement Specimen Size (10 X 10 X 55) Single Minimum : 26 J. & Average Minimum : 34 J.


Statement of conformity: The Result meets the Customers requirement.

Test Witnessed By: M/s. "DNV"


.....END OF REPORT.....



 Vatsal Mistry
 Reviewed by



 J.G. Prajapati (M.D.)
 Authorized by

 Signature Valid
 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL
 Date: 05/08/2026 03:23:43 PM

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity. 9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT


Page 1 of 1

ULR - TC1195226000040472F			
Report No.	ITCPL-26-020657-0	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		
Lab No.	26-020657	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 45mm Round Bar,Heat No. SSFF-8036		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		

Discipline : Chemical		Group : Metals & Alloys	
Test Name : SPECTRO CHEMICAL ANALYSIS			
Test Method : JIS G 1253(RA2013):2002 (Stainless Steel)			
Equipment :Optical Emission Spectrometer (SPECTROMAXx_09) Cal. Dt: 10-Apr-2026		Testing date:05-08-2026	
Element	Result	Requirement	
% Carbon (C)	0.127	0.15 max.	
% Silicon (Si)	0.470	1.00 max.	
% Manganese (Mn)	0.594	1.00 max.	
% Phosphorus (P)	0.022	0.040 max.	
% Sulphur (S)	0.018	0.030 max.	
% Chromium (Cr)	11.73	11.50-13.50	
Statement of conformity: The Result meets the Requirement of ASTM A479/A479M:2025 Type 410 UNS (S41000)			
Test Witnessed By:M/s."DNV"			


.....END OF REPORT.....


Krushil Bhalani
Reviewed by


J.G.Prajapati (M.D.)
Authorized by



Signature Valid
Digitally signed by: Jayeshkumar G Prajapati
ITCPL
Date: 05/08/2026 03:14:59 PM IST



Notes:-

1. This report relates to the sample (s) submitted and tested only.
2. Sample(s) and Details submitted by the customers only.
3. Report shall not be reproduced except in full, without prior written permission of ITCPL.
4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction.
5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results.
6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
7. Sample retention period is fifteen days from the date of testing
8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.
9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040476F

Report No.	ITCPL-26-020657-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020657	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 45mm Round Bar,Heat No. SSFF-8036		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		

Specimen Details

Size of Impact Specimen (mm): 10 X 10 X 55

Discipline : Mechanical | Group : Mechanical Properties of Metals

Test Name : Impact Test @ -29°C

Test Method : ASTM A370:2026

Equipment : Impact Machine (ASTM) Cal. Dt: 26-Oct-2025

Testing date:05-08-2026


Parameter	Reading 1	Reading 2	Reading 3	Average
Energy Absorbed (Joules)	50	56	48	51.33

Note : Requirement Specimen Size (10 X 10 X 55) Single Minimum : 26 J. & Average Minimum : 34 J.


Statement of conformity: The Result meets the Customers requirement.

Test Witnessed By:M/s."DNV"

.....END OF REPORT.....



 Vatsal Mistry
Reviewed by



 J.G.Prajapati (M.D.)
Authorized by

 Signature Valid
 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL
 Date: 05/08/2026 03:24:40 PM IST

Notes:-

 1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only.
 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity. 9. This document is digitally signed and hence no physical signature is required.


For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040473F

Report No.	ITCPL-26-020658-0	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		
Lab No.	26-020658	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 85mm Round Bar,Heat No. SSFF-8034		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		

Discipline : Chemical | Group : Metals & Alloys

Test Name : SPECTRO CHEMICAL ANALYSIS

Test Method : JIS G 1253(RA2013):2002 (Stainless Steel)

Equipment : Optical Emission Spectrometer (SPECTROMAXx_09) Cal. Dt: 10-Apr-2026

Testing date: 05-08-2026

Element	Result	Requirement
% Carbon (C)	0.136	0.15 max.
% Silicon (Si)	0.400	1.00 max.
% Manganese (Mn)	0.528	1.00 max.
% Phosphorus (P)	0.017	0.040 max.
% Sulphur (S)	0.018	0.030 max.
% Chromium (Cr)	11.67	11.50-13.50


Statement of conformity: The Result meets the Requirement of ASTM A479/A479M:2025 Type 410 UNS (S41000)



Test Witnessed By: M/s. "DNV"

.....END OF REPORT.....



 Krushil Bhalani
Reviewed by



 J.G. Prajapati (M.D.)
Authorized by

Notes:-

1. This report relates to the sample (s) submitted and tested only.
2. Sample(s) and Details submitted by the customers only.
3. Report shall not be reproduced except in full, without prior written permission of ITCPL.
4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction.
5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results.
6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
7. Sample retention period is fifteen days from the date of testing
8. Measurement Uncertainty is not considered (unless and otherwise specified)
9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040477F

Report No.	ITCPL-26-020658-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020658	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (\$41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 85mm Round Bar, Heat No. SSFF-8034		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		

Specimen Details

Size of Impact Specimen (mm): 10 X 10 X 55

Discipline : Mechanical | Group : Mechanical Properties of Metals

Test Name : Impact Test @ -29°C

Test Method : ASTM A370:2026

Equipment : Impact Machine (ASTM) Cal. Dt: 26-Oct-2025

Testing date: 05-08-2026


Parameter	Reading 1	Reading 2	Reading 3	Average
Energy Absorbed (Joules)	6	6	12	8.00

Note : Requirement Specimen Size (10 X 10 X 55) Single Minimum : 26 J. & Average Minimum : 34 J.


Statement of conformity: The Result does not meets the Customer requirement.


Test Witnessed By: M/s. "DNV"

.....END OF REPORT.....



 Vatsal Mistry
 Reviewed by



 J.G. Prajapati (M.D.)
 Authorized by

 Signature Valid
 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL
 Date: 05/08/2026 03:25:16 PM IST


For Report

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity. 9. This document is digitally signed and hence no physical signature is required.



Scope & Certificate

TEST REPORT


Page 1 of 1


ULR - TC1195226000040474F			
Report No.	ITCPL-26-020659-0	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		
Lab No.	26-020659	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (S41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 95mm Round Bar,Heat No. SSFF-8032		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		

Discipline : Chemical		Group : Metals & Alloys	
Test Name : SPECTRO CHEMICAL ANALYSIS			
Test Method : JIS G 1253(RA2013):2002 (Stainless Steel)			
Equipment :Optical Emission Spectrometer (SPECTROMAXx_09) Cal. Dt: 10-Apr-2026		Testing date:05-08-2026	
Element	Result	Requirement	
% Carbon (C)	0.122	0.15 max.	
% Silicon (Si)	0.509	1.00 max.	
% Manganese (Mn)	0.601	1.00 max.	
% Phosphorus (P)	0.021	0.040 max.	
% Sulphur (S)	0.018	0.030 max.	
% Chromium (Cr)	11.58	11.50-13.50	
Statement of conformity: The Result meets the Requirement of ASTM A479/A479M:2025 Type 410 UNS (S41000)			
Test Witnessed By:M/s."DNV"			

.....END OF REPORT.....


 Krushil Bhalani
 Reviewed by


 J.G.Prajapati (M.D.)
 Authorized by

 Signature Valid
 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL
 Date: 05/08/2026 03:15:27 PM IST

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity. 9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040478F

Report No.	ITCPL-26-020659-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020659	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A479/A479M:2025 Type 410 UNS (\$41000)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 95mm Round Bar,Heat No. SSFF-8032		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		

Specimen Details

Size of Impact Specimen (mm): 10 X 10 X 55

Discipline : Mechanical | Group : Mechanical Properties of Metals

Test Name : Impact Test @ -29°C

Test Method : ASTM A370:2026

Equipment : Impact Machine (ASTM) Cal. Dt: 26-Oct-2025

Testing date:05-08-2026

Parameter	Reading 1	Reading 2	Reading 3	Average
Energy Absorbed (Joules)	6	8	6	6.67

Note : Requirement Specimen Size (10 X 10 X 55) Single Minimum : 22 J. & Average Minimum : 27 J.


Statement of conformity: The Result does not meets the Customer requirement.

Test Witnessed By:M/s."DNV"

.....END OF REPORT.....



 Vatsal Mistry
 Reviewed by




 J.G.Prajapati (M.D.)
 Authorized by


Signature Valid

 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL

Date: 05/08/2026 03:25:50 PM IST


Notes:-

1. This report relates to the sample (s) submitted and tested only.
2. Sample(s) and Details submitted by the customers only.
3. Report shall not be reproduced except in full, without prior written permission of ITCPL.
4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction.
5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results.
6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
7. Sample retention period is fifteen days from the date of testing
8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.
9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040556F

Report No.	ITCPL-26-020660-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020660	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A182:2025 Grade F316 (UNS S31600)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 45mm Round Bar, Heat No.: SSFF-7951		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		

Discipline : Mechanical | Group : Metallography Test


Test Name : Microstructure Examination

Test Method : ASM Handbook Volume IX


Equipment :Optical Metallurgical Microscope Cal. Dt: 26-Oct-2025

Testing date:05-08-2026

Parameter	Result
Specimen Orientation	Transverse
Observation	Microstructure shows austenitic grains with twin's structure.
Observation at	100X & 200X
Etchant	Electrolytic etching by 10% Oxalic Acid



100X



200X


Test Witnessed By:M/s. DNV

.....END OF REPORT.....

 Shashank Sharma
 Reviewed by

Signature Valid

 Digitally signed by: Jayeshkumar G Prajapati
 ITCPL

 Date: 05/08/2026 06:50:34 PM IST G.Prajapati (M.D.)
 Authorized by


INSPECTION

Inspector no.: 52-420

Date: 05/08/2026

Signature:

☒ Witnessed ☒ Reviewed

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.9.This document is digitally signed and hence no physical signature is required.



Scope & Certificate



For Report

TEST REPORT

Page 1 of 1

ULR - TC1195226000040557F

Report No.	ITCPL-26-020660-2	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020660	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A182:2025 Grade F316 (UNS S31600)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 45mm Round Bar, Heat No.: SSFF-7951		
Sample Drawn By	Client	Condition of Sample:	Satisfactory
Sample Stamped By	"DNV"		


Discipline : Mechanical | Group : Metallography Test

Test Name : Macro Examination

Test Method : ASTM E340:2023

Testing date:05-08-2026

Parameter	Result
Specimen Orientation	Transverse
Observation	Macrostructure shows that the sample is free from internal flaws like cracks, bursts, porosity, pipes, flakes or segregation.
Observation at	10X
Etchant	Aquaregia Reagent



Test Witnessed By:M/s. DNV

.....END OF REPORT.....

 Sashank Sharma
 Reviewed by

Signature Valid

Digitally signed by: Jayeshkumar G Prajapati

ITCPL

Date: 05/08/2026 06:50:43 PM IST

G.Prajapati (M.D.)

Authorized by

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.9.This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040558F

Report No.	ITCPL-26-020661-1	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		

Lab No.	26-020661	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A182:2025 Grade F316 (UNS S31600)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 170mm Round Bar, Heat No.: SSFF-7950		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		

Discipline : Mechanical | Group : Metallography Test

Test Name : Microstructure Examination

Test Method : ASM Handbook Volume IX


Equipment :Optical Metallurgical Microscope Cal. Dt: 26-Oct-2025

Testing date:05-08-2026

Parameter	Result
Specimen Orientation	Transverse
Observation	Microstructure shows austenitic grains with twin's structure.
Observation at	100X & 200X
Etchant	Electrolytic etching by 10% Oxalic Acid



100X



200X

Test Witnessed By:M/s. DNV

.....END OF REPORT.....


Shashank Sharma
Reviewed by

Signature Valid

Digitally signed by: Jayeshkumar G Prajapati
ITCPL

Date: 05/08/2026 06:51:34 PM IST

G.Prajapati (M.D.)
Authorized by



Notes:-

1. This report relates to the sample (s) submitted and tested only.
2. Sample(s) and Details submitted by the customers only.
3. Report shall not be reproduced except in full, without prior written permission of ITCPL.
4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction.
5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results.
6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual)
7. Sample retention period is fifteen days from the date of testing
8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.
9. This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate

TEST REPORT

Page 1 of 1

ULR - TC1195226000040559F

Report No.	ITCPL-26-020661-2	Report date	05-08-2026
Customer Name & Address	Petro Valves Private Limited Survey No.1144, Opp. Gharda Ghar, Indore Highway, Kuha, Ahmedabad - 382433.		
Lab No.	26-020661	Sample Received on	03-08-2026
Reference No. & Date	P.O.NO.:2526019/19A, Date:5/8/2026 Offer No.: LAB/26-27/045, Date:29/7/2026	Test Completed on	05-08-2026
Specification	ASTM A182:2025 Grade F316 (UNS S31600)	Test Location	At Lab
Nature Of Sample	Round Bar		
Sample Description	Dia 170mm Round Bar, Heat No.: SSFF-7950		
Sample Drawn By	Client	Condition of Sample: Satisfactory	
Sample Stamped By	"DNV"		



Discipline : Mechanical | Group : Metallography Test

Test Name : Macro Examination

Test Method : ASTM E340:2023

Testing date:05-08-2026

Parameter	Result
Specimen Orientation	Transverse
Observation	Macrostructure shows that the sample is free from internal flaws like cracks, bursts, porosity, pipes, flakes or segregation.
Observation at	10X
Etchant	Aquaregia Reagent



Test Witnessed By:M/s. DNV

.....END OF REPORT.....

Shashank Sharma
Reviewed by

Signature Valid

Digitally signed by: Jayeshkumar G Prajapati
ITCPL

Date: 05/08/2026 06:51:42 PM IST

G.Prajapati (M.D.)
Authorized by

Notes:-

1. This report relates to the sample (s) submitted and tested only. 2. Sample(s) and Details submitted by the customers only. 3. Report shall not be reproduced except in full, without prior written permission of ITCPL. 4. Any Reproduction of report without authorization invalidates report and all disputes subject to Ahmedabad jurisdiction. 5. Results/Reports are issued with specific understanding the ITCPL will not in any case be involved in action following the interpretation of test results. 6. All tests are carried out at ambient environmental conditions unless and otherwise specified mentioned (As per Quality Manual) 7. Sample retention period is fifteen days from the date of testing 8. Measurement Uncertainty is not considered (unless and otherwise specified) while making a statement of conformity.9.This document is digitally signed and hence no physical signature is required.



For Report



Scope & Certificate