Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 - J | Instances | EC2 | Edit Personal Ac | Webhook · http:/

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 5866-4586-8766 | jeeva

EC2 > Instances

EC2

- Dashboard
- EC2 Global View
- Events
- **Instances**
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
  - Capacity Manager New
- **Images**
  - AMIs
  - AMI Catalog
- **Elastic Block Store**
  - Volumes

Instances (1/1) Info

Last updated about 2 hours ago | Connect | Instance state | Actions | Launch instances

Find Instance by attribute or tag (case-sensitive) | All states | 1

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
Jenkins-Task	i-00e59e8c127aca545	Running	t3.micro	3/3 checks passed	View alarms +	us-east-1f	ec2-44-197-

i-00e59e8c127aca545 (Jenkins-Task)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance summary Info

Instance ID
i-00e59e8c127aca545

IPv6 address
–

Public IPv4 address
44.197.202.26 | open address

Instance state
Running

Private IPv4 addresses
172.31.68.18

Public DNS
ec2-44-197-202-26.compute-1.amazonaws.com | open address

CloudShell | Feedback | Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy | Terms | Cookie preferences

24°C Light rain | Search | 7:15 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | Dashboard - Jenk | Instances | EC2 | Edit Personal Ac | Webhook · http:/

Not secure 44.197.202.26:8080

Jenkins

+ New Item

Build History

Build Queue

No builds in the queue.

Build Executor Status 0/2

Add description

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration
⊗	☁	jenkins-task-2	7 min 19 sec #10	1 min 58 sec #11	0.18 sec

Icon: S M L

REST API Jenkins 2.528.2

24°C Light rain

Search

7:15 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 Co | Instances | EC2 | Edit Personal Ac | Webhook · http:/

Not secure 44.197.202.26:8080/job/jenkins-task-2/configure

Jenkins / jenkins-task-2 / Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

None

Git ?

Repositories ?

Repository URL ?

https://github.com/parthipanks/jenkins-task-2.git

Credentials ?

parthipanks/******

+ Add

Advanced

+ Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/main

Save Apply

24°C Light rain

Search

7:16 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 Co | Instances | EC2 | Edit Personal Ac | Webhook · http:/

Not secure 44.197.202.26:8080/job/jenkins-task-2/configure

Jenkins / jenkins-task-2 / Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

- [ ] Build after other projects are built ?
- [ ] Build periodically ?
- [ ] GitHub Branches
- [ ] GitHub Pull Requests ?
- [x] GitHub hook trigger for GITScm polling ?
- [ ] Poll SCM ?

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- [ ] Delete workspace before build starts
- [ ] Use secret text(s) or file(s) ?
- [ ] Add timestamps to the Console Output
- [ ] Inspect build log for published build scans
- [ ] Terminate a build if it's stuck
- [ ] With Ant ?

Build Steps

Save Apply

24°C Light rain | Search | 7:16 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 C | Instances | EC2 | Edit Personal Ac | Webhook · http:/

Not secure 44.197.202.26:8080/job/jenkins-task-2/configure

Jenkins / jenkins-task-2 / Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Execute shell

Command

See the list of available environment variables

```
echo "=== Jenkins Task-2 Build Started ==="
chmod +x script.sh
./script.sh
echo "=== Jenkins Task-2 Build Finished ==="
```

Advanced

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

E-mail Notification

Save Apply

24°C Light rain | Search | 7:16 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 C | Instances | EC2 | Edit Personal Ac | Webhook · http:/

Not secure 44.197.202.26:8080/job/jenkins-task-2/configure

Jenkins / jenkins-task-2 / Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

E-mail Notification ?

Recipients

Whitespace-separated list of recipient addresses. May reference build parameters like `$PARAM`. E-mail will be sent when a build fails, becomes unstable or returns to stable.

parthipanks18@gmail.com

- [x] Send e-mail for every unstable build

?

- [x] Send separate e-mails to individuals who broke the build

+ Add post-build action

Save Apply

REST API Jenkins 2.528.2

24°C Light rain Search 7:16 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 C | Instances | EC2 | Edit Personal Ac | Webhooks · Sett

github.com/parthipanks/jenkins-task-2/settings/hooks

parthipanks / jenkins-task-2

Type / to search

Code | Issues | Pull requests | Actions | Projects | Wiki | Security | Insights | Settings

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Models Preview

Webhooks

Copilot

Environments

Codespaces

Pages

Security

Advanced Security

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.

✓ http://44.197.202.26:8080/github-w... *(push)*

Last delivery was successful.

Edit | Delete

24°C Light rain

Search

7:16 PM 11/29/2025

ubuntu@ip-172-31-68-18: ~/jenkins-task-2

```
  GNU nano 7.2                                   script.sh
#!/bin/bash

echo "======== Jenkins Task-2 Demo ========"
echo "Date and Time: $(date)"
echo "Running on host: $(hostname)"
echo "Current directory: $(pwd)"
echo "Listing files:"
ls -la

exit 1
                                   [ Read 11 lines ]
^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute   ^C Location  M-U Undo      M-A Set Mark   M-] To Bracket  M-Q Previous  ^B Back      ^◂ Prev Word
^X Exit      ^R Read File   ^\ Replace     ^U Paste     ^J Justify   ^/ Go To Line M-E Redo      M-6 Copy       ^Q Where Was    M-W Next      ^F Forward   ^▸ Next Word
```

24°C
Light rain

Search

7:17 PM
11/29/2025

ubuntu@ip-172-31-68-18: ~/jenkins-task-2

```
  GNU nano 7.2                                   script.sh *
#!/bin/bash

echo "======== Jenkins Task-2 Demo ========"
echo "Date and Time: $(date)"
echo "Running on host: $(hostname)"
echo "Current directory: $(pwd)"
echo "Listing files:"
ls -la
```

```
^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute   ^C Location  M-U Undo      M-A Set Mark  M-] To Bracket  M-Q Previous  ^B Back       ^◂ Prev Word
^X Exit      ^R Read File   ^\ Replace     ^U Paste     ^J Justify   ^/ Go To Line M-E Redo      M-6 Copy      ^Q Where Was    M-W Next      ^F Forward    ^▸ Next Word
```

24°C
Light rain

Search

7:17 PM
11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 #1 | Instances | EC2 | Edit Personal Ac | Webhooks · Setti

Not secure 44.197.202.26:8080/job/jenkins-task-2/12/console

Jenkins / jenkins-task-2 / #12 / Console Output

- Changes
- Console Output
- Edit Build Information
- Delete build '#12'
- Polling Log
- Timings
- Git Build Data
- Previous Build

```
Started by GitHub push by parthipanks
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/jenkins-task-2
The recommended git tool is: NONE
using credential 24bf5ebb-9c55-447e-be14-ffbb8363a7e6
 > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/jenkins-task-2/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/parthipanks/jenkins-task-2.git # timeout=10
Fetching upstream changes from https://github.com/parthipanks/jenkins-task-2.git
 > git --version # timeout=10
 > git --version # 'git version 2.43.0'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress -- https://github.com/parthipanks/jenkins-task-2.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 4bf6029ad238add4cf21318ca7867f83ca1f040c (refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f 4bf6029ad238add4cf21318ca7867f83ca1f040c # timeout=10
Commit message: "Restore success build"
 > git rev-list --no-walk c58684d7d4312aad2b1cf38a51853377d63831a3 # timeout=10
[jenkins-task-2] $ /bin/sh -xe /tmp/jenkins6020041074325361392.sh
+ echo === Jenkins Task-2 Build Started ===
=== Jenkins Task-2 Build Started ===
+ chmod +x script.sh
+ ./script.sh
======== Jenkins Task-2 Demo ========
Date and Time: Sat Nov 29 13:45:19 UTC 2025
Running on host: ip-172-31-68-18
Current directory: /var/lib/jenkins/workspace/jenkins-task-2
```

24°C Light rain | Search | 7:19 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 #1 | Instances | EC2 | Edit Personal Ac | Webhooks · Setti

Not secure 44.197.202.26:8080/job/jenkins-task-2/12/console

Jenkins / jenkins-task-2 / #12 / Console Output

```
Commit message: "Restore success build"
 > git rev-list --no-walk c58684d7d4312aad2b1cf38a51853377d63831a3 # timeout=10
[jenkins-task-2] $ /bin/sh -xe /tmp/jenkins6020041074325361392.sh
+ echo === Jenkins Task-2 Build Started ===
=== Jenkins Task-2 Build Started ===
+ chmod +x script.sh
+ ./script.sh
======== Jenkins Task-2 Demo ========
Date and Time: Sat Nov 29 13:45:19 UTC 2025
Running on host: ip-172-31-68-18
Current directory: /var/lib/jenkins/workspace/jenkins-task-2
Listing files:
total 20
drwxr-xr-x 3 jenkins jenkins 4096 Nov 29 13:45 .
drwxr-xr-x 6 jenkins jenkins 4096 Nov 29 12:38 ..
drwxr-xr-x 8 jenkins jenkins 4096 Nov 29 13:45 .git
-rw-r--r-- 1 jenkins jenkins  109 Nov 29 12:58 README.md
-rwxr-xr-x 1 jenkins jenkins  186 Nov 29 13:45 script.sh
+ echo === Jenkins Task-2 Build Finished ===
=== Jenkins Task-2 Build Finished ===
Not sending mail to unregistered user ubuntu@ip-172-31-68-18.ec2.internal
Sending e-mails to: parthipanks18@gmail.com
Finished: SUCCESS
```

REST API Jenkins 2.528.2

24°C Light rain Search 7:19 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 #1 | Instances | EC2 | Edit Personal Ac | Webhooks · Setti

Not secure 44.197.202.26:8080/job/jenkins-task-2/11/console

Jenkins / jenkins-task-2 / #11 / Console Output

- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#11'
- Polling Log
- Timings
- Git Build Data
- Previous Build
- Next Build

Console Output

Download | Copy | View as plain text

```
Started by GitHub push by parthipanks
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/jenkins-task-2
The recommended git tool is: NONE
using credential 24bf5ebb-9c55-447e-be14-ffbb8363a7e6
 > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/jenkins-task-2/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/parthipanks/jenkins-task-2.git # timeout=10
Fetching upstream changes from https://github.com/parthipanks/jenkins-task-2.git
 > git --version # timeout=10
 > git --version # 'git version 2.43.0'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress -- https://github.com/parthipanks/jenkins-task-2.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision c58684d7d4312aad2b1cf38a51853377d63831a3 (refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f c58684d7d4312aad2b1cf38a51853377d63831a3 # timeout=10
Commit message: "Force failure for Jenkins email test"
 > git rev-list --no-walk ca28b43c6c317cca1a03dd056470b10f6d7410da # timeout=10
[jenkins-task-2] $ /bin/sh -xe /tmp/jenkins4837587606019707317.sh
+ echo === Jenkins Task-2 Build Started ===
=== Jenkins Task-2 Build Started ===
+ chmod +x script.sh
+ ./script.sh
======== Jenkins Task-2 Demo ========
```

24°C Light rain | Search | 7:19 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 #1 | Instances | EC2 | Edit Personal Ac | Webhooks · Setti

Not secure 44.197.202.26:8080/job/jenkins-task-2/11/console

Jenkins / jenkins-task-2 / #11 / Console Output

```
 > git checkout -f c58684d7d4312aad2b1cf38a51853377d63831a3 # timeout=10
Commit message: "Force failure for Jenkins email test"
 > git rev-list --no-walk ca28b43c6c317cca1a03dd056470b10f6d7410da # timeout=10
[jenkins-task-2] $ /bin/sh -xe /tmp/jenkins4837587606019707317.sh
+ echo === Jenkins Task-2 Build Started ===
=== Jenkins Task-2 Build Started ===
+ chmod +x script.sh
+ ./script.sh
======== Jenkins Task-2 Demo ========
Date and Time: Sat Nov 29 13:40:14 UTC 2025
Running on host: ip-172-31-68-18
Current directory: /var/lib/jenkins/workspace/jenkins-task-2
Listing files:
total 20
drwxr-xr-x 3 jenkins jenkins 4096 Nov 29 13:40 .
drwxr-xr-x 6 jenkins jenkins 4096 Nov 29 12:38 ..
drwxr-xr-x 8 jenkins jenkins 4096 Nov 29 13:40 .git
-rw-r--r-- 1 jenkins jenkins  109 Nov 29 12:58 README.md
-rwxr-xr-x 1 jenkins jenkins  195 Nov 29 13:40 script.sh
Build step 'Execute shell' marked build as failure
Not sending mail to unregistered user ubuntu@ip-172-31-68-18.ec2.internal
Sending e-mails to: parthipanks18@gmail.com
Finished: FAILURE
```

REST API Jenkins 2.528.2

24°C Light rain Search 7:19 PM 11/29/2025

Connect to insta | App passwords | Build failed in Je | Jenkins setup on | jenkins-task-2 #1 | Instances | EC2 | Edit Personal Ac | Webhooks · Setti

mail.google.com/mail/u/0/#inbox/FMfcgzQdzcpNkqXCTDFHpnRksvhLclrW

Gmail | Search mail | Active

Mail | Chat | Meet

1 of 4,138

Build failed in Jenkins: jenkins-task-2 #11

Inbox ×

address not configured yet <parthipanks18@gmail.com>

7:10 PM (9 minutes ago)

to me

See <http://44.197.202.26:8080/job/jenkins-task-2/11/display/redirect?page=changes>

Changes:

[ubuntu] Force failure for Jenkins email test

Started by GitHub push by parthipanks
Running as SYSTEM
Building in workspace <http://44.197.202.26:8080/job/jenkins-task-2/ws/>
The recommended git tool is: NONE
using credential 24bf5ebb-9c55-447e-be14-ffbb8363a7e6
 > git rev-parse --resolve-git-dir <http://44.197.202.26:8080/job/jenkins-task-2/ws/.git> # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/parthipanks/jenkins-task-2.git # timeout=10
Fetching upstream changes from https://github.com/parthipanks/jenkins-task-2.git
 > git --version # timeout=10
 > git --version # 'git version 2.43.0'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress -- https://github.com/parthipanks/jenkins-task-2.git +refs/heads/*:refs/remotes/origin/* # timeout=10

Reply | Forward

24°C Light rain | Search | 7:19 PM 11/29/2025