

User Permissions Guide

This document outlines the **User Permissions** for accessing and modifying different modules within the system. Each module has specific permissions required to **read**, **write**, **update**, and **delete** its data.

Permission Keys:

The following permission keys are used to control access to different models:

all_model: This permission key grants all permissions for a given model, including **write_model**, **read_model**, **update_model**, and **delete_model**.

write_model: This permission key allows users to create a new model in a given model.

read_model: This permission key allows users to view data in a given model.

update_model: This permission key allows users to modify existing data in a given model.

delete_model: This permission key allows users to remove existing data from a given model.

The following models are available in the system, each with its own set of required permissions.

Categories:

1. **To write/create a category,** Users must have **all_category** or **write_category** permission.

2. **To read all the categories,** Users must have **all_category** or **read_category** permission.

3. **To update/edit a category**, Users must have **all_category** or **update_category** permission and **read_category** permission.

4. **To delete a category**, Users must have **all_category** or **delete_category** permission, as well as **all_model** or **update_model** permission and **read_category** permission.

Models:

In order to have the below permissions, users must have these permissions as well, **all_category or **read_category****

1. **To write/create a model**, Users must have **all_model** or **write_model** permission.

2. **To read all the models**, Users must have **all_model** or **read_model** permission.

3. **To update/edit a model**, Users must have **all_model** or **read_model** and **update_model** permission.

4. **To delete a model**, Users must have **all_model** or **read_model** and **delete_model** permissions.

Devices:

In order to have the below permissions, users must have these permissions as well, **all_category or **read_category** and **all_model** or **read_model** permissions.**

1. **To write/create a device**, Users must have **all_device** or **write_device** permission.

2. **To read all the devices**, Users must have **all_device** or **read_device** permission.

3. **To update/edit a device**, Users must have **all_device** or **update_device** **read_device** permission.
4. **To delete a device**, users must have **all_device** or **delete_device** and **read_device** permission.
5. **To view the work order history for a device**, users must have **all_device** or **read_device** permission.
6. **To view active work orders for a device**, Users must have **all_device** or **read_device**, as well as **all_work_order** or **read_work_order** permission.

Procedures:

In order to have the below permissions, users must have these permissions as well, **all_category or **read_category**, **all_model** or **read_model** permissions and **read_media** or **all_media**.**

1. **To write/create a procedure**, Users must have **all_procedure** or **write_procedure** permission, as well as **all_media** or **read_media** (optional) permission.
2. **To read all the procedures**, Users must have **all_procedure** or **read_procedure** permission.
3. **To update/edit a procedure**, Users must have **all_procedure** or **update_procedure** and **read_procedure** permissions, as well as **all_media** or **read_media** (optional) permission.
4. **To delete a procedure**, Users must have **all_procedure** or **delete_procedure** and **read_procedure** permission.
5. **To add/update/delete procedure step**, Users must have **all_procedure** or **update_procedure** and **read_procedure** permission.

Troubleshoot:

In order to have the below permissions, users must have these permissions as well, `all_category` or `read_category`, `all_model` or `read_model` permissions and `read_media` or `all_media`.

1. **To write/create a troubleshoot,** Users must have `all_troubleshoot` or `write_troubleshoot` and `read_troubleshoot` permissions, as well as `all_media` or `read_media` (optional) permission.

2. **To read all the troubleshoots,** Users must have `all_troubleshoot` or `read_troubleshoot` permission.

3. **To update/edit a troubleshoot,** Users must have `all_troubleshoot` or `update_troubleshoot` and `read_troubleshoot` permission, as well as `all_media` or `read_media` (optional) permission.

4. **To delete a troubleshoot,** Users must have `all_troubleshoot` or `delete_troubleshoot` and `read_troubleshoot` permission.

5. **To add/update/delete a troubleshoot cause,** Users must have `all_troubleshoot` or `update_troubleshoot` and `read_troubleshoot` permission.

Written Issues:

In order to have the below permissions user must have these permissions as well, `all_category` or `read_category`, `all_model` or `read_model` permissions, `all_sections` or `read_sections` and `read_media` or `all_media`.

1. **To write/create a written issue,** Users must have `all_writtenissue` or `write_writtenissue` and `read_writtenissue` permissions, as well as `all_section` or `read_section` permission.

2. **To read all the written issues,** Users must have `all_writtenissue` or `read_writtenissue` permission.

3. **To update/edit a written issue,** Users must have `all_writtenissue` or `update_writtenissue` and `read_writtenissue` permission, as well as `all_section` or `read_section` permission.

4. To delete a written issue, Users must have **all_writtenissue** or **delete_writtenissue** and **read_writtenissue** permission.

5. To add/update/delete a written issue step, Users must have **all_writtenissue** or **update_writtenissue** and **read_writtenissue** permission.

Safety Measures:

In order to have the below permissions, users must have these permissions as well, **all_category** or **read_category**, **all_model** or **read_model** permissions and **read_media** or **all_media**.

1. To write/create a safety measure, Users must have **all_safety_measure** or **write_safety_measure** permission, as well as **all_media** or **read_media** (optional) permission.

2. To read all the safety measures, Users must have **all_safety_measure** or **read_safety_measure** permission.

3. To update/edit a safety measure, Users must have **all_safety_measure** or **update_safety_measure** and **read_safety_measure** permission, as well as **all_media** or **read_media** (optional) permission.

4. To delete a safety measure, Users must have **all_safety_measure** or **delete_safety_measure** and **read_safety_measure** permission.

5. To clone an existing safety measure, Users must have **all_safety_measure** or **read_safety_measure** permission.

Error Codes:

In order to have the below permissions, users must have these permissions as well, **all_category** or **read_category**, **all_model** or **read_model** permissions, **read_procedure** or **all_procedure** and **read_troubleshoot** or **all_troubleshoot**

1. **To write/create an error code**, Users must have **all_error_codes** or **write_error_codes** permission, as well as **all_procedure** (optional) or **read_procedure** (optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.
2. **To read all the error codes**, users must have **all_error_codes** or **read_error_codes** permission.
3. **To update/edit an error code**, Users must have **all_error_codes** or **update_error_codes** and **read_error_codes**, as well as **all_procedure** (optional) or **read_procedure** (optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.
4. **To delete an error code**, Users must have **all_error_codes** or **delete_error_codes** and **read_error_codes** permission.
5. **To link procedures to an error code**, Users must have **all_procedure** or **read_procedure** permission.
6. **To link troubleshoots to an error code**, Users must have **all_troubleshoot** or **read_troubleshoot** permission.

mCodes:

In order to have the below permissions, users must have these permissions as well, **all_category or **read_category**, **all_model** or **read_model** permissions, **read_procedure** or **all_procedure** and **read_troubleshoot** or **all_troubleshoot****

1. **To write/create a mCode**, Users must have **all_mcodes** or **write_mcodes** permission, as well as **all_procedure** (optional) or **read_procedure** (optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.
2. **To read the mCodes**, Users must have **all_mcodes** or **read_mcodes** permission.
3. **To update/edit a mCode**, Users must have **all_mcodes** or **update_mcodes** and **read_mcodes**, as well as **all_procedure** (optional) or **read_procedure**

(optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.

4. **To delete a mCode**, Users must have **all_mcodes** or **delete_mcodes** and **read_mcodes** permission.

5. **To link procedures to a mCode**, Users must have **all_procedure** or **read_procedure** permission.

6. **To link troubleshoots to a mCode**, Users must have **all_troubleshoot** or **read_troubleshoot** permission.

Alarm Codes:

In order to have the below permissions, users must have these permissions as well, **all_category** or **read_category**, **all_model** or **read_model** permissions, **read_procedure** or **all_procedure** and **read_troubleshoot** or **all_troubleshoot**

1. **To write/create an alarm code**, Users must have **all_alarm_codes** or **write_alarm_codes** permission, as well as **all_procedure** (optional) or **read_procedure** (optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.

2. **To read all the alarm codes**, users must have **all_alarm_codes** or **read_alarm_codes** permission.

3. **To update/edit an alarm code**, users must have **all_alarm_codes** or **update_alarm_codes** and **read_alarm_codes** permissions, as well as **all_procedure** (optional) or **read_procedure** (optional) and **all_troubleshoot** (optional) or **read_troubleshoot** (optional) permissions.

4. **To delete an alarm code**, Users must have **all_alarm_codes** or **delete_alarm_codes** and **read_alarm_codes** permission.

5. **To link procedures to an alarm code**, Users must have **all_procedure** or **read_procedure** permission.

6. **To link troubleshoots to an alarm code**, Users must have **all_troubleshoot** or **read_troubleshoot** permission.

Manuals:

In order to have the below permissions, users must have these permissions as well, all_category or read_category, all_model or read_model permissions, all_section or read_section and read_media or all_media.

1. **To write/create a manual**, users must have **all_manuals** or **write_manuals** permission, as well as **all_section** or **read_section** permission and **all_media** or **read_media** (optional) permission.

2. **To read all the manuals**, Users must have **all_manuals** or **read_manuals** permission.

3. **To update/edit a manual**, Users must have **all_manuals** or **update_manuals** and **read_manuals** permissions, as well as **all_section** or **read_section** and **all_media** or **read_media** (optional) permissions.

4. **To delete a manual**, Users must have **all_manuals** or **delete_manuals** and **read_manuals** permission.

Device Drawings:

In order to have the below permissions, users must have these permissions as well, all_category or read_category, all_model or read_model permissions, all_section or read_section and read_media or all_media.

1. **To write/create a device drawing**, users must have **all_device_drawing** or **write_device_drawing** permission, as well as, **all_section** or **read_section** permission and **all_media** or **read_media** (optional) permission.

2. **To read all the device drawing**, Users must have **all_device_drawing** or **read_device_drawing** permission.

3. **To update/edit a device drawing,** Users must have **all_device_drawing** or **update_device_drawing** and **read_device_drawing** permission, as well as **all_section** or **read_section** and **all_media** or **read_media** (optional) permissions.

4. **To delete a device drawing,** Users must have **all_device_drawing** or **delete_device_drawing** and **read_device_drawing** permission.

Animations:

In order to have the below permissions, users must have these permissions as well, **all_category** or **read_category**, **all_model** or **read_model** permissions, **all_section** or **read_section** and **read_media** or **all_media**.

1. **To write/create an animation,** users must have **all_animation** or **write_animation** permission, as well as, **all_section** or **read_section** permission and **all_media** or **read_media** (optional) permission.

2. **To read all the animations,** Users must have **all_animation** or **read_animation** permission.

3. **To update/edit an animation,** Users must have **all_animation** or **update_animation** and **read_animation** permissions, as well as **all_section** or **read_section** and **all_media** or **read_media** (optional) permissions.

4. **To delete an animation,** Users must have **all_animation** or **delete_animation** and **read_animation** permission.

3D/Anaglyph:

In order to have the below permissions user must have these permissions as well, **all_category** or **read_category**, **all_model** or **read_model** permissions, and **read_media** or **all_media**.

1. **To write/create a 3D**, Users must have **all_anaglyph** or **write_anaglyph** permission, as well as **all_media** or **read_media** permission.
2. **To read a 3D**, Users must have **all_anaglyph** or **read_anaglyph** permission.
3. **To link/unlink a 3D**, Users must have **all_anaglyph** or **update_anaglyph** and **read_anaglyph** permission, as well as **all_media** or **read_media** permission.
4. **To replace/update a 3D**, Users must have **all_anaglyph** or **update_anaglyph** and **read_anaglyph** permission, as well as **all_media** or **read_media** permission.
5. **To add/edit a purchase URL**, Users must have **all_anaglyph** or **update_anaglyph** permission.
6. **To delete a 3D and its parts**, Users must have **all_anaglyph** or **delete_anaglyph** and **read_anaglyph permission** permission, as well as **all_part** or **delete_part** permission.

3D Parts:

In order to have the below permissions user must have these permissions as well, **all_category or **read_category**, **all_model** or **read_model** permissions, and **read_media** or **all_media**.**

1. **To write/create a 3D Part**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **write_part** and **all_media** or **read_media** (optional) permissions.
2. **To read all the 3D parts**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **read_part** permission.
3. **To upload CSV URL**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **write_part** permission.
4. **To upload CSV Media**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **write_part** and **all_media** or **read_media** permissions.

5. **To update/edit a 3D Part**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_media** or **read_media** (optional) permission.
6. **To delete a 3D Part**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **delete_part** permission.
7. **To delete all the 3D Parts**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **delete_all_parts** and **delete_part** permission.

3D Part Notes:

In order to have the below permissions user must have these permissions as well, **all_category** or **read_category** and **all_model** or **read_model** permissions

1. **To write/create a 3D Part Note**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **read_part** and **all_part_notes** or **write_part_notes** permissions.
2. **To read all the 3D Part Notes**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **read_part** and **all_part_notes** or **read_part_notes** permissions.
3. **To update/edit a 3D Part Note**, Users must have **all_anaglyph** or **read_anaglyph** permission, as well as **all_part** or **read_part** and **all_part_notes** or **update_part_notes** permissions.
4. **To delete a 3D Part Note**, Users must have **all_anaglyph** or **read_anaglyph** permission, **all_part** or **read_part** and **all_part_notes** or **delete_part_notes** permissions.

Sections:

In order to have the below permissions user must have these permissions as well, **all_category** or **read_category** and **all_model** or **read_model** permissions

1. **To write/create a section**, Users must have **all_section** or **write_section** permission.
2. **To read all the sections**, Users must have **all_section** or **read_section** permission.
3. **To update/edit a section**, Users must have **all_section** or **update_section** permission and **read_section** permission.
4. **To delete a section**, Users must have **all_section** or **delete_section** and **read_section** permission.

Users:

1. **To write/create a User**, Users must have **all_user** or **write_user** permission, as well as **all_role** or **read_role** permission.
2. **To read all the Users**, Users must have **all_user** or **read_user** permission.
3. **To update/edit a User**, Users must have **all_user** or **update_user** permission and **read_user** permission, as well as **all_role** or **read_role** permissions.
4. **To update a User Availability Status**, Users must have **all_user** or **update_user** permission.

User Roles:

1. **To write/create a user role**, Users must have **all_role** or **write_role** permission.
2. **To read all user roles**, users must have **all_role** or **read_role** permission.
3. **To update a user role**, Users must have **all_role** or **update_role** and **read_role** permission.

User Groups:

1. **To write/create a User Group**, Users must have **all_group** or **write_group** permission, as well as **all_user** or **read_user** permission.
2. **To read all User Groups**, Users must have **all_group** or **read_group** permission.
3. **To update/edit a User Group**, Users must have **all_group** or **update_group** and **read_group** permission, as well as **all_user** or **read_user** permission.
4. **To delete a User Group**, Users must have **all_group** or **delete_group** and **read_group** permission.

Media Library:

1. **To upload media**, Users must have **all_media** or **write_media** permission.
2. **To read all media**, Users must have **all_media** or **read_media** permission.
3. **To update/edit the media title**, Users must have **all_media** or **update_media** and **read_media** permission.
4. **To delete a media**, Users must have **all_media** or **delete_media** and **read_media** permission.

Work Order Task Types:

1. **To write/create a task type**, Users must have **all_task_type** or **write_task_type** permission.
2. **To read all task types**, Users must have **all_task_type** or **read_task_type** permission.
3. **To update/edit a task type**, Users must have **all_task_type** or **update_task_type** and **read_task_type** permission.
4. **To delete a task type**, Users must have **all_task_type** or **delete_task_type** and **read_task_type** permission.

Work Orders:

1. **To write a work order / upload existing work order**, Users must have **all_work_order** or **write_work_order** permission, as well as **all_device** or **read_device**, **all_model** or **read_model**, **all_category** or **read_category**, **all_task_type** or **read_task_type**, **all_troubleshoot** or **read_troubleshoot**, **all_procedure** or **read_procedure**, **all_error_codes** or **read_error_codes**, **all_mcodes** or **read_mcodes**, **all_alarm_codes** or **read_alarm_codes**, **all_user** or **read_user**, **all_group** or **read_group** and **all_media** or **read_media(optional)** permissions.
2. **To read all the active work orders/draft work orders/completed jobs**, Users must have **all_work_order** or **read_work_order** permission.
3. **To update a work order/submitted work order/active work order user**, Users must have **all_work_order** or **update_work_order** permission, as well as **all_device** or **read_device**, **all_model** or **read_model**, **all_category** or **read_category**, **all_task_type** or **read_task_type**, **all_troubleshoot** or **read_troubleshoot**, **all_procedure** or **read_procedure**, **all_error_codes** or **read_error_codes**, **all_mcodes** or **read_mcodes**, **all_alarm_codes** or **read_alarm_codes**, **all_user** or **read_user**, **all_group** or **read_group** and **all_media** or **read_media(optional)** permissions.