

BAJAJ

SECURA WIRES

NEW



RAKHE PARIVAAR SURAKSHIT


ALSO AVAILABLE IN



● FR

● HR-FR

● FR-LSH



Mulla House, 2nd Floor, 51, Mahatma Gandhi Road, Fort, Mumbai - 400001,
CIN: L31500MH1938PLC009887, GST No.: 27AAACB2484Q1Z8,
Website: www.bajajelectricals.com, Tel: 022 6149 7000, Fax: 022 2285 2179.

Consumer Care Number: 022 4128 0000

+91 70399 20000 | shop.bajajelectricals.com | [f](#) [x](#) [i](#) [y](#)

T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions/2024



POWERING PROGRESS WITH
SAFETY AND TRUST

Bajaj Secura Wires brings a new benchmark in electrical safety and performance. With over 99.9% copper purity, advanced insulation technology, the Secura Wires range delivers on every safety parameter, and comes with flame retardant, heat resistance, and halogen free properties. Engineered for durability and sustainability, Bajaj Secura Wires are built to power every connection with unmatched reliability. They are moisture resistant and offer anti termite & anti rodent features. Built with the highest attention to quality, Secura wires are RoHS & REACH Compliant.



BAJAJ SECURA FR

FLAME RETARDANT

90 Mtr



Single Core, High Conductivity, Flame Retardant PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694.



EXPERIENCE SAFETY WITH FLAME RETARDANT WIRES

-  Flame Retardant
-  Moisture Resistant
-  Anti-Termite & Anti-Rodent
-  Over 99.9% Copper Purity
-  101% Conductivity
-  100% Length Gurantee



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	20	2470
1.0	32/0.21	20	3300
1.5	30/0.26	16	4850
2.5	50/0.26	12	7650
4.0	56/0.31	8	11200
6.0	84/0.31	7	16800

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices

BAJAJ SECURA PLUS HR-FR

HEAT RESISTANT FLAME RETARDANT

90 Mtr



Single Core, High Conductivity, Heat Resistant Flame Retardant PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694



EXTRA HEAT RESISTANCE FOR ADDED PROTECTION

-  Heat Resistant Flame Retardant
-  Moisture Resistant
-  Anti-Termite & Anti-Rodent
-  Over 99.9% Copper Purity
-  101% Conductivity
-  100% Length Gurantee
-  Temperature Resistance (-15°C to +85 °C)



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	20	2550
1.0	32/0.21	20	3400
1.5	30/0.26	16	5000
2.5	50/0.26	12	7900
4.0	56/0.31	8	11500
6.0	84/0.31	7	17200

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices

BAJAJ SECURA GREEN FR-LSH

FLAME RETARDANT
LOW SMOKE HALOGEN

90 Mtr



Single Core, High Conductivity, Flame Retardant Low Smoke Halogen PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694



WIRES THAT LIMIT SMOKE

- Flame Retardant, Low Smoke Halogen
- Moisture Resistant
- Anti-Termite & Anti-Rodent
- Over 99.9% Copper Purity
- 101% Conductivity
- 100% Length Gurantee



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	20	2700
1.0	32/0.21	20	3650
1.5	30/0.26	16	5350
2.5	50/0.26	12	8350
4.0	56/0.31	8	12200
6.0	84/0.31	7	18400

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices

BAJAJ SECURA GREEN PLUS ZH-FR

ZERO HALOGEN
FLAME RETARDANT

90 Mtr



Single Core, High Conductivity, Halogen Free Flame Retardant PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694



ZERO HALOGEN, MAXIMUM SAFETY

- Zero Halogen, Flame Retardant
- Moisture Resistant
- Anti-Termite & Anti-Rodent
- Over 99.9% Copper Purity
- 101% Conductivity
- 100% Length Gurantee



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	20	2970
1.0	32/0.21	20	4015
1.5	30/0.26	16	5885
2.5	50/0.26	12	9185
4.0	56/0.31	8	13420
6.0	84/0.31	7	20240

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices

BAJAJ SECURA FR

FLAME RETARDANT

180 Mtr

Single Core, High Conductivity, Flame Retardant PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694.



EXPERIENCE SAFETY WITH FLAME RETARDANT WIRES

-  Flame Retardant
-  Moisture Resistant
-  Anti-Termite & Anti-Rodent
-  Over 99.9% Copper Purity
-  101% Conductivity
-  100% Length Gurantee



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	16	4940
1.0	32/0.21	12	6600
1.5	30/0.26	10	9700
2.5	50/0.26	8	15300
4.0	56/0.31	4	22400
6.0	84/0.31	3	33600

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices

BAJAJ SECURA GREEN FR-LSH

FLAME RETARDANT LOW SMOKE HALOGEN

180 Mtr

Single Core, High Conductivity, Flame Retardant Low Smoke Halogen PVC Insulated Unsheathed Cable with Voltage Range upto and including 1100 Volts as per IS 694



WIRES THAT LIMIT SMOKE

-  Flame Retardant, Low Smoke Halogen
-  Moisture Resistant
-  Anti-Termite & Anti-Rodent
-  Over 99.9% Copper Purity
-  101% Conductivity
-  100% Length Gurantee



Size (Sq.mm)	*Configuration	No. of Coils in Box	MRP** (₹)
0.75	24/0.21	16	5400
1.0	32/0.21	12	7300
1.5	30/0.26	10	10700
2.5	50/0.26	8	16700
4.0	56/0.31	4	24400
6.0	84/0.31	3	36800

Avaialble Colours



**MRP as on February 2026 and is subject to change. Check with Bajaj Team for latest prices




Smart
electricians ki
choice,

SAMRAT



STEPS TO FOLLOW

- Scan the QR code to download the app
- Sign up and fill in your details
- Contact the Bajaj Sales Team to get approved as an electrician
- Once approved, add your bank details and start earning rewards



BAJAJ
SECURA WIRES

Creative visualization exercised. Specification and performance data are all subject to change with constant product improvement. All latest product details to be checked with Bajaj Team. The information provided in this catalogue is for general informational purposes only. While we strive for accuracy, BEL makes no claims, guarantees or warranties, express or implied, about the completeness, reliability, or accuracy of the product descriptions, specifications, or features. Actual product details, designs, and colours may vary due to manufacturing variations or updates. Under no circumstances will BEL, its affiliates, or any of its directors, officers, employees, or agents be liable for any direct, indirect, incidental, or consequential damages resulting from the use of the information provided in this catalogue or from reliance on any of the information, products, or services mentioned. Any reproduction, transfer to third parties or imitation of content, is not permitted.