


The background of the entire page is a photograph of a modern living room interior. The room is dimly lit, with a warm, golden glow emanating from a large, spherical floor lamp in the center. The room features a light-colored sofa on the right, a matching armchair on the left, and a small side table. The walls are covered in vertical wood paneling, and the floor is made of light-colored wood. Large windows on the right side of the room show a view of a city skyline at night. The overall atmosphere is cozy and sophisticated.

CONSUMER LIGHTING

CATALOGUE 2026

For over 80 years, Bajaj has been a name India trusts. Established in 1938 by Shri Jamnalal Bajaj, the brand has become an enduring part of every Indian home. It offers a wide range of home appliances, fans, and an extensive portfolio of lighting solutions, including smart products, inverter lights, lamps, battens, decorative lights, outdoor lights, portable lights, and accessories.

In addition to serving millions of households, Bajaj has a strong presence in the B2B segment and exports to numerous international markets, strengthening its global footprint.

Its commitment to innovation and quality has earned global admiration, delivering value-driven products that brighten homes, enhance living spaces, and make everyday life more efficient.

With sustainability at its core, Bajaj continues to shape a better future while upholding its legacy of trust, excellence, and happiness in every household.









INDEX

2 | SMART
PRODUCTS

8 | INVERTER
LIGHTS

12 | CEILING
LIGHTS

30 | LAMPS

36 | BATTENS

44 | DECORATIVE
LIGHTS

56 | OUTDOOR
LIGHTS

64 | PORTABLE
LIGHTS

76 | ACCESSORIES

SMART PRODUCTS





Smart lighting for homes is evolving with key trends that emphasize convenience, efficiency, and style. We understand the growing emphasis on ease of use, personalization, and integration. Bajaj Smart Lighting solutions have what you need to create your mood-based ambience in your homes.

With the Bajaj Smart App, managing your lights is just a tap away. Plus, enjoy hands-free convenience with Amazon Alexa and Google Assistant. Automation and customizable scenes enhance functionality and mood-setting. Energy-efficient designs and adaptive brightness features lower utility costs. Easy installation and sleek, modern designs contribute to broader accessibility and aesthetic appeal. Group control adjustments further improve user experience, reflecting a focus on both practicality and sophisticated home integration.

AWE PLUS IoT SMART LAMP



16 Million
Colours



WiFi
Enabled



Ambient Lighting
Preset Modes*



Operates
using Bajaj
Smart App



Voice
Enabled
Operations



Works with
Google Assistant
& Amazon Alexa



WATTAGE	TYPE	BEAM ANGLE	CAP	LIFE
9W	Lamp	>180	B22	15,000 Hours#

NEW

AWE PLUS 9W SMART BLE LAMP



16 Million
Color Wheel



Connect
with
Bluetooth***



Ambient
Lighting
Preset
Modes*



Operates
Using Bajaj
Smart App



4 kV
VSP



15000
Hours
Life##



WATTAGE	TYPE	CAP	LIFE
9W	Lamp	B22 & E27	15,000 Hours#

*Bajaj AWE provides a solution based on good lighting practice of biological and visual effective lighting solution (Ref. Standard DIN SPEC 67600:2013-044). It cannot be treated as advice on medical treatment.

#Burning life under normal condition. ***Connects only through Bluetooth

AWE PLUS SMART PANEL



16 Million
Colours



WiFi
Enabled



Ambient Lighting
Preset Modes*



Operates
using Bajaj
Smart App



Voice
Enabled
Operations



Works with
Google Assistant
& Amazon Alexa



WATTAGE	TYPE	CUTOUT	HEIGHT	LIFE
15W	Panel	152 mm	34 mm	15,000 Hours [#]

NEW

AWE SMART TUNABLE WHITE & DIMMABLE PANEL



Colour Tunable
3000K - 6000K
(Dimmable
Till 1%)



WiFi
Enabled



Ambient Lighting
Preset Modes*



Operates
using Bajaj
Smart App



Voice
Enabled
Operations



Works with
Google Assistant
& Amazon Alexa



WATTAGE	TYPE	CUTOUT	HEIGHT	LIFE
15W	Panel	152 mm	34 mm	15,000 Hours [#]

*Bajaj AWE provides a solution based on good lighting practice of biological and visual effective lighting solution (Ref. Standard DIN SPEC 67600:2013-044). It cannot be treated as advice on medical treatment.

[#]Burning life under normal condition

AWE PLUS IoT SMART BATTEN



16 Million
Colours



WiFi
Enabled



Ambient Lighting
Preset Modes*




Operates
using Bajaj
Smart App



Voice
Enabled
Operations



Works with
Google Assistant
& Amazon Alexa



WATTAGE	TYPE	VSP	LIFE
20W	Batten	3.5 kV	15,000 Hours [#]

AWE SMART TUNABLE WHITE & DIMMABLE BATTEN



Colour Tunable
3000K - 6000K
(Dimmable Till 1%)



WiFi
Enabled



Ambient Lighting
Preset Modes*




Operates
using Bajaj
Smart App



Voice
Enabled
Operations



Works with
Google Assistant
& Amazon Alexa



WATTAGE	TYPE	VSP	LIFE
20W	Batten	3.5 kV	15,000 Hours [#]

*Bajaj AWE provides a solution based on good lighting practice of biological and visual effective lighting solution (Ref. Standard DIN SPEC 67600:2013-044). It cannot be treated as advice on medical treatment.

[#]Burning life under normal condition

AWE WI-FI SMART PLUG 10A



Scheduler



WiFi
Enabled



Group
Control



Operates
using Bajaj
Smart App



Voice
Control
Option
Available




Works with
Google Assistant
& Amazon Alexa



CURRENT	TYPE	RATED VOLTAGE	SOCKET
10A	Round	220-240 V AC, 50/60 Hz	Universal 3 Pin Socket
16A	Oval	220-240 V AC, 50/60 Hz	Universal 3 Pin Socket

INVERTER LIGHTS





Inverter lighting for homes is seeing significant growth, driven by increasing power outages, energy efficiency awareness, and technological advancements.

Bajaj prides itself in being one of the leading players offering the widest range of products in Inverter Lighting. These products are rechargeable solutions that provide backup lighting during power cuts, with innovations focused on faster charging times and longer backup duration.

NEW

LEDZ INVERTER LAMP



Back up
of 4 hours*



Auto Cut-off
After Full
Charging



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	BACK UP TIME*	BACK UP LUMENS*	LUMEN	CCT
9W	4 Hours	300 lm	900 lm	CDL
12W	4 Hours	300 lm	1200 lm	CDL
15W	4 Hours	375 lm	1350 lm	CDL
20W	4 Hours	400 lm	2000 lm	CDL
30W	4 Hours	600 lm	2700 lm	CDL
50W	10 Hours***	600 lm	4500 lm	CDL

LEDZ INVERTER BATTEN



Back up
of 3 hours*



Auto Cut-off
after Full
Charging



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	BACK UP TIME*	BACK UP LUMENS*	LUMEN	CCT
10W	3 Hours	450 lm	1000 lm	CDL
20W	3 Hours	450 lm	2000 lm	CDL

*With battery at full charge. ***With battery at full charge at low intensity.

#Sustains at 400V for 2 hours. ##Burning life under normal conditions,

NEW

LEDZ INVERTER PANEL



Back up
of 3 hours*



Auto Cut-off
after Full
Charging



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	BACK UP TIME*	CUTOUT	BACK UP LUMENS*	LUMEN	CCT
15W	3 Hours	152 mm	500 lm	1500 lm	CDL

NEW

HYPERION SURFACE LED INVERTER PANEL (CDL)



Back up
of 3 hours*



Auto Cut-off
after Full
Charging




3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]




15000
Hours
Life^{##}



WATTAGE	TYPE	BACK UP TIME*	BACK UP LUMENS*	LUMEN	CCT
10W	Round & Square	3 Hours	300 lm	800 lm	CDL

*With battery at full charge. [#]Sustains at 400V for 2 hours. ^{##}Burning life under normal conditions.

CEILING LIGHTS





Residential lighting has seen significant advancements and evolving trends in recent years, driven by technological innovations, aesthetic preferences, and energy efficiency considerations. We are proud to be at the forefront of these advancements and excited to share our vision for the future of lighting with you with a range of products and features that fits all your needs.

From adjustable cutouts to compact lighting, from multi CCT to decorative strip lights, we have it all here. No matter the space, the room or the size, Bajaj has you covered.

These trends reflect a growing emphasis on technology, design, and sustainability in residential lighting.

As innovations continue to emerge, Bajaj Ceiling Lights are poised to become even more versatile and integral to modern living spaces.

BAJAJ EYE CARE LED PANEL (5000K)



Best CCT for
Horizontal
Daylight



Wide Colour
Spectrum -
less Visual
Fatigue



Low
Flicker
< 5%



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



25000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY	TYPE	CUTOUT (Ø)	HEIGHT
15W	100 lm/W	Round	152 mm	34 mm

IVORA MOTION SENSOR LED PANEL (CDL)



Motion Sensing
upto area of 5 Mtr^{*}



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



Auto Dims
after 60
Seconds



WATTAGE	LUMEN EFFICACY	TYPE	CUTOUT (Ø)	HEIGHT
15W	100 lm/W	Motion Sensor	152 mm	34 mm

^{*}Sustains 400V for 2 hours. ^{##}Burning life under normal condition. ^{*}Upto height of 4 Mtr.

NEW

ZYPHOR MULTI CCT PANEL



Multi CCT
Operation



Soothing
Light




3 kV
VSP



Wide Operating
Voltage Range
(150V-300V)*



15000
Hours
Life**



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
10W	80 lm/W	100 mm	Round & Square	28 mm
12W	80 lm/W	125 mm	Round & Square	28 mm
15W	80 lm/W	150 mm	Round & Square	28 mm

NEW

ZYPHOR PLUS PANEL (CDL, WDL, NDL)



Lumen
Efficacy
100 lm/W



LED Back-Lit
Technology




3.5 kV
VSP



Wide Operating
Voltage Range
(150V-300V)*



15000
Hours
Life**



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
6W	100 lm/W	75 mm	Round & Square	28 mm
10W	100 lm/W	100 mm	Round & Square	28 mm
12W	100 lm/W	125 mm	Round & Square	28 mm
15W	100 lm/W	152 mm	Round & Square	28 mm
20W	100 lm/W	200 mm	Round & Square	28 mm

*Sustains at 400V for 2 Hrs. **Burning Life under normal conditions. *For CDL Variant only.

NEW

ZYPHOR PANEL

(CDL, WDL, NDL)



LED Back-Lit
Technology



Soothing
Light




3 kV
VSP



Wide Operating
Voltage Range
(150V-300V)[#]



15000
Hours
Life^{**}



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
5W	80 lm/W	75 mm	Round & Square	28 mm
10W	80 lm/W	100 mm	Round & Square	28 mm
12W	80 lm/W	100 mm	Round & Square	28 mm
15W	80 lm/W	125 mm	Round & Square	28 mm
20W	80 lm/W	150 mm	Round & Square	28 mm

NEW

ZYPHOR NEO PANEL

(CDL, WDL, NDL)



LED Back-Lit
Technology



Soothing
Light



3 kV
VSP



Wide Operating
Voltage Range
(150V-300V)[#]



15000
Hours
Life^{**}



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
15W	80 lm/W	150 mm	Round & Square	28 mm

[#]Sustains at 400V for 2 Hrs. ^{*}For CDL Variant only. ^{**}Burning Life under normal conditions.

NEW

CELESTA LED PANEL WITH EXTERNAL DRIVER (CDL, WDL, NDL)



External
Driver Panel



Soothing
Light



2.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



25000
Hours
Life^{**}



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
6W	75 lm/W	100 mm	Round & Square	23 mm
10W	75 lm/W	125 mm	Round & Square	23 mm
15W	75 lm/W	152 mm	Round & Square	23 mm
20W	75 lm/W	200 mm	Round & Square	23 mm

NEW

CELESTA RAINBOW PANEL (CDL + BGP)



3 Decorative
Modes



Soothing
Light



3 kV
VSP



Wide Operating
Voltage Range
(150V-300V)[#]



15000
Hours
Life^{**}



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
6W+6W	80 lm/W	100 mm	Round & Square	28 mm
12W+6W	80 lm/W	152 mm	Round & Square	28 mm

[#]Sustains at 400V for 2 Hrs. ^{*}For CDL Variant only. ^{**}Burning Life under normal conditions

HYPERION FULL GLOW ADJUSTABLE CUT OUT LED PANEL (CDL/WDL/NDL)



Full Glow
No Bezel



Adjustable
Cut Out




3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)*



25000
Hours
Life**



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
10W	100 lm/W	Round & Square	76 mm - 101 mm	26 mm
15W	100 lm/W	Round & Square	76 mm - 127 mm	26 mm
20W	100 lm/W	Round & Square	76 mm - 152 mm	26 mm

NEW

CELESTA DEEP LED PANEL (CDL/WDL/NDL)



Bright
Light



Deep
Reflector
Design



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)*



15000
Hours
Life**



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
12W	100 lm/W	Round	107 mm	60 mm
18W	100 lm/W	Round	142 mm	60 mm
24W	100 lm/W	Round	142 mm	60 mm

*Sustains at 400V for 2 Hrs. **Burning Life under normal conditions. *For CDL variant only.

CELESTA LED PANEL 2X2 TILE (CDL/WDL/NDL)



Bright
Light



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
36W	100 lm/W	Square	584 mm	32 mm

IVORA DELUXE 24W LED PANEL (CDL/WDL/NDL)



Slim
Aesthetics



4 kV
VSP



Wide Operating
Voltage Range
(150V-300V)[#]



Edge
Lit Panel



Separate
Driver



WATTAGE	LUMEN EFFICACY*	CUTOUT (Ø)	TYPE	HEIGHT
24W	100 lm/W	278 mm	Square	18 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

NEW

HYPERION SURFACE LED MULTI CCT PANEL (MULTI CCT)



Multi CCT
Operation



Full Glow
No Bezel



LED
Back-lit
Technology



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
12W	100 lm/W	Round & Square	32 mm
24W	100 lm/W	Round & Square	32 mm

NEW

HYPERION SURFACE LED PANEL (CDL/WDL/NDL)



Full Glow
No Bezel



LED
Back-lit
Technology



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
6W	100 lm/W	Round & Square	32 mm
12W	100 lm/W	Round & Square	32 mm
18W	100 lm/W	Round & Square	32 mm
24W	100 lm/W	Round & Square	32 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

NEW

BAJAJ JUVEL DECO DOWNLIGHT (WDL/NDL)



Elegant
Decorative
Reflector*



Dual
Housing
Design **



3.5 kV
VSP



Wide Operating
Voltage Range
(120V - 300V)*



WATTAGE	SHAPE/TYPE	CUTOUT	REFLECTOR	HOUSING
7W	Deco Downlight	73 mm	Rose Gold & Gun Metal	Black & White

NEW

BAJAJ JUVEL COB SURFACE CYLINDER (WDL/NDL)



Elegant
Decorative
Reflector*



Sleek
Cylindrical
Design**



Metal
Housing



3.5 kV
VSP



Wide Operating
Voltage Range
(100V - 300V)*



WATTAGE	SHAPE/TYPE	REFLECTOR	HOUSING
7W	Surface Cylinder	Rose Gold & Gun Metal	Black & White
12W	Surface Cylinder	Rose Gold & Gun Metal	Black & White

*Available in Rose Gold & Gun Metal Black reflectors. **Available in Black & White bodies.

NEW

CELESTA SURFACE TRACKLIGHT COB (CDL/WDL/NDL)



COB Technology



Wide Operating Voltage Range (100V-300V)[#]



Metal Housing



Horizontal & Vertical Rotation



WATTAGE	LUMEN EFFICACY*	ANGULAR ROTATION	LENGTH
10W	65 lm/W	330° Horizontal + 90° Vertical	165 mm
15W	70 lm/W	330° Horizontal + 90° Vertical	195 mm

NEW

CELESTA NEO COB SWIVEL LED DOWNLIGHT (MULTI CCT/MULTI COLOUR)



COB Design for a Sharper Light Beam



4 kV VSP



Wide Operating Voltage Range (100V-300V)[#]



25000 Hours Life^{##}



Eco-friendly Light



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
3W	80 lm/W	Round	40 mm	35 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

IVORA NEO SPOT SWIVEL COB LED DOWNLIGHT (CDL/WDL/NDL)



Unique Swivel
Design For
Directional
Lighting



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



25000
Hours
Life##



Eco-friendly
Light



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
3W	80 lm/W	Round	60 mm	42 mm
6W	80 lm/W	Round	78 mm	44 mm
9W	80 lm/W	Round	101 mm	50 mm
12W	80 lm/W	Round	127 mm	54 mm

NEW

CELESTA RAINBOW DOWNLIGHT (CDL+BGP, CDL+B, CDL+W, CDL+G, CDL+P)



3 Decorative
Modes



Soothing
Light



3 kV
VSP



Wide Operating
Voltage Range
(150V-300V)#



15000
Hours
Life##



WATTAGE	LUMEN EFFICACY	CUTOUT (Ø)	TYPE	HEIGHT
7W+7W	80 lm/W	50 mm	Round	40 mm
12W+12W	80 lm/W	50 mm	Round	40 mm

*Sustains 400V for 2 hours. ##Burning life under normal condition. #For CDL variant only.

CELESTA RIM LIT LED DOWNLIGHT (MULTI CCT/MULTI COLOUR)



Multi CCT Operation



LED Back-lit Technology



Aesthetically Appealing Rim Lit Design



2.5 kV VSP



Wide Operating Voltage Range (100V-300V)[#]



15000 Hours Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
7W	70 lm/W	Round	68 mm	46 mm

IVORA COMPACT LED DOWNLIGHT 3-IN-1 (MULTI CCT/MULTI COLOUR)



Compact Downlight for Smaller Spaces



Multi CCT Operation



Available in 3-in-1 Red, Blue and Pink



2.5 kV VSP



Wide Operating Voltage Range (100V-300V)[#]



25000 Hours Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
3W	70 lm/W	Round	60 mm	30 mm
5W	70 lm/W	Round	73 mm	24 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

IVORA COMPACT LED DOWNLIGHT

(CDL/WDL/NDL/RED/GREEN/BLUE/PINK)



Compact
Downlight for
Smaller Spaces



Available in
7 Colourful
Varaints



2.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



25000
Hours Life##



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
3W	70 lm/W	Round	60 mm	30 mm
5W	70 lm/W	Round	73 mm	24 mm
7W	70 lm/W	Round	73 mm	25 mm
9W	70 lm/W	Round	73 mm	25 mm
12W	70 lm/W	Round	73 mm	25 mm

IVORA NEO SPOT LIGHTS

(CDL/WDL/RED/GREEN/BLUE/PINK)



Compact
Downlight for
Smaller Spaces



Available in
6 Colourful
Varaints



2.5 kV
VSP



Wide Operating
Voltage Range
(150V-300V)#



15000
Hours Life##



WATTAGE	TYPE	CUTOUT (Ø)	HEIGHT
2W	Round	35 mm	16 mm

#Sustains 400V for 2 hours. ##Burning life under normal condition. *For CDL variant only.

NEW

CELESTA DEEP LED DOWNLIGHT (CDL/WDL/NDL/RED/GREEN/BLUE/PINK)



Compact Design
for Small
Places



LED
Back-lit
Technology



Available in
7 Colourful
Variants



2.5 kV
VSP



Wide Operating
Voltage Range
(150V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	CUTOUT (Ø)	HEIGHT
5W	80 lm/W	Round	50 mm	40 mm
9W	80 lm/W	Round	50 mm	40 mm
12W	80 lm/W	Round	50mm/73mm	40 mm
15W	80 lm/W	Round	50mm/73mm	40 mm

IVORA FULL GLOW SURFACE SPOT LIGHT (CDL/WDL/RED/GREEN/BLUE/PINK)



LED
Back-lit
Technology



Available in
6 Colourfull
Varaints



2.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



25000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
5W	95 lm/W	Round	17 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

IVORA SURFACE SPOT LIGHT (CDL/WDL/RED/GREEN/BLUE/PINK)



LED
Back-lit
Technology



Available in
6 Colourfull
Varaints



2.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
3W	55 lm/W	Round	15 mm

NEW

CELESTA MODULAR SURFACE DOWNLIGHT 3-IN-1 (MULTI CCT / MULTI COLOUR)



Available in
Multi CCT



Aesthetically
Appealing
Design



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



25000
Hours
Life^{##}



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
9W	90 lm/W	Round	46 mm
15W	90 lm/W	Round	46 mm

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL variant only.

NEW

CELESTA MODULAR SURFACE DOWNLIGHT (9W/15W/20W - CDL/WDL/NDL)



Aesthetically
Appealing
Design



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)*



25000
Hours
Life**



WATTAGE	LUMEN EFFICACY*	TYPE	HEIGHT
9W	90 lm/W	Round	46 mm
15W	90 lm/W	Round	46 mm
20W	90 lm/W	Round	46 mm

NEW

CELESTA LED STRIP LIGHT (CDL/WDL/NDL/RED/GREEN/BLUE/PINK/AMBER/ICE BLUE)



Bright Light



Available in
9 Colourful
Variants




2.5 kV
VSP



Wide Operating
Voltage Range
(150V-300V)*



15000
Hours
Life**



WATTAGE	LED/MTR	TYPE	LENGTH
48W	120 LED/Mtr	Strip Light	5 Mtr
60W	240 LED/Mtr	Strip Light	5 Mtr

*Sustains 400V for 2 hours. **Burning life under normal condition. *For CDL variant only.

DRIVERS FOR LED STRIP LIGHTS (12V- 3A/4A/5A)



2.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



Open and
Short Circuit
Protection




15000
Hours
Life^{##}



WATTAGE	TYPE	FOR STRIP LIGHT
12V-3A-36W	Driver	60 LED/Mtr
12V-4A-48W	Driver	120 LED/Mtr
12V-5A-60W	Driver	240 LED/Mtr

[#]Sustains 400V for 2 hours. ^{##}Burning life under normal condition

LAMPS





With a constant drive towards energy efficiency and sustainability, LED Lamps have come a long way to become every household staple. From general illumination in living rooms and bedrooms to task lighting in kitchens and workspaces. They are also commonly used in accent lighting to highlight architectural features or décor. Their low heat emission makes them ideal for compact fixtures.

Bajaj LED lamps come in all shapes and sizes, from low wattages to high wattages, B22 and E27 caps, regular and unique shaped diffusers for all your home lighting needs.

BAJAJ EYE CARE LAMP*



Low
Flicker
< 5%



3.5 kV
VSP



Best CCT
of Horizontal
Daylight
(5000K)



Wide Colour
Spectrum
Less Visual
Fatigue



WATTAGE	SHAPE/TYPE	CCT	LUMEN/W	CAP
9W	Eye Care Lamp	5000K	90 lm/W	B22

IVORA MOTION SENSOR LAMP



Motion
Sensing
Distance
5 Mtr^



Auto Turn
off after 60
Seconds**



Energy
Saving



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life***



WATTAGE	SHAPE/TYPE	CCT	LUMEN/W	CAP
9W	Motion Sensor Lamp	CDL	90 lm/W	B22
12W	Motion Sensor Lamp	CDL	92 lm/W	B22
20W	Motion Sensor Lamp	CDL	100 lm/W	B22

*Sustains at 400V for 4 hours **Burning life under normal conditions. *As per stock availability

**20W operates at 25% brightness when no motion is detected. ^Upto height of 4 Mtr.

NEW

IVORA NEO HB HW LED LAMP



Bright Light
Output



BEE 1 Star
Rating**



Robust
Build



For Residential
& Commercial
Spaces^



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours Life##



WATTAGE	TYPE	CCT	LUMEN/W*	CAP
30W	HW Lamp	CDL/WDL	90 lm/W	B22/E27
40W	HW Lamp	CDL/WDL	90 lm/W	B22/E27
50W	HW Lamp	CDL/WDL	90 lm/W	B22/E27
60W	HW Lamp	CDL/WDL	90 lm/W	B22/E27
70W	HW Lamp	CDL/WDL	90 lm/W	B22/E27
80W	HW Lamp	CDL/WDL	90 lm/W	B22/E27

NEW

IVORA NEO HB LED LAMP



Bright Light
Output



BEE 1 Star
Rating**



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	TYPE	CCT	LUMEN/W*	CAP
15W	MW Lamp	CDL/WDL	90 lm/W	B22/E27
18W	MW Lamp	CDL/WDL	90 lm/W	B22/E27
20W	MW Lamp	CDL/WDL	90 lm/W	B22/E27
23W	MW Lamp	CDL/WDL	90 lm/W	B22/E27

**Offered in 2 Star Basis Availability

*Sustains at 400V for 4 hours. **Burning life under normal conditions *For CDL variant only.

**Applicable only for 30W. ^For indoor use only.

IVORA HB LED LAMP



Bright Light
Output



BEE 1 Star
Rating



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	SHAPE/TYPE	CCT	LUMEN/W*	CAP
3W	Lamp	CDL/WDL	90 lm/W	B22/E27
5W	Lamp	CDL/WDL	90 lm/W	B22/E27
7W	Lamp	CDL/WDL	90 lm/W	B22/E27
9W	Lamp	CDL/WDL	90 lm/W	B22/E27
12W	Lamp	CDL/WDL	90 lm/W	B22/E27

NEW

HYPERION FILAMENT LED LAMP SERIES



Warm Ambient
Glow



Energy
Efficient



Robust
Build



Vintage
Design



G95

C35

ST64

G45

NAME	WATTAGE	CCT	CAP
Hyperion G95 Filament LED Lamp	4W	WDL	E27
Hyperion C35 Filament LED Lamp	3W	WDL	E27/E14
Hyperion ST64 Filament LED Lamp	4W	WDL	E27
Hyperion G45 Filament LED Lamp	3W	WDL	E27

[#]Sustains At 400V for 4 hours. ^{##}Burning life under normal conditions. *For CDL variant only

IVORA LOW BAY LAMP



Detachable
Circular
Reflector



3.5 kV
VSP



Wide Operating
Voltage Range
(100V-300V)*



15000
Hours
Life**



For Residential
& Commercial
Spaces*



WATTAGE	SHAPE/TYPE	CCT	LUMEN/W	CAP
36W	Low Bay Lamp	CDL	90 lm/W	B22
54W	Low Bay Lamp	CDL	90 lm/W	B22

*For indoor use only. *Sustains At 400V for 4 hours. **Burning life under normal conditions tested as per IS 16102.

BATTENS





LED battens are a popular choice for home lighting due to their energy efficiency, sleek design, and versatility. They are widely used in spaces requiring bright, uniform lighting, such as kitchens, garages, hallways, and study areas.

Offering better light distribution compared to traditional tube lights, Bajaj LED battens provide clear and consistent illumination, making them ideal for task-oriented spaces. Their low heat emission and long lifespan make them both eco-friendly and cost-effective.

Our battens come in various sizes and color temperatures, ensuring they fit seamlessly into modern home interiors while enhancing overall lighting quality.

BAJAJ EYE CARE BATTEN*



Low Flicker
< 5%




3.5 kV
VSP



Wide Colour
Spectrum
Less Visual
Fatigue



Best CCT
of Horizontal
Daylight
(5000K)



WATTAGE	TYPE	CCT	LUMEN/W
20W	Batten	5000K	100 lm/W

IVORA MOTION SENSOR BATTEN



Motion
Sensing
Distance
5 Mtr



25% brightness
after 60
seconds**



Wide
Operating
Voltage Range
(100V-300V)*



15000
Hours
Life**



3.5 kV
VSP



WATTAGE	TYPE	CCT	LUMEN/W
20W	Batten	CDL	100 lm/W

*Sustains at 400V for 2 hours. **Burning life under normal condition. *As per stock availability.

**When no motion is detected for over 60 seconds

NEW

IVORA MOTION SENSOR CABINET LIGHT



Motion Sensor



2 Mode Operations*



Includes
2 Magnetic Sheet &
2 Mounting Magnet




C-type
Charging



DIY
Setup



15000
Hours
Life**



WATTAGE	TYPE	CCT	BACK UP TIME
0.5 ft	Cabinet Light	NDL	Till 2.5 Hours
1 ft	Cabinet Light	NDL	Till 2.5 Hours

IVORA DELUXE LED BATTEN



Aluminium
Housing



Lumen
Efficacy
100 lm/W



Soothing
Light



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life**



WATTAGE	TYPE	CCT	LUMEN/W
40W	Batten	CDL	100 lm/W

#Sustains at 400V for 2 hours. **Burning life under normal condition. *Normal Mode & Motion sensor Mode

NEW

HYPERION NEO MULTI CCT BATTEN



Multi CCT
Operation



Lumen
Efficacy
100 lm/W*



Soothing
Light



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours Life##



WATTAGE	TYPE	CCT	LUMEN/W*
20W	Batten	Multi CCT	100 lm/W

NEW

BAJAJ BEAM MAX LED BATTEN



Robust
Build



Lumen
Efficacy
100 lm/W




4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	TYPE	CCT	LUMEN/W
48W	Batten	CDL	100 lm/W
55W	Batten	CDL	100 lm/W

#Sustains at 400V for 2 hours. ##Burning life under normal condition. *For CDL Only.

NEW

BAJAJ BEAM MAX NEO LED BATTEN



Lumen
Efficacy
100 lm/W*



4kV
VSP



Wide Operating
Voltage Range
(100V-300V)[#]



15000
Hours
Life^{##}



WATTAGE	TYPE	CCT	LUMEN/W*
25W	Batten	CDL/NDL/WDL	100 lm/W
30W	Batten	CDL/NDL/WDL	100 lm/W
36W	Batten	CDL/NDL/WDL	100 lm/W
40W	Batten	CDL/NDL/WDL	100 lm/W

NEW

BAJAJ BEAM PRO NX LED BATTEN



Lumen
Efficacy
100 lm/W*



4 kV
VSP




Soothing
Light



15000
Hours
Life^{##}



Wide Operating
Voltage Range
(100V-300V)[#]



WATTAGE	TYPE	CCT	LUMEN/W*
20W	Batten	CDL/WDL/NDL	100 lm/W

[#]Sustains at 400V for 2 hours. ^{##}Burning life under normal condition. *For CDL Only.

NEW

BAJAJ BEAM NEO LED BATTEN



Lumen
Efficacy
100 lm/W*



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	TYPE	CCT	LUMEN/W*
5W	Batten	CDL/WDL/NDL	100 lm/W
10W	Batten	CDL/WDL/NDL	100 lm/W
22W	Batten	CDL/WDL/NDL	100 lm/W

NEW

BAJAJ BEAM ACE LED BATTEN 20W 2FT



Lumen
Efficacy
100 lm/W*



4kV
VSP



Wide Operating
Voltage Range
(100V-300V)#



15000
Hours
Life##



WATTAGE	TYPE	CCT	LUMEN/W*
20W	2 ft Batten	CDL/NDL/WDL	100 lm/W

#Sustains at 400V for 2 hours. ##Burning life under normal condition. *For CDL Only.



DECORATIVE LIGHTS





Decorative lighting has become an essential element in modern home design, offering both functionality and aesthetic appeal. From String lights, Deco Lamps to Rope Lights – all carefully crafted to add a personal touch to your living spaces, it plays a crucial role in enhancing the mood of a room.

Available in a wide range of designs, materials, and finishes, our decorative lighting allows homeowners to express their style while elevating the overall atmosphere of their homes.

CELESTA TRICOLOUR LED ROPE LIGHT (8W/MTR)



Tricolor
Light



IP-65
Protection



4 kV
VSP



Wide Operating
Voltage Range
(140V - 280V)*



15000
Hours
Life**



WATTAGE	SHAPE / TYPE	CCT/COLOUR	NO. OF LED	LENGTH
144W	Rope Light	Tricolor Light with Amber, White and Green	120 LED/Mtr	18 Mtr

CELESTA LED ROPE LIGHT (8W/MTR)



IP-65
Protection



Bright Light
with
640lm/Mtr*



4 kV
VSP



Wide Operating
Voltage Range
(140V - 280V)*



15000
Hours
Life**



WATTAGE	SHAPE / TYPE	CCT/COLOUR	NO. OF LED	LENGTH
360W	Rope Light	CDL/WDL/NDL Red/Green/Blue/Pink/ Amber/Purple/Ice Blue	120 LED/Mtr	45 Mtr
400W (NEW)	Rope Light	CDL/WDL/NDL Red/Green/Blue/Pink/ Amber/Purple/Ice Blue	120 LED/Mtr	50 Mtr

* For CDL variant only. **Burning life under normal conditions. *Sustains at 400V for 2 hours.

LED ROPE LIGHT DRIVER ACCESSORY BAG



Adaptor for
LED Rope
Light



Direct AC
Connection



Weather
Resistant



BAJAJ GLIMMER LED STRING LIGHTS



High
Quality
LED Lights



Uniformly
Spread LEDs
Over 10m



Copper
Based
Wire



WATTAGE	SHAPE / TYPE	CCT/COLOUR	LENGTH
3.5W	String Light	WDL Red/Green/Blue/Pink	10 Mtr
3.5W	String Light	Multi Colour	10 Mtr

NEW

HYPERION NEO DECO LED BATTEN



Soothing
Light



4 kV
VSP



Wide Operating
Voltage Range
(100V - 300V)*



15000
Hours
Life**



WATTAGE	TYPE	CCT/COLOUR
20W	Batten	Red, Green, Blue, Pink

NEW

HYPERION TIRANGA LED BATTEN 20W



Tiranga
Batten



4 kV
VSP



Wide Operating
Voltage Range
(100V-300V)*



15000
Hours
Life**



Equally
Spaced
LEDs



WATTAGE	TYPE	CCT
20W	Batten	Tiranga

**Burning life under normal conditions. *Sustains at 400V for 4 hours.

IVORA HB DECO LAMP



5 Decorative
Colours



4 kV
VSP



Wide Operating
Voltage Range
(100V - 300V)*



15000
Hours
Life**



WATTAGE	SHAPE / TYPE	CCT/COLOUR	CAP
9W	Deco Lamp	Red, Green, Blue, Pink, Yellow	B22

IVORA DECO CAPSULE LAMP



5 Decorative
Colours



4 kV
VSP



Wide Operating
Voltage Range
(100V - 300V)*



15000
Hours
Life**



WATTAGE	SHAPE / TYPE	CCT	CAP
5W	Deco Lamp	Red, Green, Blue, Pink, Yellow	B22

*Sustains 400V for 2 Hours. **Burning life under normal conditions.

LEDZ PING PONG PLUG LAMP



5 Decorative
Colours



Plug & Play



Wide Operating
Voltage Range
(150V-270V)*



15000
Hours
Life**



WATTAGE	SHAPE / TYPE	CCT/COLOUR	CAP
0.5W	Deco Lamp	Red, Green, Blue, White, Yellow	NA

LEDZ PING PONG LAMP



7 Decorative
Colours



1.5 kV
VSP



Wide Operating
Voltage Range
(100V - 300V)*



Long Life
of 15000
hours**



WATTAGE	SHAPE / TYPE	CCT/COLOUR	CAP
0.5W	Deco Lamp	Red, Green, Blue, White, Yellow, Pink, Orange	B22

**Burning life under normal conditions. *Sustains at 350V for 2 hours.

NEW

BAJAJ GLIMMER LED CURTAIN LIGHT



Copper Based Wire




Sturdy Indian Plug



200 LEDs



Ambient Glow Light



WATTAGE	SHAPE/TYPE	CCT	SPEC
5W	Curtain Light	WDL	10 Strings, 2 Mtr Each

NEW

BAJAJ GLIMMER LED STAR CURTAIN LIGHT



Copper Based Wire



Sturdy Indian Plug



Ambient Glow Light



WATTAGE	SHAPE/TYPE	CCT	SPEC
6W	Curtain Light	WDL	12 Big & 48 Small Stars

NEW

BAJAJ GLIMMER LED NEON DIYA LIGHT



Copper
Based Wire



Sturdy
Indian Plug



Ambient
Glow Light



WATTAGE	SHAPE/TYPE	CCT	SPEC
8W	Wall Mounted	WDL & RGB	Mounted Diya Shaped

NEW

BAJAJ GLIMMER LED HANGING DIYA LIGHT



Copper
Based Wire



Sturdy
Indian Plug



Ambient
Glow Light



WATTAGE	SHAPE/TYPE	CCT	SPEC
2W	Hanging & Swivel Design	WDL & RGB	Hanging Diya Shaped

NEW

BAJAJ GLIMMER LED JUGNU LIGHT



Copper
Based Wire




Sturdy
Indian Plug



Ambient Glow
Light



300
LEDs



WATTAGE	SHAPE/TYPE	CCT	SPEC
3W	Decorative String Light	White, Warm White, Multi Color	300 LED

NEW

BAJAJ ZELA LED WALL LAMP ROUND



IP 65



Elegant
Design



4 kV
VSP



Durable



Easy
Installation



15000
Hours
Life*



WATTAGE	SHAPE/TYPE	CCT
15W	Round Wall Lamp	WDL

*Burning life under normal conditions.

NEW

BAJAJ ZELA LED WALL LAMP SQUARE



IP 65



Elegant
Design



4 kV
VSP




Durable



Easy
Installation



15000
Hours
Life*



WATTAGE	SHAPE/TYPE	CCT
15W	Square Wall Lamp	WDL

NEW

BAJAJ ZELA LED WALL LAMP LINEAR



IP 65



Elegant
Design



4 kV
VSP



Durable



Easy
Installation



15000
Hours
Life*



WATTAGE	SHAPE/TYPE	CCT
15W	Linear Wall Lamp	WDL

*Burning life under normal conditions.

NEW

BAJAJ ZELA LED WALL LAMP SQUARE



IP 65



Elegant
Design



4 kV
VSP



Durable



Easy
Installation



15000
Hours
Life*



WATTAGE	SHAPE/TYPE	CCT
5W	Square Wall Lamp	WDL

NEW

BAJAJ ZELA LED WALL LAMP ROUND



IP 65



Elegant
Design



4 kV
VSP




Durable



Easy
Installation



15000
Hours
Life*



WATTAGE	SHAPE/TYPE	CCT
5W	Round Wall Lamp	WDL

*Burning life under normal conditions.

OUTDOOR LIGHTS





As important as it is to light up your indoors, it is equally important to light up your outdoors. Outdoor lighting for homes play a crucial role in enhancing safety, security, and aesthetics. Bajaj provides a wide range of products to meet all your outdoor lighting needs. Be it flood lights, streetlights or even bulk heads.

All of them distinctly crafted to provide illumination and a sense of safety from large outdoor areas like gardens, driveways, and backyards, deterring intruders and ensuring visibility at night. These fixtures not only improve outdoor visibility but also add to the overall charm of the home's exterior.

NEW

VELARIS WALL LIGHT (OVAL SERIES)



IP 54
Protection



Matte
Finish



Elegant
Curved Design



3.5 kV
VSP



Wide
Operating
Voltage Range
(150V-300V)*



WATTAGE	TYPE	CCT	IP RATING
2W	2 Way Wall Light	WDL	IP 54
4W	4 Way Wall Light	WDL & RB	IP 54
6W	6 Way Wall Light	WDL & RGB	IP 54
8W	8 Way Wall Light	WDL & RGBW	IP 54

NEW

VELARIS WALL LIGHT (SQUARE SERIES)



IP 54
Protection



Matte
Finish



3.5 kV
VSP



Wide
Operating
Voltage Range
(150V-300V)*



WATTAGE	TYPE	CCT	IP RATING
2W	2 Way Square Wall Light	WDL	IP 54
4W	4 Way Square Wall Light	WDL & RGBW	IP 54

*Sustains at 400V for 4 Hrs

NEW

VELARIS WALL LIGHT (K SERIES)



IP 65
Protection



Matte
Finish



Sharp K
Design



4 kV
VSP



Wide
Operating
Voltage Range
(150V-300V)*



WATTAGE	TYPE	CCT	IP RATING
3W	Half-K Wall Light	WDL	IP 65
6W	Full-K Wall Light	WDL	IP 65

NEW

VELARIS LED GARDEN SPIKE



IP 54
Protection



3.5 kV
VSP



Wide
Operating
Voltage Range
(150V-300V)*



Housing Made
of Die-cast
Aluminium for
Durability



Ideal for
Commercial &
Residential
Installations



WATTAGE	TYPE	CCT	IP RATING
5W	Garden Spike	CDL/WDL/GREEN	IP 65

*Sustains at 400V for 4 Hrs.

IVORA BULK HEAD (CDL)



IP 65



4 kV
VSP



Wide
Operating
Voltage
(100V-300V)*



Elegantly
Made Diffuser &
Housing Made
of Engineering
Plastic



Ideal for
Commercial &
Residential
Installations



WATTAGE	SHAPE / TYPE	LUMEN EFFICACY	CCT	IP RATING
10W	Bulk Head	100 lm/W	6500K	IP 65

NEW

CELESTA BULK HEAD (CDL)



IP 54



4 kV
VSP



Wide
Operating
Voltage
(100V-300V)*



Elegantly
Made Diffuser &
Housing Made
of Engineering
Plastic



Ideal for
Commercial &
Residential
Installations



WATTAGE	SHAPE / TYPE	LUMEN EFFICACY	CCT	IP RATING
10W	Bulk Head	80 lm/W	6500K	IP 54
20W	Bulk Head	80 lm/W	6500K	IP 54

*Sustains at 400V for 4 hours.

ROBUSTA FLOOD LIGHT (DECORATIVE)



IP 65



4 kV
VSP



Wide
Operating
Voltage
(100V-300V)*



Housing Made
of Die-cast
Aluminium for
Strength



Ideal for
Commercial &
Residential
Installations



Auto Colour Changing Sequence

WATTAGE	SHAPE / TYPE	CCT	IP RATING
10W	Flood Light	Auto Colour Changing*	IP 65
50W	Flood Light	Auto Colour Changing*	IP 65
10W	Flood Light	Blue	IP 65
10W	Flood Light	Green	IP 65
10W	Flood Light	Red	IP 65
10W	Flood Light	Yellow	IP 65

*Red, Green, Blue, Yellow, Purple, Ice Blue and White.

*Sustains at 400V for 4 hours

ROBUSTA FLOOD LIGHT (CDL/WDL)



IP 65



4 kV
VSP



Wide
Operating
Voltage Range
(100V-300V)*



Housing Made
of Die-cast
Aluminium for
Strength



Ideal for
Commercial &
Residential
Installations



WATTAGE	SHAPE / TYPE	LUMEN EFFICACY*	CCT	IP RATING
10W	Flood Light	100 lm/W	CDL	IP 65
20W	Flood Light	100 lm/W	CDL	IP 65
30W	Flood Light	100 lm/W	CDL	IP 65
50W	Flood Light	100 lm/W	CDL/WDL	IP 65
70W	Flood Light	100 lm/W	CDL	IP 65
100W	Flood Light	100 lm/W	CDL/WDL	IP 65

*For CDL variant only. *Sustains at 400V for 4 hours

NEW

ROBUSTA STREET LIGHT



IP 65



4 kV
VSP



15000
Hours
Life**



Wide
Operating
Voltage Range
(100V-300V)*



WATTAGE	SHAPE / TYPE	LUMEN EFFICACY	CCT	IP RATING
20W	Street Light	100 lm/W	CDL	IP 65
30W	Street Light	100 lm/W	CDL	IP 65
50W	Street Light	100 lm/W	CDL	IP 65

NEW

BAJAJ ROBUSTA LED SOLAR STREET LIGHT (CDL)



Microwave
Motion
Sensor



IP 65
Protection



4 kV
VSP



Wide
Operating
Voltage Range
(150V-300V)*



WATTAGE	TYPE	SENSING TYPE	IP RATING
60W	Solar Street Light	Microwave Motion Sensor	IP 65

*Sustains at 400V for 4 hours. **Burning life under normal conditions.

PORTABLE LIGHTS





Your personal lighting buddy is here. Bajaj Lighting's portable lighting solutions offer convenience and flexibility in various situations. Torches and lanterns are perfect for outdoor activities, power outages, or areas without fixed lighting, providing mobility and reliable illumination. Emergency lights are essential for backup lighting during power cuts, ensuring safety and visibility when needed the most. Table lamps, on the other hand, combine functionality with style, ideal for reading, study, or ambient lighting in living spaces.

Compact and easy to use, these portable lighting solutions offer versatility and are essential for modern homes, ensuring preparedness and comfort in any scenario.

BAJAJ ELX 36 LED EMERGENCY LIGHT



Multi Mode
Light
Output



Bright
Chrome Plated
Reflector



Charging
Indicator



Wall
Mounting
Provision



36 LEDs



TYPE	BACK UP LIGHT	BATTERY
Emergency Light	10 hours*	6V/4500 mAh

BAJAJ ELX 16 LED EMERGENCY LIGHT



Compact
Light Weight
Design



Bright Chrome
Plated
Reflector



Charging
Indicator



Wall
Mounting
Provision



16 LEDs



Available
in Red
and Blue



TYPE	BACK UP LIGHT	BATTERY
Emergency Light	6 hours*	3.7V/2500 mAh

*With battery at fully charged and low intensity.

BAJAJ ELX MINI LED EMERGENCY LIGHT



Dimmable
Operation



Sleek
Handy
Design



Charging
Indicator



Two Switch
Modes:
Touch: ON/OFF
Long Press: Dim



TYPE	BACK UP LIGHT	BATTERY
Emergency Light	4 hours*	4V/1600 mAh

NEW

BAJAJ SOLARZ HANGING SOLAR RC LANTERN



2 Mode
Rocker
Switch



Dual Charging -
Solar & USB-C



180°
Light
Output



No Extra
Batteries
Required



TYPE	BACK-UP LIGHT	BATTERY
Rechargeable/Solar Torch	5.5 Hours*	3.7V/2400mAh

*With battery at fully charged and low intensity.

BAJAJ DHYUTI MINI RC LANTERN



360° Light Output



Detachable Cap with 2 Way Attachment



3 Mode Light Switch



TYPE	BACK UP LIGHT	BATTERY
RC Lantern	15 hours*	3.7V/2500 mAh

SOFTLITE LED 5W AC TABLE LAMP



Soothing Light




3 Mode Feather Touch Switch - High, Medium and Low



Flexible Stem for Directional Lighting



Sturdy ABS Housing with Metal Bottom



TYPE	WATTAGE
Table Lamp	5W

*With battery at fully charged and low intensity.

SOFTLITE LED 2W LED RC TABLE LAMP



C-type
Charging
Port



Lithium Ion
Rechargeable
Battery



Flexible
Stem for
Directional
Lighting



Unique
Pen Stand
for Keeping
Accessories



TYPE	BACK UP LIGHT	BATTERY
Table Lamp	8 hours*	3.7V/1200 mAh

NEW

BAJAJ SOLARZ DUO RC LED TORCH



Torch &
Side Light



Dual Charging -
Solar & USB-C



Sturdy
Design



No Extra
Batteries
Required



TYPE	BACK-UP LIGHT	BATTERY
Rechargeable/Solar Torch	4 Hours*	3.7V/1200mAh

*With battery at fully charged and low intensity.

BAJAJ SMARTGLOW 3W DOSTI RC LED TORCH



Single
Hi-power
LED



Durable
ABS Housing



2 Mode
Light
Switch



C-type
Charging
Port



Strong Beam
Suitable for
Long Range
Directional Light



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	14 hours*	3.7V/4000 mAh

BAJAJ TRAVELLESTA 3W DUO RC LED TORCH



Dual
Operation
Mode



C-type
Charging
Port



Durable
ABS
Housing



Single
Hi-power
LED



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	7 hours#	3.7V/2400 mAh

*For side light with battery at full charge. *With battery at fully charged and low intensity.

NEW

BAJAJ SOLARZ MINI SOLAR RC TORCH



Torch &
Side Light



Dual Charging -
Solar & USB-C



No Extra
Batteries
Required



TYPE	BACK-UP LIGHT	BATTERY
Rechargeable/Solar Torch	4.5 Hours*	3.7V/1200mAh

HYPERION RC LED TORCH CUM TABLE LAMP



Multiple
Mode
Switch



Lithium Ion
Rechargeable
Battery



Adjustable
Torch with
Angular
Movements



TYPE	BACK UP LIGHT	BATTERY
Torch cum Table Lamp	14 hours*	3.7V/1200 mAh

*With battery at fully charged and low intensity.

RAFTAAR DUO TORCH CUM LANTERN



C-type
Charging
Port



Cool Day
Light



Dual Mode
Operation



2 Mode
Light Switch



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	4 hours [#]	3.7V/1200 mAh

RAFTAAR JUMBO RC LED TORCH



C-type
Charging
Port



Available in
Red, Black
and Orange



3 Mode
Light
Switch



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	4 hours [*]	3.7V/1200 mAh

[#]For side light with battery at full charge. ^{*}With battery at fully charged and low intensity.

RAFTAAR MAX RC LED TORCH



C-type
Charging
Port



Available in
Red, Black
and Orange



3 Mode
Light
Switch



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	4 hours*	3.7V/1200 mAh

RAFTAAR MINI RC LED TORCH



C-type
Charging
Port



Available in
Red, Black
and Orange



3 Mode
Light
Switch



TYPE	BACK UP LIGHT	BATTERY
Rechargeable Torch	4 hours*	3.7V/1200 mAh

*With battery at fully charged and low intensity.

SMARTGLOW CHAMAK RADIUM DB LED TORCH



Slider
Switch
Contact



Sling For
Easy
Handling



3 AA
Batteries
Free
with Torch



Radium Glow
Body that
Glow
in the Dark



TYPE	WATTAGE	BATTERY
Dry Battery Torch	0.5W	3

SMARTGLOW CHAMAK DB LED TORCH



Slider
Switch
Contact



Sling For
Easy
Handling



3 AA
Batteries
Free
with Torch



Available in
Red, Black,
Yellow



TYPE	WATTAGE	BATTERY
Dry Battery Torch	0.5W	3

*With battery at fully charged and low intensity.

NEW

SMARTGLOW CHAMAK MINI DB LED TORCH



Slider
Switch
Contact



Sling For
Easy
Handling



2 AA
Batteries
Free
with Torch



Available in
Red, Black,
Yellow



TYPE	WATTAGE	BATTERY
Dry Battery Torch	0.3W	2

ACCESSORIES





When it comes to effectively managing and distributing your power safely and efficiently, our accessories have got your covered. Offering a wide range of products, from multi-plugs, extension boards, spike guards, and surge protectors, our accessories enable multiple devices from a single socket. Why go through the hassle of connecting multiple devices to different sources, or the inability to reach electrical points that are far away.

With Bajaj's electrical accessories, find comfort in maintaining an organized and secure electrical setup in your homes.

BAJAJ 3-WAY SPIKE & SURGE GUARD WITH 2 USB



Spike and
Surge
Protection



Single
On/Off
Switch



Red LED
On/Off
Indicator



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH	NO OF USB PORT
Spike & Surge Guard	3 Universal 3-Pin Sockets	3 Mtr	2

BAJAJ 4-WAY SPIKE SURGE GUARD



Spike and
Surge
Protection



Single
On/Off
Switch



Red LED
On/Off
Indicator



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH
Spike & Surge Guard	4 Universal 3-Pin Sockets	5 Mtr
Spike & Surge Guard	4 Universal 3-Pin Sockets	2 Mtr

NEW

BAJAJ SPIKY 4 WAY TO BE WITH SPIKE AND SURGE GUARD



Premium Black Body



Four 3 Pin Universal Sockets



Spike & Surge Guard Protection



LED On/Off Indicator



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH
4 Way Adaptor	4 Universal 3-Pin Sockets	2 Mtr

NEW

BAJAJ ALLURO POWER STRIP



Dual Tone Design for Aesthetics



Blue LED On/Off Indicator



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH
Power Strip	4 Universal 3-Pin Sockets	1.5 Mtr

BAJAJ 5-WAY EXTENSION REEL 3 MTR



Red LED
On/Off
Indicator



Unique Round
Shape to Allow Easy
Multi Directional
Plugging



Single
On/Off
Switch



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH
Extension Cords & Multiplugs	5 Universal 3-Pin Sockets	3 Mtr

BAJAJ 3-WAY EXTENSION REEL 5 MTR



Unique Handle
for Easy
Carrying
& Hanging



Unique Traingular
Shape to Allow
Multi Directional
Plugging



Red LED
On/Off
Indicator



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH
Extension Cords & Multiplugs	1 Universal 3-Pin Sockets + 2 Universal 2-Pin Sockets	5 Mtr

6A 3 PIN UNIVERSAL ADAPTOR WITH 2 USB



Dual Tone
Design for
Aesthetics



Fire Retardant
Engg Plastic
Material



Blue LED
On/Off
Indicator



Easy-fit Locking
Mechanism
Ensures
Perfect Fit



SHAPE / TYPE	NO OF SOCKETS	CURRENT RATING	NO OF USB PORT
Universal Adaptors	1 Universal 3-Pin Socket	6 A	2

6A 3 PIN UNIVERSAL ADAPTOR



Dual Tone
Design for
Aesthetics



Fire Retardant
Engg Plastic
Material



Blue LED
On/Off
Indicator



Easy-fit Locking
Mechanism
Ensures Perfect Fit



SHAPE / TYPE	NO OF SOCKETS	CURRENT RATING
Universal Adaptors	1 Universal 3-Pin Socket + 2 Universal 2-Pin Sockets	6 A

NEW

BAJAJ TURBO XL 16A 3 WAY MULTIPLUG



Easy
Plug In



Multi
Directional
Plugging Option



Dual Tone
Design for
Aesthetics



Compact
Size



Side Grip for
Easy Handling



SHAPE / TYPE	NO OF SOCKETS	CURRENT RATING
Multiplug Adaptor	1 16A Socket	16 A
	1 6A 2-Pin Socket	
	1 6A 3-Pin Socket	

BAJAJ 4-WAY MULTIPLUG



Single
On/Off
Switch



Multi Directional
Plugging for Added
Convenience &
Reduced Clutter



Red LED
On/Off
Indicator



Easy-fit Locking
Mechanism
Ensures Perfect Fit



SHAPE / TYPE	NO OF SOCKETS	CURRENT RATING
Multiplug Adaptor	2 Universal 3-Pin Sockets + 2 Universal 2-Pin Sockets	6 A

BAJAJ TURBO T-3 MULTIPLUG



Dual Tone
Design for
Aesthetics



Single
On/Off
Switch



Blue LED
On/Off
Indicator



Easy-fit Locking
Mechanism
Ensures
Perfect Fit



SHAPE / TYPE	NO OF SOCKETS	CURRENT RATING
Multiplug Adaptor	3 Universal 3-Pin Sockets	6 A

NEW

HERCULO TOWER WITH USB PORT



Multi
Directional
Plugging
Option



Compact
Size



2 Mtr Fire
Retardant
Heavy Duty
Cable



Dual Tone
Design for
Aesthetics



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH	NO. OF USB
4 Way Tower	4 Universal 3-Pin Sockets	2 Mtr	2 USB
8 Way Tower	8 Universal 3-Pin Sockets	2 Mtr	2 USB

NEW

HERCULO CUBE 4 WAY WITH 2 USB PORT



Easy
Plug In



Multi
Directional
Plugging Option



Compact
Size



Dual Tone
Design for
Aesthetics



SHAPE / TYPE	NO OF SOCKETS	CABLE LENGTH	NO. OF USB
Multiplug Adaptor	4 Universal 3-Pin Sockets	NA	2 USB

NEW

BAJAJ NUVO PLUS HOLDER



Flame
Retardant
Plastic Material



Durable
and Long
Lasting



Dual Tone
Aesthetic
Design



Brass
Terminal for
Mounting



SHAPE	TYPE	HOLDER
Holder	Lamp & Batten Holder	B22

NEW

BAJAJ NUVO HOLDER



Flame
Retardant
Plastic
Material



Durable
and Long
Lasting



Brass
Terminal for
Mounting



SHAPE	TYPE	HOLDER
Holder	Lamp & Batten Holder	B22

NEW

BAJAJ NUVO CEILING ROSE PLATE



Flame
Retardant
Plastic
Material



Self
Locking
System



Ducts
for Heat
Dissipation



SHAPE	TYPE	SHADE
Ceiling Rose	2 & 3 Plate	Single Tone

[illegible]



Electricals

27th Floor, One Unity Center, Tower 4, Senapati Bapat Marg, Prabhadevi (West),
Mumbai – 400013. | Tel.: 022-2406 4400

Consumer Care Number: 022 4128 0000

 +91 70399 20000 | www.bajajelectricals.com |  |  |  | 

T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions/2024

Creative visualization exercised. Specification and performance data are all subject to change with constant product improvement. All latest product details to be checked with Bajaj Team. The information provided in this catalogue is for general informational purposes only. While we strive for accuracy, BEL makes no claims, guarantees or warranties, express or implied, about the completeness, reliability, or accuracy of the product descriptions, specifications, or features. Actual product details, designs, and colours may vary due to manufacturing variations or updates. Under no circumstances will BEL, its affiliates, or any of its directors, officers, employees, or agents be liable for any direct, indirect, incidental, or consequential damages resulting from the use of the information provided in this catalogue or from reliance on any of the information, products, or services mentioned. Any reproduction, transfer to third parties or imitation of content, is not permitted.