

Test Case Executor Dashboard

User Manual

1 Introduction

1.1 Overview


The Testcase Executor Dashboard is an operational control center designed to orchestrate, monitor, and analyze automated test executions across evaluation pipelines. Through an intuitive dashboard, users can create new test runs by selecting targets, test plans, domains, languages, and evaluation metrics, allowing flexible and customized experimentation. The system provides real-time visibility into all test runs, including their status (Running or Completed), start and end times, duration, and associated domains, with filtering options to quickly locate specific runs. Users can directly start a test run from within the application itself by creating a new run and selecting the desired target, test plan, domain, language, metrics, and optional constraints such as specific test case IDs or maximum test cases. Overall, the application delivers an end-to-end evaluation workflow that combines configuration, monitoring, detailed reporting, and explainability, supporting responsible and transparent AI assessment.

1.2 System Requirements

- Modern web browser (Chrome, Firefox, Safari, or Edge)
- Internet connection
- Valid user credentials (provided by administrator)

2 Managing Test Runs

2.1 Viewing and Managing Test Runs



The screenshot displays the Test Case Executor Dashboard interface. At the top, there is a header bar with the CeRAI logo and three dropdown menus for 'Select Domain', 'Select Target', and 'Select Status'. To the right of these menus are two buttons: '+ New Test Run' (blue) and 'Continue' (yellow). Below the header is a table with the following columns: RUN ID, RUN NAME, TARGET, STARTED AT, ENDED AT, DURATION, STATUS, DOMAIN, and REPORT. The table contains six rows of test runs. The first two rows are in a 'RUNNING' state, while the last four are in a 'COMPLETED' state. Each row has a 'Report' button with a document icon. At the bottom of the table, a status message reads 'Showing 6 of 6 test runs'.


RUN ID	RUN NAME	TARGET	STARTED AT	ENDED AT	DURATION	STATUS	DOMAIN	REPORT
1	Gooley-AI-Evaluation	Gooley AI	2/11/2026, 11:14:17 PM	-	-	RUNNING	agriculture	Report
2	Gooley-AI-WhatsApp-Evaluation	Gooley AI	2/11/2026, 11:16:20 PM	-	-	RUNNING	agriculture	Report
3	Llama3.2-1B-API-Evaluation	llama3.2:1b	2/11/2026, 11:30:26 PM	2/11/2026, 11:32:40 PM	134s	COMPLETED	general	Report
4	Llama3.2-API-Evaluation	llama3.2:1b	2/11/2026, 11:34:54 PM	-	-	RUNNING	general	Report
5	Llama3.2-API-AI-Evaluation	llama3.2:1b	2/11/2026, 11:42:00 PM	2/11/2026, 11:44:19 PM	139s	COMPLETED	general	Report
6	Llama3.2:1B-Evaluation	llama3.2:1b	2/11/2026, 11:45:58 PM	2/11/2026, 11:49:07 PM	189s	COMPLETED	general	Report

Showing 6 of 6 test runs

Figure 1: Test Runs Dashboard

1. The Test Runs Dashboard displays all previously created test runs along with their current status.
2. The top section provides filtering options:
 - **Select Domain** : Filter test runs based on the selected domain.
 - **Select Target** : Filter test runs by the target model or system.
 - **Select Status** : Filter test runs based on their execution status (Running, Completed, etc.).
3. The action buttons on the top right allow quick operations:
 - **New Test Run** : Create and configure a new test run.
4. The test runs table provides detailed information:
 - **Run ID** : Unique identifier for each test run.
 - **Run Name** : Name assigned to the test run.
 - **Target** : Model or system being evaluated.
 - **Started At** : Timestamp when execution began.
 - **Ended At** : Timestamp when execution completed (if finished).
 - **Duration** : Total time taken for execution.
 - **Status** : Current state of the test run (Running or Completed).
 - **Domain** : Domain under which the evaluation was performed.
 - **Report** : Download the detailed report for the selected test run in xlsx format.
5. The footer displays the total number of test runs currently listed.

2.2 Creating a new Test Run



CeRAI
Center for Explainable Artificial Intelligence

Create New Test Run

Configure and start AI evaluation run

Test Run Name

Target
Select Target

Test Plan
Select Test Plan

Test Case ID

Metric
Select Test Plan first

Max test cases
Select Max

Domain
Select Domain

Language
Select Language

Start Run

Figure 2: Test Case Table

1. You can click on the **New Test Run** button on the homepage to add details on a new test run.
2. Fill in the following fields :
 - **Test Run Name** : A descriptive name for the Test Run.
 - **Target** : Select one of the targets on which to run the test.
 - **Test Plan** : Select one of the testplan category.
 - **Test case ID** (Optional): Select a particular testcase if executing a single testcase.
 - **Metric** (Optional): Choose a metric for evaluating the data point.
 - **Max test cases** (Optional): Select the maximum number of testcases that requires evaluation.
 - **Domain** (Optional): Select the domain.
 - **Language** (Optional): Select the language for evaluation.
 - **Start Run** : Press the button to start the test run.

2.3 Viewing Test Run Details




Figure 3: Test Run Details Page

1. After selecting a test run on the homepage, you will be redirected to the Test Run Details page.
2. The top section displays a summary of the execution:
 - **Target** : Displays the selected model or system under evaluation.
 - **Domain** : Shows the selected domain for the test run.
 - **Status** : Indicates the current state of execution (e.g., Completed, Running, Failed).
 - **Started At** : Timestamp showing when the test run began.

- **Ended At** : Timestamp showing when the test run finished.
- **Duration** : Total time taken to complete the test run.

3. The **Execution Timeline** section provides a visual representation of the test run progress:

- Displays the execution flow over time.
- Shows how long each phase of evaluation took.
- Helps identify delays or performance bottlenecks.

4. The **Filter Results** section allows refining the displayed results:

- **Select Metric** : Filter results based on evaluation metrics.
- **Select Status** : Filter test cases based on their execution status.

5. The results table provides detailed information about executed test cases:

- **Plan Name** : Name of the associated test plan.
- **Test Case** : Unique identifier of the executed test case.
- **Metric** : The evaluation metric applied.
- **Score** : Score obtained for the specific test case.
- **Status** : Displays whether the test case execution is completed or pending.

2.4 Viewing Test Evaluation Details




Figure 4: Test Evaluation Details Popup

1. When you click on a specific test case from the results table, a detailed evaluation window will be displayed.
2. The top section shows the evaluation score:

- **Score** : Displays the numerical score assigned to the test case.
 - A circular visual indicator highlights the score value.
3. The **Evaluation Reason** section provides a detailed explanation:
 - Describes why the particular score was assigned.
 - Explains how the evaluation metric was applied.
 - Provides justification based on content analysis.
 4. The metadata section displays key information about the evaluation:
 - **Conversation ID** : Unique identifier for the conversation.
 - **Testcase** : ID of the executed test case.
 - **Target Model** : Model used for generating the response.
 5. The **Full Conversation** section shows the complete interaction:
 - **User Prompt** : The original user input submitted for evaluation.
 - **System Prompt** : The system-level instruction guiding the model behavior.
 - **Agent Response** : The model-generated response evaluated by the system.
 6. Click on the  button to exit the evaluation details window.