



BRAC University

Department of Mathematics and Natural Sciences

Total Points: 150

 **Assignment - 01**

Course Code: MAT215

Complex Variables & Laplace Transform

 **Name: SAHIRA HUMAIRA HRIDIKA**


 **Student ID: 24121142**

 **Section: 12**

 **Semester: FALL 2025**

 **Submission Date: _____**

Assigned by


 **Partho Sutra Dhor**
Lecturer, Department of MNS
BRAC University

Question 1

Find all possible values of z satisfying

$$z^6 = 729.$$

Locate them on the complex plane. Show that they lie on a circle, and determine its radius. Also, find the angular distance between two adjacent roots.

 Solution:


Question 2

Describe the locus $|z - 5i| - |z + 5i| = 6$ on the complex plane.

 Solution:

Question 3

Describe the region $|z + 7i| + |z - 7i| < 18$ on the complex plane.


 Solution:

Question 4

Solve the equation

$$e^{3z} = -\frac{7\sqrt{3}}{2} + \frac{7i}{2}$$

for z and express z as $x + iy$ where $x, y, \in \mathbb{R}$.

 **Solution:**

Question 5

Prove that

$$\coth^{-1} z = \frac{1}{2} \ln \left(\frac{z+1}{z-1} \right).$$

 Solution:

Question 6

Solve for z where

$$\tanh^{-1} z = 6 - 2i$$

 Solution:

Question 7

Using the definition of a limit, show that $\lim_{z \rightarrow 0} \frac{\operatorname{Re}\{z^2\}}{|z|^2}$ does not exist.

 Solution:

Question 8

Using L'Hôpital's rule, evaluate

$$\lim_{z \rightarrow 0} \left(\frac{\tan z}{z} \right)^{\frac{2 \sin(5z)}{z - \sin z}}$$

 Solution:

Question 9

Consider the function

$$f(z) = \frac{\tan 4z}{6z}.$$

Is $f(z)$ continuous at $z = 0$? If not, redefine f at $z = 0$ so that $f(z)$ becomes continuous. Also, find all the points of discontinuity of $f(z)$.


 **Solution:**

Question 10

Using the definition, show that


$$f(z) = 7z\bar{z} - 8z + 7\bar{z}$$

is not differentiable at $z = 0$.

 **Solution:**

Question 11

Using the definition, find the derivative of $f(z) = \frac{3z - 7}{2z + 8i}$ at $z = i$.


 Solution:

Question 12

Consider the function

$$f(z) = 7 \sin(7z) - 4 \cosh(2z).$$

Using the Cauchy–Riemann equations, determine whether the function is analytic.

 **Solution:**

Question 13

Consider the function

$$f(z) = 6|z|^2 + 2z - 8\bar{z}.$$

Using the Cauchy–Riemann equations, determine whether the function is analytic.

 **Solution:**

Question 14

Show that the function

$$v(x, y) = 2 \sin(3x) \cosh(3y) + 21x^2y - 8x^2 - 7y^3 + 8y^2$$

is harmonic. Find the harmonic conjugate u of v such that $u + vi$ becomes analytic.

 **Solution:**

Question 15

Show that the function

$$v(x, y) = 8xe^{-4x} \cos(4y) + 8ye^{-4x} \sin(4y)$$

is harmonic. Find the harmonic conjugate u of v such that $u + vi$ becomes analytic.

 **Solution:**