



# **BRAC University**

Department of Mathematics and Natural Sciences

**Total Points: 150**

 **Assignment - 01**

**Course Code: MAT215**

Complex Variables & Laplace Transform

 **Name: SRIJAN KARMAKER**

 **Student ID: 22299450**

 **Section: 12**

 **Semester: FALL 2025**

 **Submission Date: \_\_\_\_\_**

*Assigned by*


 **Partho Sutra Dhor**  
Lecturer, Department of MNS  
BRAC University

### Question 1

Find all possible values of  $z$  satisfying

$$z^6 = \frac{729\sqrt{2}(-1-i)}{2}.$$

Locate them on the complex plane. Show that they lie on a circle, and determine its radius. Also, find the angular distance between two adjacent roots.

 **Solution:**

## Question 2

Describe the locus  $|z + 8| + |z - 8| = 18$  on the complex plane.

 Solution:

### Question 3

Describe the region  $|z + 9| + |z - 9| \geq 22$  on the complex plane.


 Solution:

### Question 4

Solve the equation

$$e^{7z} = -1 - \sqrt{3}i$$

for  $z$  and express  $z$  as  $x + iy$  where  $x, y, \in \mathbb{R}$ .

 **Solution:**

### Question 5

Prove that

$$\sinh^{-1} z = \ln \left( z + \sqrt{z^2 + 1} \right),$$

 Solution:

### Question 6

Solve for  $z$  where

$$\operatorname{cosech}^{-1} z = 4 - 2i$$

 Solution:

### Question 7

Using the definition of a limit, show that  $\lim_{z \rightarrow 0} \frac{\text{Im}\{z^2\}}{|z|^2}$  does not exist.

 Solution:



## Question 8

Using L'Hôpital's rule, evaluate

$$\lim_{z \rightarrow 0} \left( \frac{\sin z}{z} \right)^{\frac{5 \sin(5z)}{z - \sin z}}$$

 Solution:

### Question 9

Consider the function

$$f(z) = \frac{\tan 9z}{9z}.$$

Is  $f(z)$  continuous at  $z = 0$ ? If not, redefine  $f$  at  $z = 0$  so that  $f(z)$  becomes continuous. Also, find all the points of discontinuity of  $f(z)$ .

 **Solution:**

### Question 10

Using the definition, show that


$$f(z) = 7z^2 + 7z - 3$$

is differentiable at all points. Also find the derivative.

 **Solution:**

### Question 11

Using the definition, find the derivative of  $f(z) = \frac{7}{z^2}$  at  $z = 2 + 8i$ .


 Solution:

## Question 12

Consider the function

$$f(z) = 5 \sin(6z) - 4 \cosh(8z).$$

Using the Cauchy–Riemann equations, determine whether the function is analytic.


 **Solution:**

### Question 13

Consider the function

$$f(z) = 2ze^{-2z}.$$

Using the Cauchy–Riemann equations, determine whether the function is analytic.

 **Solution:**

### Question 14

Show that the function

$$v(x, y) = 2 \sin(7x) \cosh(7y) + 15x^2y - 6x^2 - 5y^3 + 6y^2$$

is harmonic. Find the harmonic conjugate  $u$  of  $v$  such that  $u + vi$  becomes analytic.

 **Solution:**

### Question 15

Show that the function

$$u(x, y) = 4xe^{-9x} \cos(9y) + 4ye^{-9x} \sin(9y)$$

is harmonic. Find the harmonic conjugate  $v$  of  $u$  such that  $u + vi$  becomes analytic.

 **Solution:**