


Switching and VLANs

Task (1):



Task (2):

Create VLAN 10 & 20, assign PCs, verify isolation:

Switch> enable

Switch# configure terminal

Create the VLANs

```
Switch(config)# vlan 10
```

```
Switch(config-vlan)# name Streaming
```

```
Switch(config-vlan)# exit
```

```
Switch(config)# vlan 20
```

```
Switch(config-vlan)# name Personal
```

```
Switch(config-vlan)# exit
```

Assign PC1, PC2, PC3 to VLAN 10

```
Switch(config)# interface range fastEthernet 0/1-3
```

```
Switch(config-if-range)# switchport mode access
```

```
Switch(config-if-range)# switchport access vlan 10
```

```
Switch(config-if-range)# exit
```

Assign PC4, PC5 to VLAN 20

```
Switch(config)# interface range fastEthernet 0/4-5
```

```
Switch(config-if-range)# switchport mode access
```

```
Switch(config-if-range)# switchport access vlan 20
```

```
Switch(config-if-range)# exit
```

Task (3):

Moving a PC from VLAN 10 to VLAN 20

Before (PC3 is in VLAN 10, on port fa0/3):

```
Switch(config)# interface fastEthernet 0/3
```

```
Switch(config-if)# switchport access vlan 10Switch(config)#  
interface fastEthernet 0/3
```

```
Switch(config-if)# switchport access vlan 10
```

After (moving PC3 to VLAN 20):

```
Switch(config)# interface fastEthernet 0/3
```

```
Switch(config-if)# switchport access vlan 20
```

```
Switch(config-if)# exit
```

```
Switch(config)# exit
```

```
Switch# show vlan brief
```

Task (4):

Automate assigning 10 ports to VLAN 30:

```
Switch(config)# vlan 30
```

```
Switch(config-vlan)# name Guest
```

```
Switch(config-vlan)# exit
```

```
Switch(config)# interface range fastEthernet 0/11-20
```

```
Switch(config-if-range)# switchport mode access
```

```
Switch(config-if-range)# switchport access vlan 30
```

```
Switch(config-if-range)# exit
```

```
Switch(config)# exit
```

```
Switch# show vlan brief
```