
Assignment 1:


Understanding Server ComponentsOverview of server hardware:

Task 1.


VMware Machine:



Task 2.



Virtual Machine Settings
Hardware
Options
Device
Summary
Memory
4 GB
Processors
2
Hard Disk (NVMe)
60 GB
CD/DVD (SATA)
Using file G:\Win Server\win...
Floppy
Using file autoinst.flp
Network Adapter
NAT
USB Controller
Present
Sound Card
Auto detect
Display
Auto detect
Add...
Remove
Memory
Specify the amount of memory allocated to this virtual machine. The memory size must be a multiple of 4 MB.
Memory for this virtual machine:
4096
MB
128 GB
64 GB
32 GB
16 GB
8 GB
4 GB
2 GB
1 GB
512 MB
256 MB
128 MB
64 MB
32 MB
16 MB
8 MB
4 MB
Maximum recommended memory
(Memory swapping may occur beyond this size.)
6.1 GB
Recommended memory
2 GB
Guest OS recommended minimum
1 GB
OK
Cancel
Help

Task 3.


Virtual Machine Settings
Hardware
Options
Device
Summary
Memory
4 GB
Processors
2
Hard Disk (NVMe)
60 GB
CD/DVD (SATA)
Using file G:\Win Server\win...
Floppy
Using file autoinst.flp
Network Adapter
NAT
Network Adapter 2
Bridged (Automatic)
USB Controller
Present
Sound Card
Auto detect
Display
Auto detect
Add...
Remove
Memory
Specify the amount of memory allocated to this virtual machine. The memory size must be a multiple of 4 MB.
Memory for this virtual machine:
4096
MB
128 GB
64 GB
32 GB
16 GB
8 GB
4 GB
2 GB
1 GB
512 MB
256 MB
128 MB
64 MB
32 MB
16 MB
8 MB
4 MB
Maximum recommended memory
(Memory swapping may occur beyond this size.)
6.1 GB
Recommended memory
2 GB
Guest OS recommended minimum
1 GB
OK
Cancel
Help

Task 4.

System information:



Network interface:

```
Ethernet adapter Ethernet0:

   Connection-specific DNS Suffix  . :
   Description . . . . . . . . . . . : Intel(R) 82574L Gigabit Network Connection
   Physical Address. . . . . . . . . : 00-0C-29-7E-61-D0
   DHCP Enabled. . . . . . . . . . . : No
   Autoconfiguration Enabled . . . . : Yes
   Link-local IPv6 Address . . . . . : fe80::e92e:cbd7:2706:ce8%7(Preferred)
   IPv4 Address. . . . . . . . . . . : 192.168.197.130(Preferred)
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : 192.168.197.2
   DHCPv6 IAID . . . . . . . . . . . : 117443625
   DHCPv6 Client DUID. . . . . . . . : 00-01-00-01-32-73-35-10-00-0C-29-7E-61-D0
   DNS Servers . . . . . . . . . . . : 127.0.0.1
                                       8.8.8.8
   NetBIOS over Tcpip. . . . . . . . : Enabled


Ethernet adapter Ethernet1:

   Connection-specific DNS Suffix  . :
   Description . . . . . . . . . . . : Intel(R) 82574L Gigabit Network Connection #2
   Physical Address. . . . . . . . . : 00-0C-29-7E-61-DA
   DHCP Enabled. . . . . . . . . . . : No
   Autoconfiguration Enabled . . . . : Yes
   Link-local IPv6 Address . . . . . : fe80::28c9:37b:8766:d600%6(Preferred)
   IPv4 Address. . . . . . . . . . . : 192.168.1.150(Preferred)
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : 192.168.1.1
   DHCPv6 IAID . . . . . . . . . . . : 100666409
   DHCPv6 Client DUID. . . . . . . . : 00-01-00-01-32-73-35-10-00-0C-29-7E-61-D0
   DNS Servers . . . . . . . . . . . : fec0:0:0:ffff::1%1
                                       fec0:0:0:ffff::2%1
                                       fec0:0:0:ffff::3%1
   NetBIOS over Tcpip. . . . . . . . : Enabled
```


Task 5.

Step 1.

- **Open the Edit VM Setting:**



- **Memory is change to 4 GB To 2 GB and After the OK Click.**



- **Finally Memory is 2 GB Allotted.**