Select Language | ▼ fication of microcalcifications in uigital mammograms for the diagnosis of breast cancer

Osamu Tsujii (/profile/notfound?author=Osamu_Tsujii); Akira Hasegawa (/profile/notfound? author=Akira Hasegawa); Chris Yuzheng Wu (/profile/notfound?author=Chris Wu); Shih-Chung Benedict Lo (/profile/Shih-Chung.Lo-6594); Matthew T. Freedman M.D. (/profile/Matthew.Freedman-10074); Seong Ki Mun (/profile/notfound?author=Seong_Mun)

Author Affiliations + ()

Proceedings Volume 2710, Medical Imaging 1996: Image Processing; (/conference-proceedings-ofspie/2710.toc) (1996) https://doi.org/10.1117/12.237985 (https://doi.org/10.1117/12.237985) Event: Medical Imaging 1996 (/conference-proceedings-of-spie/browse/SPIE-Medical-Imaging/1996). 1996, Newport Beach, CA, United States

DOWNLOAD PDF SAVE TO MY LIBRARY PROCEEDINGS 11 PAGES DOWNLOAD PDE SAVE TO MY LIBRARY GET CITATION

Abstract

We are developing a computer program for automated classification of clustered microcalcifications associated with benign and malignant processes in mammograms. Accurate classification of microcalcifications into benign and malignant groups would help improve diagnosis sensitivity as well as reduce the number of unnecessary biopsies. In this study we investigate the effectiveness of several image features and the proposed neural network, the Trend-Oriented Radial Basis Function (TRBF). Our database is composed of 47 benign and 81 malignant region of interest (ROI) images, a total of 128 ROIs, which are selected from 50 micron by 50 micron digitized whole mammograms manually. Each 256 by 256 pixel ROI image contains clustered microcalcifications. First we extract 16 image features which are calculated from a binarized microcalcifications image and its two morphological dilation images. These features are based on 3 morphological criteria: (1) size and/or shape of the calcifications, (2) size or shape of the 'cluster,' and (3) number of microcalcifications. Secondly, we apply Karhunen-Loeve (K-L) expansion to 16 dimension feature space in order to reduce the dimension of the problem. Next we select two dimensional K-L features, which are outcomes of K-L expansion, through a calculation of the Euclidean distance measure. Finally we classify them based on two dimensional K-L features using the proposed neural network. The proposed TRBF neural network has three layers and a new learning algorithm. Its cost function for the learning process consists of a sum of squares error and a sum of inverse RBFs width. Through the learning process, the center and the width of each RBF and the weights between hidden and output layers are decided. The performances of the K-L features and the TRBF neural network are evaluated through the round-robin method in which one sample is tested after learning based on the rest of 127 samples. The two dimensional K-L features are more distinguishable than the raw two dimensional feature combination. The proposed TRBF network is able to define the trend of the distribution better than former RBF networks. According to the receiver operating characteristic (ROC) curve, this system indicates a better performance than one trained radiologist. © (1996) COPYRIGHT Society of Photo-Optical Instrumentation Engineers (SPIE). Downloading of the abstract is permitted for personal use only.

Citation Download Citation

Osamu Tsujii (/profile/notfound?author=Osamu_Tsujii), Akira Hasegawa (/profile/notfound? author=Akira Hasegawa), Chris Yuzheng Wu ((profile/notfound?author=Chris Wu), Shih-Chung Benedict Lo (/profile/Shih-Chung.Lo-6594), Matthew T. Freedman M.D. (/profile/Matthew.Freedman-10074), and Seong Ki Mun (/profile/notfound?author=Seong_Mun) "Classification of microcalcifications in digital mammograms for the diagnosis of breast cancer", Proc. SPIE 2710, Medical Imaging 1996: Image Processing, (16 April 1996); https://doi.org/10.1117/12.237985 (https://doi.org/10.1117/12.237985)

< Previous Article (/conferenceproceedings-of-spie/2710/0000/Digitalmammography-in-the-radio-dense-andcomplex-patternbreast/10.1117/12.237984.full) | Next Article (/conference-proceedings-ofspie/2710/0000/Segmentation-techniqueof-complex-image-scene-for-an-automaticblood/10.1117/12.237986.full) >

Advertisement

Advertisement



KEYWORDS

ACCESS THE FULL ARTICLE		<u>Distance measurement (/search?</u> <u>keyword=Distance_measurement)</u>
PERSONAL SIGN IN	PURCHASE THIS CONTENT	
may be available with your subscription ARTICLE CITED BY	INTERESTED IN A FREE CORPORATE TRIAL?	DOWNLOAD PDF SAVE TO MY LIBRAR
Forgot your username? (https://spie.org/account/forgotusername? redir=https%3a%2f%2fwww.spiedigitallibrary.org%2fconference-proceedings-of-spie%2f2710%2f0000%2fClassification-of-	(finstitutionaltrial) SUBSCRIBE TO DIGITAL LIBRARY	Neural networks (/search? keyword=Neural_networks)
microcalcifications-in-digital-mammograms-for-the-diagnosis- of%2f10.1117%2f12.237985.short%3fSSO%3d1&webSyncID=8493811d- 0415-0a38-4b18-b69c0b13daa0&sessionGUID=c2284a82-cdde-2a88- 0424-b91de56e7b96)	50 downloads per 1-year subscription Members: \$195 ADD TO CART Non-members: \$335 (/shoppingcart? fuseaction=cartadditem&produce	Mammography (/search? keyword=Mammography) Databases (/search?keyword=Databases
Password Forgot your password? (https://spie.org/account/forgotpassword? redir=https%3a%2f%2fwww.spiedigitallibrary.org%2fconference-	25 downloads per 1 - year subscription Members: \$145 Non-members: \$250 ADD TO CART (/shoppingcart?	Feature selection (/search? keyword=Feature selection)
proceedings-of-spie%2f2710%2f0000%2fClassification-of- microcalcifications-in-digital-mammograms-for-the-diagnosis- of%2f10.1117%2f12.237985.short%3fSSO%3d1&webSyncID=8493811d-	PURCHASE SINGLE ARTICLE	keyword=Breast_cancer)
0415-0a38-4b18-b69c0b13daa0&sessionGUID=c2284a82-cdde-2a88- 0424-b91de56e7b96) Remember Email/Username on this computer	Includes PDF, HTML & Video, when available Members: \$17.00 Non-members: \$21.00 (/shoppingcart? doi=10.1117%2f12.237985)	Show All Keywords
Remember Password SIGN IN	1	RELATED CONTENT
No SPIE account? <u>Create an account</u>		Improved method for detection of microcalcification clusters in digital mammograms (/conference-proceedings-of-

webSyncID=8493811d-0415-0a38-4b18b69c0b13daa0&sessionGUID=c2284a82-cdde-2a88-0424b91de56e7b96)

Institutional Access:

Sign in with your institutional credentials (/Account/shibbolethsignin?redirect=)

spie/3661/0000/Improved-method-fordetection-of-microcalcificationclusters-in-digital-

mammograms/10.1117/12.348607.full) Proceedings of SPIE (May 20 1999)

Concurrent evolution of feature extractors and modular artificial neural networks (/conference-proceedings-ofspie/7347/73470K/Concurrentevolution-of-feature-extractors-andmodular-artificial-neuralnetworks/10.1117/12.820008.full)

Proceedings of SPIE (April 29 2009)

Classification of microcalcifications in radiographs of pathological specimen for the... (/conference-proceedings-ofspie/2167/0000/Classification-ofmicrocalcifications-in-radiographs-ofpathological-specimen-forthe/10.1117/12.175099.full)

Proceedings of SPIE (May 10 1994)

Image indexing using a texture dictionary (/conference-proceedings-ofspie/2606/0000/Image-indexing-using-atexture-

dictionary/10.1117/12. 251.full)

Proceedings of SPIE (November 20 1995)

Analysis of parenchymal patterns using conspicuous spatial frequency features in... (/conference-proceedings-ofARTICLE

CITED BY

spie/6144/61440F/Analysis-ofparenchymal-patterns-usingconspicuous-spatial-frequencyfeatures-in/10.1117/12.654061.full)

Proceedings of SPJE (March 09 2006)

DOWNLOAD PDF | SAVE TO MY LIBRARY

support vector machines (/conferenceproceedings-ofspie/5370/0000/Classification-of-burnwounds-using-support-vectormachines/10.1117/12.535491.full) Proceedings of SPIE (May 11 2004)

Recognition and location of real objects using eigenimages and a... (/conference-proceedings-ofspie/5150/0000/Recognition-andlocation-of-real-objects-usingeigenimages-and-

a/10.1117/12.502688.full)

Proceedings of SPIE (June 22 2003)

Subscribe to Digital Library (/subscribe-page)

Receive Erratum Email Alert ()

