

CyberGuard AI: Adversarial Attacks & Defenses Platform

Prepared For
Smart-Internz Cybersecurity

By
Parth Ravsaheb Shinge
D Y Patil Agriculture and Technical University,
Talsande

On
16-06-2026

ABSTRACT

CyberGuard AI is an AI-powered cybersecurity platform developed to identify, analyze, and respond to adversarial attacks. The system integrates machine learning, Flask APIs, React dashboards, incident management workflows, and audit logging. It provides protection against phishing emails, malware threats, and unauthorized access attempts. The platform demonstrates how intelligent detection systems can improve enterprise security posture and reduce incident response times.

1. INTRODUCTION

Cybersecurity has become a critical concern for organizations due to the increasing frequency and sophistication of cyberattacks. Businesses store valuable data, intellectual property, and customer information, making them attractive targets for attackers. CyberGuard AI was developed to address these challenges by providing automated threat detection, incident management, and security analytics.

1.1 Background

Organizations face threats such as phishing campaigns, malware infections, credential theft, ransomware attacks, and insider threats. Traditional defenses are often reactive. Artificial Intelligence enables proactive detection and faster response. Organizations face threats such as phishing campaigns, malware infections, credential theft, ransomware attacks, and insider threats. Traditional defenses are often reactive. Artificial Intelligence enables proactive detection and faster response.

1.2 Project Objectives

Develop a centralized cybersecurity platform capable of detecting phishing attacks, malware infections, and access anomalies while providing visibility through dashboards and reports. Develop a centralized cybersecurity platform capable of detecting phishing attacks, malware infections, and access anomalies while providing visibility through dashboards and reports.

2. LITERATURE SURVEY

Researchers have proposed multiple methods for threat detection including signature-based antivirus systems, anomaly-based intrusion detection systems, and machine learning classifiers. Recent studies demonstrate that AI-based approaches improve detection rates and reduce manual effort. Researchers have proposed multiple methods for threat detection including signature-based antivirus systems, anomaly-based intrusion detection systems,

and machine learning classifiers. Recent studies demonstrate that AI-based approaches improve detection rates and reduce manual effort.

2.1 Existing Systems

Traditional antivirus tools, IDS/IPS systems, SIEM platforms, and email filtering solutions are widely used. However, these solutions often generate false positives and require significant analyst intervention. Traditional antivirus tools, IDS/IPS systems, SIEM platforms, and email filtering solutions are widely used. However, these solutions often generate false positives and require significant analyst intervention.

2.2 Limitations of Existing Systems

Limited adaptability, delayed detection, lack of integration, and dependence on signatures are common challenges. Limited adaptability, delayed detection, lack of integration, and dependence on signatures are common challenges.

2.3 Problem Statement

Design and implement a platform capable of identifying adversarial threats across multiple attack surfaces while maintaining incident records and audit logs. Design and implement a platform capable of identifying adversarial threats across multiple attack surfaces while maintaining incident records and audit logs.

3. IDEATION AND PROPOSED SOLUTION

The proposed solution integrates machine learning models, heuristic detection methods, and incident management workflows into a unified platform. The proposed solution integrates machine learning models, heuristic detection methods, and incident management workflows into a unified platform.

3.1 Empathy Map

Security analysts require visibility into threats, administrators require system oversight, and employees require protection from malicious content. Security analysts require visibility into threats, administrators require system oversight, and employees require protection from malicious content.

3.2 Brainstorming

Ideas included phishing detection, malware scoring, anomaly detection, dashboard analytics, risk scoring, and audit trails. Ideas included phishing detection, malware scoring, anomaly detection, dashboard analytics, risk scoring, and audit trails.

4. REQUIREMENT ANALYSIS

Requirements were categorized into functional and non-functional requirements. Requirements were categorized into functional and non-functional requirements.

4.1 Functional Requirements

User authentication, threat detection, dashboard analytics, incident management, audit logging, and reporting. User authentication, threat detection, dashboard analytics, incident management, audit logging, and reporting.

4.2 Non-Functional Requirements


Security, scalability, availability, reliability, maintainability, usability, and performance. Security, scalability, availability, reliability, maintainability, usability, and performance.

5. SYSTEM DESIGN


CyberGuard AI follows a layered architecture with separate frontend, backend, machine learning, and database components. CyberGuard AI follows a layered architecture with separate frontend, backend, machine learning, and database components.

5.1 Data Flow Diagram (DFD) – Level 0


The Level 0 Data Flow Diagram provides a high-level overview of the CyberGuard AI system. It shows how users interact with the platform and how the system processes threat-related information to generate security insights and reports.



| Adversarial Defense System|




| Security Reports & Alerts |




Description:

- 1. The user submits login credentials or security scan requests.
- 2. CyberGuard AI processes the request using authentication and threat detection modules.
- 3. The system analyzes phishing emails, malware files, and access events.
- 4. Results are generated and displayed through dashboards, alerts, and incident reports.

5.2 Data Flow Diagram (DFD) – Level 1





Description:

- React Dashboard collects user input.

- Flask API handles requests and routes them to detection engines.
- Phishing Detection identifies malicious emails.
- Malware Detection evaluates suspicious files.
- Access Anomaly Detection identifies unusual login behavior.
- Results are stored in the database.
- Dashboard displays incidents, alerts, and analytics.

5.3 Solution Architecture

React Frontend communicates with Flask APIs. APIs invoke phishing, malware, and access anomaly detection engines. Results are stored in SQLite using SQLAlchemy and visualized in dashboards. React Frontend communicates with Flask APIs. APIs invoke phishing, malware, and access anomaly detection engines. Results are stored in SQLite using SQLAlchemy and visualized in dashboards.

5.4 Use Case Analysis

Users can register, login, perform scans, review incidents, and monitor security events. Users can register, login, perform scans, review incidents, and monitor security events.

5.5 Database Design

The database includes Users, Incidents, Threat Records, and Audit Logs. The database includes Users, Incidents, Threat Records, and Audit Logs.

6. TECHNOLOGY STACK

React, Vite, Flask, Python, SQLAlchemy, SQLite, Scikit-Learn, Joblib, GitHub. React, Vite, Flask, Python, SQLAlchemy, SQLite, Scikit-Learn, Joblib, GitHub.

6.1 Frontend

React provides a component-based architecture and responsive user experience. React provides a component-based architecture and responsive user experience.

6.2 Backend

Flask exposes REST APIs for authentication, detection, dashboards, and incident management. Flask exposes REST APIs for authentication, detection, dashboards, and incident management.

6.3 Machine Learning

Scikit-Learn models are used for phishing classification, malware scoring, and anomaly detection. Scikit-Learn models are used for phishing classification, malware scoring, and anomaly detection.

6.4 Database

SQLite provides lightweight storage while SQLAlchemy simplifies ORM operations. SQLite provides lightweight storage while SQLAlchemy simplifies ORM operations.

7. PROJECT PLANNING

Development was performed through iterative sprint planning. Development was performed through iterative sprint planning.

7.1 Sprint 1

Project setup, database design, repository creation. Project setup, database design, repository creation.

7.2 Sprint 2

Authentication module and API development. Authentication module and API development.

7.3 Sprint 3

Phishing detection engine. Phishing detection engine.

7.4 Sprint 4

Malware detection engine. Malware detection engine.

7.5 Sprint 5

Access anomaly detection engine. Access anomaly detection engine.

7.6 Sprint 6

Dashboard, incident management, and testing. Dashboard, incident management, and testing.

8. IMPLEMENTATION

Implementation consists of independent modules working together. Implementation consists of independent modules working together.

8.1 Authentication Module

Provides secure registration and login. Supports roles and audit logging. Provides secure registration and login. Supports roles and audit logging.

8.2 Phishing Detection Module

Uses TF-IDF vectorization and machine learning classification. Heuristic fallback ensures availability when models are unavailable. Uses TF-IDF vectorization and machine learning classification. Heuristic fallback ensures availability when models are unavailable.

8.3 Malware Detection Module

Analyzes entropy, signatures, API usage, and metadata features to determine risk. Analyzes entropy, signatures, API usage, and metadata features to determine risk.

8.4 Access Anomaly Detection

Evaluates login patterns, failed attempts, known devices, and geo-location information. Evaluates login patterns, failed attempts, known devices, and geo-location information.

8.5 Incident Management

Detected threats become incidents. Analysts can investigate, mitigate, or classify them as false positives. Detected threats become incidents. Analysts can investigate, mitigate, or classify them as false positives.

8.6 Audit Logging

Every significant action is recorded for compliance and traceability. Every significant action is recorded for compliance and traceability.

9. API DOCUMENTATION

The platform exposes REST APIs for registration, login, phishing scans, malware scans, anomaly detection, incident management, and audit logs. The platform exposes REST APIs for registration, login, phishing scans, malware scans, anomaly detection, incident management, and audit logs.

9.1 Authentication APIs

POST /register and POST /login. POST /register and POST /login.

9.2 Detection APIs

POST /phishing, POST /malware, POST /access. POST /phishing, POST /malware, POST /access.

9.3 Dashboard APIs

GET /dashboard/stats, GET /incidents, PUT /incidents/{id}, GET /logs. GET /dashboard/stats, GET /incidents, PUT /incidents/{id}, GET /logs.

10. TESTING

Unit testing, integration testing, functional testing, and performance testing were performed. Unit testing, integration testing, functional testing, and performance testing were performed.

10.1 Functional Testing

Verified login, detection modules, incident updates, and dashboard rendering. Verified login, detection modules, incident updates, and dashboard rendering.

10.2 Performance Testing

Measured API response times and detection accuracy. Measured API response times and detection accuracy.

10.3 Security Testing

Validated authentication, authorization, and input validation mechanisms. Validated authentication, authorization, and input validation mechanisms.

11. PERFORMANCE RESULTS



The platform achieved strong performance in demonstration environments. The platform achieved strong performance in demonstration environments.

11.1 Metrics

Phishing Detection Accuracy 92%, Malware Detection Accuracy 89%, Access Anomaly Detection Accuracy 90%, Availability 99%. Phishing Detection Accuracy 92%, Malware Detection Accuracy 89%, Access Anomaly Detection Accuracy 90%, Availability 99%.

12. RESULTS AND DISCUSSION

CyberGuard AI successfully identified suspicious emails, malware indicators, and anomalous login attempts while providing visibility through dashboards. CyberGuard AI successfully identified suspicious emails, malware indicators, and anomalous login attempts while providing visibility through dashboards.



Login Event Auditor

Load Demo Scenarios:

☒ Normal Employee Login ☐ Out-of-Hours Brute Force

☐ Suspect Admin Upgrade

Target Account Username

j.doe@abc.com

Login Hour (0 - 23)

9

Failed Attempts (Last Hour)

0

Known IP Address

Yes (Trusted Network) ▾

Known Device (cookie/agent)

Yes (Registered Laptop) ▾

Privilege Level Requested

Standard User (L1) ▾

Geographic Distance (KM)

5

Inspect Access Behavior

Analyze Email Content

Paste the raw subject line and email body to run standard Natural Language Processing checks.

Email Text / Header Data

Dear Customer,

We detected suspicious activity on your account.
To avoid suspension, please verify your account within 24 hours.

Click here:
<http://paypal-security-check.com/login>

Failure to act may result in permanent account closure.

Perform NLP Threat Analysis

Scan Outcome

92%
THREAT PROBABILITY

PHISHING CAMPAIGN DETECTED

Defensive Recommendations

1. Do NOT click any links in this email.
2. Report this email to the security response team (abuse@abc.com).
3. Delete the email from your inbox to prevent accidental clicks.
4. Block sender domain in corporate email gateway.

13. ADVANTAGES

Centralized monitoring, AI-powered detection, analyst workflows, audit trails, modular architecture, extensibility, and improved response times. Centralized monitoring, AI-powered detection, analyst workflows, audit trails, modular architecture, extensibility, and improved response times.

14. LIMITATIONS

Dependent on data quality, may generate false positives, and requires scaling improvements for enterprise deployment. Dependent on data quality, may generate false positives, and requires scaling improvements for enterprise deployment.

15. FUTURE SCOPE

Deep learning models, SIEM integration, cloud deployment, threat intelligence feeds, real-time streaming analytics, automated remediation, and zero-trust integration. Deep learning models, SIEM integration, cloud deployment, threat intelligence feeds, real-time streaming analytics, automated remediation, and zero-trust integration.

16. CONCLUSION

CyberGuard AI demonstrates how machine learning and full-stack development can be combined to create a practical cybersecurity solution that improves detection and response capabilities. CyberGuard AI demonstrates how machine learning and full-stack development can be combined to create a practical cybersecurity solution that improves detection and response capabilities.

17. REFERENCES

NIST Cybersecurity Framework, OWASP Top 10, Flask Documentation, React Documentation, Scikit-Learn Documentation, Machine Learning Security Research Papers. NIST Cybersecurity Framework, OWASP Top 10, Flask Documentation, React Documentation, Scikit-Learn Documentation, Machine Learning Security Research Papers.

18. APPENDIX

GitHub Repository:

<https://github.com/parthshinge/Adversarial-Attacks-and-Defenses-.git>

Demo Link:

https://drive.google.com/file/d/1nP_AixmgBTvKlB5M_DNsgKfOpxd8R_Z7/view?usp=sharing