



SKY ELEVATORS
SECURE • SAFE • LUXURIOUS

SECURE • SAFE • LUXURIOUS

A VISION TO SUCCESS



“Quality” “Safety” and “Customer Satisfaction” are the keywords of the “SKY” We provide Safe, reliable and trouble free elevators with customer friendly services.

A Mission to Serve

“SKY” have well trained and experienced engineers having Technically skilled staff with vast knowledge in elevators industries.

We offer Quality product and services at affordable price to help the clients to meet their business objectives.

“SKY” slogan is... “SECURE SAFE LUXURIOUS”

Continuity is the important factor for the future. A Healthy organization constantly look around in search of new developments and opportunities for long lasting co-operation and success.

The aim of 'SKY' is to develop new devices, their functions and method to improve performance of our product day by day. Learning and listening is our belief to make a perfect and better tomorrow.



WE DELIVER YOUR NEED



Passenger Elevator

For 4 to 20 passenger used in residential and commercial Building with manual or auto doors.

Hospital Elevator

Stretcher lift with capacity of 13 to 26 passengers.

Goods Elevator

Freight lifts up 5 to 5 Ton capacity for factories use.

MRL / Gearless Elevator

Up to 2.0 Mps.



SECURE • SAFE • LUXURIOUS

CAPSULE ELEVATOR

Three Side Glass






Capsule Elevator

- SKY capsule lifts are inspired with creative flair to suit your particular idea.
- Capsule elevator give an upscale, attractive feel to offices, shopping malls,
- Multiplexes and other prestigious buildings.
- They are offered in different sizes, specifications, shapes and capacity according to the requirement of our clients.



CAPSULE ELEVATOR

Three Side Glass



OPTION-A


Load		Car inside			Lift well				Entrance
Person	kgs.	A	B	J	G	C	D	H	E
10	680	1100	1300	1400	650	2200	1425	1100	800
13	840	1200	1400	1500	700	2400	1525	1100	900
16	1088	1300	1500	1700	750	2800	1625	1200	1000

OPTION-B

Load		Car inside			Lift well				Entrance
Person	kgs.	A	B	G	C	D	F	H	E
10	680	1250	1300	250	2200	1450	1480	580	800
13	840	1400	1400	300	2400	1550	1630	650	900
16	1088	1550	1500	350	2800	1780	1650	790	1000

Feature of the Capsule Elevators

- Made from S.S./M.S. with vision panel.
- Color-Powder coated, Elegant looks, Light in weight and Variable speed.
- Controller Full Proof to Voltage (PLC or Solid state) with fully collective-selective system.
- AC VVVF drive for jerk free operation & for variable speed.
- Overload indication and Auto Door announcing system.
- Avail inverter facility for single base at time of power failure.
- Push Button Luminous type highly attractive as well as durable.
- Facility Floor Position at the Floor as well as in cabin.



SECURE • SAFE • LUXURIOUS

PASSENGER ELEVATOR

MANUAL DOOR



AUTO DOOR




Passenger Elevator

- The Passenger elevator detailed here are designed to handle promptly and efficiently the transportation requirement of any type of building-which means any traffic condition.
- They are renowned for fine quality and robust performance.
- Delivers maximum lifting power with a minimum of effort.
- A superior combination of flexibility and performance.
- It gives benefits of jerk less traveling, economically low power consumption and excellent design.
- Features: Cent percent safety, Easy to use and maintain.



PASSENGER ELEVATOR



HOIST WAY MACHINE ROOM SIZE PASSENGER LIFT WITH MANUALLY OPERATED DOORS

Load		Lift well		Car Inside		Entrace	Machine Room		
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height
IN KG.		A	B	C	D	E	F	G	H
4	272	1600	1250	1100	700	700	3000	3000	2500
5	340	1600	1300	1100	850	750	3000	3200	2500
6	408	1700	1400	1100	1000	750	3000	3500	2500
8	544	1800	1600	1300	1100	750	3200	3500	2500
10	680	1850	1800	1350	1300	1000	3500	4000	2500
13	884	2500	1600	2000	1100	1000	4000	4200	2500
16	1088	2500	1800	2000	1300	1000	4500	4800	2500
20	1360	2500	2050	2000	1550	1000	5000	5000	2500

HOST WAY MACHINE ROOM SIZE PASSENGER LIFT WITH AUTO DOORS

Load		Lift well		Car Inside		Entrace	Machine Room			Upto 1.5 M/sec.		Upto 2.5 M/sec.	
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height	PIT	O.H.	PIT	O.H.
IN KG.		A	B	C	D	E	F	G	H	K	M	K	M
6	408	1900	1650	1100	1000	800	3000	3500	2500	1600	4800	2600	6700
8	544	1900	1900	1300	1100	800	3200	3500	2500	1600	4800	2600	6700
10	680	1900	2000	1350	1300	800	3500	4000	2500	1600	4800	2600	6700
13	884	2500	1900	2000	1100	1000	4000	4200	2500	1600	4800	2600	6700
16	1088	2500	2000	2000	1300	1000	4500	4800	2500	1600	4800	2600	6700
20	1360	2500	2000	2000	1550	1000	5000	5000	2500	1600	4800	2600	6700

All Dimension are mm. This is General data, it may be changed without notice.

All hoist way wall should be minimum 230 mm brick or 150 mm R.C.C.

SECURE • SAFE • LUXURIOUS

HOSPITAL ELEVATOR






Hospital Elevator

- SKY Bed elevator a purpose designed solution for hospitals and renowned for fine quality and robust performance.
- A wide range of Car dimensions is available for the varying requirements of a modern hospital.
- The entire system is Safe and reliable operating steadily.
- Features : Accurate Open and Stable Control, Stable and Smooth.



HOSPITAL ELEVATOR



DIMENSIONAL DETAILS : HOSPITAL LIFT

		Car inside		Lift Well		Clear Entrance	Clear Opening at Landing	O.H.	Pit	
Type	Capacity	A	B	C	D					Speed
Wheel Chair	544 kg	1100	1300	1700	1850	800	920 X 2150	4200	1600	63 mps
Stretcher	750 kg	1000	2100	1700	2500	800	920 X 2150	4400	1600	33 mps
Small Bed	1020 kg	2100	2100	1900	2500	900	1120 X 2150	4400	1600	35 mps
Standard Bed	1360 kg	1600	2400	2500	2800	1200	1420 X 2150	4400	1600	35 mps



SECURE • SAFE • LUXURIOUS

MRL ELEVATOR

Machine Room less Elevator



The Machine Room less elevator save construction Space to large extent.
The permanent magnet synchronous motored gearless machines Have
Unapproachable superiority to the traction motor and save roughly 35% of
Energy consumption featuring excellent reliability and durability ; they have
A compact design, light weight & operate quietly and there is no need for lubrication.

Such elevator have become more and more popular because they run
At low noise, are energy saving, easily maintainable and make the building look
More aesthetically pleasing.



**FIRE
LIFT**



SECURE • SAFE • LUXURIOUS

RANGE OF DOORS



Center Opening S.S. Auto Door



Telescopic Door



Full Vision Door



Big Vision Glass Door



Small Vision Glass Door



Manual Telescopic Door



MS Swing Door



Collapsible Door



RANGE OF CABIN



Wooden Swing Door



Imparporated Door



HOME

SECURE • SAFE • LUXURIOUS


Autodoor Header



2-Panel Side Opening Car Door Mechanism



4-Panel Side Opening Car Door Mechanism



2-Panel Side Opening Landing Door Mechanism

Construction Platform Lift



Push Buttons



INTERCOM



TFT SCREEN DISPLAY



LOP



LOP



LOP



COP



Elevator Controller



V3F



Rope



Guide Rill





Our Machines are Specially designed for various application such as speed and capacity with rigid & rugged reliability, smooth trouble free operation. We use standard worm and worm gears with taper roller bearings and thrust bearing in machine for maximum load carrying capacity.

The perfect lubrication system gives longer life and smooth operation. The Machine are mounted on special type of rubbers which have extra ordinary dumping capacity, due to this characteristic, the machine runs vibration free.



Upper Traction M/C



Single Shaft Traction M/C



Single Shaft Traction M/C



Mini Gearless M/C



Over Speed Governor



Inspection Box

Limit Switch





SKY ELEVATORS

Block-D, Shed No. 50, Rashmi Growth HUB-2, Opp. Vishala III, Odhav-Vastral Ring Road,
Odhav, Ahmedabad-380024

M. 99250 29678, 9099952678, 98984 16116

<https://skyelevators.netlify.app>, E-mail : skyelevators24@gmail.com

Swati Elevators