

MINIMUM DATA SET - HOME CARE (MDS-HC)©

• Unless otherwise noted, score for last 3 days

• Examples of exceptions include IADLs/Continence/Services/Treatments where status scored over last 7 days

SECTION AA. NAME AND IDENTIFICATION NUMBERS

1. NAME OF CLIENT	a. (Last/Family Name) b. (First Name) c. (Middle Initial)		
2. CASE RECORD NO.			
3. GOVERNMENT PENSION AND HEALTH INSURANCE NUMBERS	a. Pension (Social Security) Number — —		
	b. Health insurance number (or other comparable insurance number) 		

SECTION BB. PERSONAL ITEMS (Complete at Intake Only)

1. GENDER	1. Male 2. Female	
2. BIRTHDATE	— — Month Day Year	
3. RACE/ETHNICITY	(Check all that apply) RACE ☐ Native Hawaiian or other Pacific Islander ☐ American Indian/Alaskan Native ☐ Asian ☐ Black or African American ETHNICITY: ☐ White ☐ Hispanic or Latino	
4. MARITAL STATUS	1. Never married 3. Widowed 5. Divorced 2. Married 4. Separated 6. Other	
5. LANGUAGE	Primary Language 0. English 1. Spanish 2. French 3. Other	
6. EDUCATION (Highest Level Completed)	1. No schooling 5. Technical or trade school 2. 8th grade/less 6. Some college 3. 9-11 grades 7. Bachelor's degree 4. High school 8. Graduate degree	
7. RESPONSIBILITY/ADVANCED DIRECTIVES	(Code for responsibility/advanced directives) 0. No 1. Yes a. Client has a legal guardian b. Client has advanced medical directives in place (for example, a do not hospitalize order)	

SECTION CC. REFERRAL ITEMS (Complete at Intake Only)

1. DATE CASE OPENED/REOPENED	— — Month Day Year	
2. REASON FOR REFERRAL	1. Post hospital care 4. Eligibility for home care 2. Community chronic care 5. Day care 3. Home placement screen 6. Other	
3. GOALS OF CARE	(Code for client/family understanding of goals of care) 0. No 1. Yes a. Skilled nursing treatments b. Monitoring to avoid clinical complications c. Rehabilitation d. Client/family education e. Family respite f. Palliative care	
4. TIME SINCE LAST HOSPITAL STAY	Time since discharge from last in-patient setting (Code for most recent instance in LAST 180 DAYS) 0. No hospitalization within 180 days 3. Within 15 to 30 days 1. Within last week 4. More than 30 days ago 2. Within 8 to 14 days	
5. WHERE LIVED AT TIME OF REFERRAL	1. Private home/apt. with no home care services 2. Private home/apt. with home care services 3. Board and care/assisted living/group home 4. Nursing home 5. Other	
6. WHO LIVED WITH AT REFERRAL	1. Lived alone 2. Lived with spouse only 3. Lived with spouse and other(s) 4. Lived with child (not spouse) 5. Lived with other(s) (not spouse or children) 6. Lived in group setting with non-relative(s)	
7. PRIOR NH PLACEMENT	Resided in a nursing home at anytime during 5 YEARS prior to case opening 0. No 1. Yes	
8. RESIDENTIAL HISTORY	Moved to current residence within last two years 0. No 1. Yes	

SECTION A. ASSESSMENT INFORMATION

1. ASSESSMENT REFERENCE DATE	Date of assessment — — Month Day Year	
------------------------------	---	--

2. REASONS FOR ASSESSMENT	Type of assessment 1. Initial assessment 2. Follow-up assessment 3. Routine assessment at fixed intervals 4. Review within 30-day period prior to discharge from the program 5. Review at return from hospital 6. Change in status 7. Other
---------------------------	--

SECTION B. COGNITIVE PATTERNS

1. MEMORY RECALL ABILITY	(Code for recall of what was learned or known) 0. Memory OK 1. Memory problem a. Short-term memory OK — seems/appears to recall after 5 minutes b. Procedural memory OK—Can perform all or almost all steps in a multitask sequence without cues for initiation
2. COGNITIVE SKILLS FOR DAILY DECISION-MAKING	a. How well client made decisions about organizing the day (e.g., when to get up or have meals, which clothes to wear or activities to do) 0. INDEPENDENT—Decisions consistent/reasonable/safe 1. MODIFIED INDEPENDENCE—Some difficulty in new situations only 2. MINIMALLY IMPAIRED—In specific situations, decisions become poor or unsafe and cues/supervision necessary at those times 3. MODERATELY IMPAIRED—Decisions consistently poor or unsafe, cues/supervision required at all times 4. SEVERELY IMPAIRED—Never/rarely made decisions b. Worsening of decision making as compared to status of 90 DAYS AGO (or since last assessment if less than 90 days) 0. No 1. Yes
3. INDICATORS OF DELIRIUM	a. Sudden or new onset/change in mental function over LAST 7 DAYS (including ability to pay attention, awareness of surroundings, being coherent, unpredictable variation over course of day) 0. No 1. Yes b. In the LAST 90 DAYS (or since last assessment if less than 90 days), client has become agitated or disoriented such that his or her safety is endangered or client requires protection by others 0. No 1. Yes

SECTION C. COMMUNICATION/HEARING PATTERNS

1. HEARING	(With hearing appliance if used) 0. HEARS ADEQUATELY—Normal talk, TV, phone, doorbell 1. MINIMAL DIFFICULTY—When not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—Speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED—Absence of useful hearing
2. MAKING SELF UNDERSTOOD (Expression)	(Expressing information content—however able) 0. UNDERSTOOD—Expresses ideas without difficulty 1. USUALLY UNDERSTOOD—Difficulty finding words or finishing thoughts BUT if given time, little or no prompting required 2. OFTEN UNDERSTOOD—Difficulty finding words or finishing thoughts, prompting usually required 3. SOMETIMES UNDERSTOOD—Ability is limited to making concrete requests 4. RARELY/NEVER UNDERSTOOD
3. ABILITY TO UNDERSTAND OTHERS (Comprehension)	(Understands verbal information—however able) 0. UNDERSTANDS—Clear comprehension 1. USUALLY UNDERSTANDS—Misses some part/intent of message, BUT comprehends most conversation with little or no prompting 2. OFTEN UNDERSTANDS—Misses some part/intent of message; with prompting can often comprehend conversation 3. SOMETIMES UNDERSTANDS—Responds adequately to simple, direct communication 4. RARELY/NEVER UNDERSTANDS
4. COMMUNICATION DECLINE	Worsening in communication (making self understood or understanding others) as compared to status of 90 DAYS AGO (or since last assessment if less than 90 days) 0. No 1. Yes

SECTION D. VISION PATTERNS

1. VISION	(Ability to see in adequate light and with glasses if used) 0. ADEQUATE—Sees fine detail, including regular print in newspapers/books 1. IMPAIRED—Sees large print, but not regular print in newspapers/books 2. MODERATELY IMPAIRED—Limited vision; not able to see newspaper headlines, but can identify objects 3. HIGHLY IMPAIRED—Object identification in question, but eyes appear to follow objects 4. SEVERELY IMPAIRED—No vision or sees only light, colors, or shapes; eyes do not appear to follow objects
2. VISUAL LIMITATION/DIFFICULTIES	Saw halos or rings around lights, curtains over eyes, or flashes of lights 0. No 1. Yes
3. VISION DECLINE	Worsening of vision as compared to status of 90 DAYS AGO (or since last assessment if less than 90 days) 0. No 1. Yes

SECTION E. MOOD AND BEHAVIOR PATTERNS

1. INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD	(Code for observed indicators irrespective of the assumed cause) 0. Indicator not exhibited in last 3 days 1. Exhibited 1-2 of last 3 days 2. Exhibited on each of last 3 days a. A FEELING OF SADNESS OR BEING DEPRESSED, that life is not worth living, that nothing matters, that he or she is of no use to anyone or would rather be dead b. PERSISTENT ANGER WITH SELF OR OTHERS—e.g., easily annoyed, anger at care received c. EXPRESSIONS OF WHAT APPEAR TO BE UNREALISTIC FEARS—e.g., fear of being abandoned, left alone, being with others d. REPETITIVE HEALTH COMPLAINTS—e.g., persistently seeks medical attention, obsessive concern with body functions e. REPETITIVE ANXIOUS COMPLAINTS, CONCERNS—e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues f. SAD, PAINED, WORRIED FACIAL EXPRESSIONS—e.g., furrowed brows g. RECURRENT CRYING, TEARFULNESS h. WITHDRAWAL FROM ACTIVITIES OF INTEREST—e.g., no interest in long standing activities or being with family/friends i. REDUCED SOCIAL INTERACTION
2. MOOD DECLINE	Mood indicators have become worse as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No 1. Yes
3. BEHAVIORAL SYMPTOMS	Instances when client exhibited behavioral symptoms. If EXHIBITED, ease of altering the symptom when it occurred. 0. Did not occur in last 3 days 1. Occurred, easily altered 2. Occurred, not easily altered a. WANDERING—Moved with no rational purpose, seemingly oblivious to needs or safety b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS—Threatened, screamed at, cursed at others c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS—Hit, shoved, scratched, sexually abused others d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS—Disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smears/throws food/feces, rummaging, repetitive behavior, rises early and causes disruption e. RESISTS CARE—Resisted taking medications/injections, ADL assistance, eating, or changes in position
4. CHANGES IN BEHAVIOR SYMPTOMS	Behavioral symptoms have become worse or are less well tolerated by family as compared to 90 DAYS AGO (or since last assessment if less than 90 days) 0. No, or no change in behavioral symptoms 1. Yes

SECTION F. SOCIAL FUNCTIONING

1. INVOLVEMENT	a. At ease interacting with others (e.g., likes to spend time with others) 0. At ease 1. Not at ease b. Openly expresses conflict or anger with family/friends 0. No 1. Yes
2. CHANGE IN SOCIAL ACTIVITIES	As compared to 90 DAYS AGO (or since last assessment if less than 90 days ago), decline in the client's level of participation in social, religious, occupational or other preferred activities. IF THERE WAS A DECLINE, client distressed by this fact 0. No decline 1. Decline, not distressed 2. Decline, distressed
3. ISOLATION	a. Length of time client is alone during the day (morning and afternoon) 0. Never or hardly ever 1. About one hour 2. Long periods of time—e.g., all morning 3. All of the time b. Client says or indicates that he/she feels lonely 0. No 1. Yes

SECTION G. INFORMAL SUPPORT SERVICES

1. TWO KEY INFORMAL HELPERS Primary (A) and Secondary (B)	NAME OF PRIMARY AND SECONDARY HELPERS																				
	a. (Last/Family Name) b. (First)																				
	c. (Last/Family Name) d. (First)																				
	<table border="1"> <thead> <tr> <th></th><th>(A) Prim</th><th>(B) Secn</th></tr> </thead> <tbody> <tr> <td>e. Lives with client 0. Yes 1. No 2. No such helper [skip other items in the appropriate column]</td><td></td><td></td></tr> <tr> <td>f. Relationship to client 0. Child or child-in-law 1. Spouse 2. Other Relative 3. Friend/neighbor</td><td></td><td></td></tr> <tr> <td>Areas of help: 0. Yes 1. No</td><td></td><td></td></tr> <tr> <td>g. — Advice or emotional support</td><td></td><td></td></tr> <tr> <td>h. — IADL care</td><td></td><td></td></tr> <tr> <td>i. — ADL care</td><td></td><td></td></tr> </tbody> </table>		(A) Prim	(B) Secn	e. Lives with client 0. Yes 1. No 2. No such helper [skip other items in the appropriate column]			f. Relationship to client 0. Child or child-in-law 1. Spouse 2. Other Relative 3. Friend/neighbor			Areas of help: 0. Yes 1. No			g. — Advice or emotional support			h. — IADL care			i. — ADL care	
	(A) Prim	(B) Secn																			
e. Lives with client 0. Yes 1. No 2. No such helper [skip other items in the appropriate column]																					
f. Relationship to client 0. Child or child-in-law 1. Spouse 2. Other Relative 3. Friend/neighbor																					
Areas of help: 0. Yes 1. No																					
g. — Advice or emotional support																					
h. — IADL care																					
i. — ADL care																					

1. TWO KEY INFORMAL HELPERS Primary (A) and Secondary (B) (cont)	<table border="1"> <thead> <tr> <th></th><th>(A) Prim</th><th>(B) Secn</th></tr> </thead> <tbody> <tr> <td>If needed, willingness (with ability) to increase help: 0. More than 2 hours 1. 1-2 hours per day 2. No</td><td></td><td></td></tr> <tr> <td>j. — Advice or emotional support</td><td></td><td></td></tr> <tr> <td>k. — IADL care</td><td></td><td></td></tr> <tr> <td>l. — ADL care</td><td></td><td></td></tr> </tbody> </table>		(A) Prim	(B) Secn	If needed, willingness (with ability) to increase help: 0. More than 2 hours 1. 1-2 hours per day 2. No			j. — Advice or emotional support			k. — IADL care			l. — ADL care		
	(A) Prim	(B) Secn														
If needed, willingness (with ability) to increase help: 0. More than 2 hours 1. 1-2 hours per day 2. No																
j. — Advice or emotional support																
k. — IADL care																
l. — ADL care																
2. CAREGIVER STATUS (<i>Check all that apply</i>) A caregiver is unable to continue in caring activities—e.g., decline in the health of the caregiver makes it difficult to continue Primary caregiver is not satisfied with support received from family and friends (e.g., other children of client) Primary caregiver expresses feelings of distress, anger or depression NONE OF ABOVE <table border="1"> <thead> <tr> <th></th><th>a.</th><th>b.</th><th>c.</th><th>d.</th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		a.	b.	c.	d.											
	a.	b.	c.	d.												
3. EXTENT OF INFORMAL HELP (HOURS OF CARE, ROUNDED) For instrumental and personal activities of daily living received over the LAST 7 DAYS, indicate extent of help from family, friends, and neighbors <table border="1"> <thead> <tr> <th></th><th>HOURS</th></tr> </thead> <tbody> <tr> <td>a. Sum of time across five weekdays</td><td></td></tr> <tr> <td>b. Sum of time across two weekend days</td><td></td></tr> </tbody> </table>		HOURS	a. Sum of time across five weekdays		b. Sum of time across two weekend days											
	HOURS															
a. Sum of time across five weekdays																
b. Sum of time across two weekend days																

SECTION H. PHYSICAL FUNCTIONING:

- IADL PERFORMANCE IN 7 DAYS
- ADL PERFORMANCE IN 3 DAYS

1. IADL SELF PERFORMANCE—Code for functioning in routine activities around the home or in the community during the LAST 7 DAYS , (A) IADL SELF PERFORMANCE CODE (<i>Code for client's performance during LAST 7 DAYS</i>) 0. <i>INDEPENDENT</i> —did on own 1. <i>SOME HELP</i> —help some of the time 2. <i>FULL HELP</i> —performed with help all of the time 3. <i>BY OTHERS</i> —performed by others 8. <i>ACTIVITY DID NOT OCCUR</i> (B) IADL DIFFICULTY CODE <i>How difficult it is (or would it be) for client to do activity on own</i> 0. <i>NO DIFFICULTY</i> 1. <i>SOME DIFFICULTY</i> —e.g., needs some help, is very slow, or fatigues 2. <i>GREAT DIFFICULTY</i> —e.g., little or no involvement in the activity is possible	<table border="1"> <thead> <tr> <th>(A) Performance</th><th>(B) Difficulty</th></tr> </thead> <tbody> <tr> <td></td><td></td></tr> </tbody> </table>	(A) Performance	(B) Difficulty		
(A) Performance	(B) Difficulty				
a. MEAL PREPARATION—How meals are prepared (e.g., planning meals, cooking, assembling ingredients, setting out food and utensils) b. ORDINARY HOUSEWORK—How ordinary work around the house is performed (e.g., doing dishes, dusting, making bed, tidying up, laundry) c. MANAGING FINANCE—How bills are paid, checkbook is balanced, household expenses are balanced d. MANAGING MEDICATIONS—How medications are managed (e.g., remembering to take medicines, opening bottles, taking correct drug dosages, giving injections, applying ointments) e. PHONE USE—How telephone calls are made or received (with assistive devices such as large numbers on telephone, amplification as needed) f. SHOPPING—How shopping is performed for food and household items (e.g., selecting items, managing money) g. TRANSPORTATION—How client travels by vehicle (e.g., gets to places beyond walking distance)					
2. ADL SELF PERFORMANCE—The following address the client's physical functioning in routine personal activities of daily life, for example, dressing, eating, etc. during the LAST 3 DAYS, considering all episodes of these activities. For clients who performed an activity independently, be sure to determine and record whether others encouraged the activity or were present to supervise or oversee the activity [Note—For bathing, code for most dependent single episode in LAST 7 DAYS] 0. <i>INDEPENDENT</i>—No help, setup, or oversight —OR— Help, setup, oversight provided only 1 or 2 times (with any task or subtask) 1. <i>SETUP HELP ONLY</i>—Article or device provided within reach of client 3 or more times 2. <i>SUPERVISION</i>—Oversight, encouragement or cueing provided 3 or more times during last 3 days —OR— Supervision (1 or more times) plus physical assistance provided only 1 or 2 times (for a total of 3 or more episodes of help or supervision) 3. <i>LIMITED ASSISTANCE</i>—Client highly involved in activity; received physical help in guided maneuvering of limbs or other non-weight bearing assistance 3 or more times —OR— Combination of non-weight bearing help with more help provided only 1 or 2 times during period (for a total of 3 or more episodes of physical help) 4. <i>EXTENSIVE ASSISTANCE</i>—Client performed part of activity on own (50% or more of subtasks), but help of following type(s) were provided 3 or more times: —Weight-bearing support —OR— — Full performance by another during part (but not all) of last 3 days 5. <i>MAXIMAL ASSISTANCE</i>—Client involved and completed less than 50% of subtasks on own (includes 2+ person assist), received weight bearing help or full performance of certain subtasks 3 or more times 6. <i>TOTAL DEPENDENCE</i>—Full performance of activity by another 8. <i>ACTIVITY DID NOT OCCUR</i> (regardless of ability)					

2. ADL SELF-PERFORMANCE (cont)	
a. MOBILITY IN BED —Including moving to and from lying position, turning side to side, and positioning body while in bed.	
b. TRANSFER —Including moving to and between surfaces—to/from bed, chair, wheelchair, standing position. [Note—Excludes to/from bath/toilet]	
c. LOCOMOTION IN HOME —[Note—If in wheelchair, self-sufficiency once in chair]	
d. LOCOMOTION OUTSIDE OF HOME —[Note—If in wheelchair, self-sufficiency once in chair]	
e. DRESSING UPPER BODY —How client dresses and undresses (street clothes, underwear) above the waist, includes prostheses, orthotics, fasteners, pullovers, etc.	
f. DRESSING LOWER BODY —How client dresses and undresses (street clothes, underwear) from the waist down, includes prostheses, orthotics, belts, pants, skirts, shoes, and fasteners	
g. EATING —Including taking in food by any method, including tube feedings.	
h. TOILET USE —Including using the toilet room or commode, bedpan, urinal, transferring on/off toilet, cleaning self after toilet use or incontinent episode, changing pad, managing any special devices required (ostomy or catheter), and adjusting clothes.	
i. PERSONAL HYGIENE —Including combing hair, brushing teeth, shaving, applying makeup, washing/drying face and hands (EXCLUDE baths and showers)	
j. BATHING —How client takes full-body bath/shower or sponge bath (EXCLUDE washing of back and hair). Includes how each part of body is bathed: arms, upper and lower legs, chest, abdomen, perineal area. Code for most dependent episode in LAST 7 DAYS	
3. ADL DECLINE	ADL status has become worse (i.e., now more impaired in self performance) as compared to status 90 days ago (or since last assessment if less than 90 days) 0. No 1. Yes
4. PRIMARY MODES OF LOCOMOTION	0. No assistive device 3. Scooter (e.g., Amigo) 1. Cane 4. Wheelchair 2. Walker/crutch 8. ACTIVITY DID NOT OCCUR a. Indoors b. Outdoors
5. STAIR CLIMBING	In the last 3 days , how client went up and down stairs (e.g., single or multiple steps, using handrail as needed) 0. Up and down stairs without help 1. Up and down stairs with help 2. Not go up and down stairs
6. STAMINA	a. In a typical week, during the LAST 30 DAYS (or since last assessment), code the number of days client usually went out of the house or building in which client lives (no matter how short a time period) 0. Every day 2. 1 day a week 1. 2-6 days a week 3. No days b. Hours of physical activities in the last 3 days (e.g., walking, cleaning house, exercise) 0. Two or more hours 1. Less than two hours
7. FUNCTIONAL POTENTIAL	Client believes he/she capable of increased functional independence (ADL, IADL, mobility) a. Caregivers believe client is capable of increased functional independence (ADL, IADL, mobility) b. Good prospects of recovery from current disease or conditions, improved health status expected c. NONE OF ABOVE d.

SECTION I. CONTINENCE IN LAST 7 DAYS

1. BLADDER CONTINENCE	a. In LAST 7 DAYS control of urinary bladder function (with appliances such as catheters or incontinence program employed) [Note—if dribbles, volume insufficient to soak through underpants] 0. CONTINENT —Complete control; DOES NOT USE any type of catheter or other urinary collection device 1. CONTINENT WITH CATHETER —Complete control with use of any type of catheter or urinary collection device that does not leak urine 2. USUALLY CONTINENT —Incontinent episodes once a week or less 3. OCCASIONALLY INCONTINENT —Incontinent episodes 2 or more times a week but not daily 4. FREQUENTLY INCONTINENT —Tends to be incontinent daily, but some control present 5. INCONTINENT —Inadequate control, multiple daily episodes 8. DID NOT OCCUR —No urine output from bladder b. Worsening of bladder incontinence as compared to status 90 DAYS AGO (or since last assessment if less than 90 days) 0. No 1. Yes
2. BLADDER DEVICES	(Check all that apply in LAST 7 DAYS) Use of pads or briefs to protect against wetness a. Use of an indwelling urinary catheter b. NONE OF ABOVE c.

3. BOWEL CONTINENCE	In LAST 7 DAYS , control of bowel movement (with appliance or bowel continence program if employed) 0. CONTINENT —Complete control; DOES NOT USE ostomy device 1. CONTINENT WITH OSTOMY —Complete control with use of ostomy device that does not leak stool 2. USUALLY CONTINENT —Bowel incontinent episodes less than weekly 3. OCCASIONALLY INCONTINENT —Bowel incontinent episode once a week 4. FREQUENTLY INCONTINENT —Bowel incontinent episodes 2-3 times a week 5. INCONTINENT —Bowel incontinent all (or almost all) of the time 8. DID NOT OCCUR —No bowel movement during entire 7 day assessment period
----------------------------	---

SECTION J. DISEASE DIAGNOSES

Disease/infection that doctor has indicated is present and affects client's status, requires treatment, or symptom management. Also include if disease is monitored by a home care professional or is the reason for a hospitalization in LAST 90 DAYS (or since last assessment if less than 90 days) [blank]. Not present 1. Present—not subject to focused treatment or monitoring by home care professional 2. Present—monitored or treated by home care professional [If no disease in list, check J1ac , <i>None of Above</i>]																																									
1. DISEASES	<table border="1"> <tr> <td>HEART/CIRCULATION</td> <td>p. Osteoporosis</td> </tr> <tr> <td>a. Cerebrovascular accident (stroke)</td> <td>SENSES</td> </tr> <tr> <td>b. Congestive heart failure</td> <td>q. Cataract</td> </tr> <tr> <td>c. Coronary artery disease</td> <td>r. Glaucoma</td> </tr> <tr> <td>d. Hypertension</td> <td>PSYCHIATRIC/MOOD</td> </tr> <tr> <td>e. Irregularly irregular pulse</td> <td>s. Any psychiatric diagnosis</td> </tr> <tr> <td>f. Peripheral vascular disease</td> <td>INFECTIOUS</td> </tr> <tr> <td>NEUROLOGICAL</td> <td>t. HIV infection</td> </tr> <tr> <td>g. Alzheimer's</td> <td>u. Pneumonia</td> </tr> <tr> <td>h. Dementia other than Alzheimer's disease</td> <td>v. Tuberculosis</td> </tr> <tr> <td>i. Head trauma</td> <td>w. Urinary tract infection (in LAST 30 DAYS)</td> </tr> <tr> <td>j. Hemiplegia/hemiparesis</td> <td>OTHER DISEASES</td> </tr> <tr> <td>k. Multiple sclerosis</td> <td>x. Cancer—(in past 5 years) not including skin cancer</td> </tr> <tr> <td>l. Parkinsonism</td> <td>y. Diabetes</td> </tr> <tr> <td>MUSCULO-SKELETAL</td> <td>z. Emphysema/COPD/asthma</td> </tr> <tr> <td>m. Arthritis</td> <td>aa. Renal Failure</td> </tr> <tr> <td>n. Hip fracture</td> <td>ab. Thyroid disease (hyper or hypo)</td> </tr> <tr> <td>o. Other fractures (e.g., wrist, vertebral)</td> <td>ac. NONE OF ABOVE</td> </tr> </table>	HEART/CIRCULATION	p. Osteoporosis	a. Cerebrovascular accident (stroke)	SENSES	b. Congestive heart failure	q. Cataract	c. Coronary artery disease	r. Glaucoma	d. Hypertension	PSYCHIATRIC/MOOD	e. Irregularly irregular pulse	s. Any psychiatric diagnosis	f. Peripheral vascular disease	INFECTIOUS	NEUROLOGICAL	t. HIV infection	g. Alzheimer's	u. Pneumonia	h. Dementia other than Alzheimer's disease	v. Tuberculosis	i. Head trauma	w. Urinary tract infection (in LAST 30 DAYS)	j. Hemiplegia/hemiparesis	OTHER DISEASES	k. Multiple sclerosis	x. Cancer—(in past 5 years) not including skin cancer	l. Parkinsonism	y. Diabetes	MUSCULO-SKELETAL	z. Emphysema/COPD/asthma	m. Arthritis	aa. Renal Failure	n. Hip fracture	ab. Thyroid disease (hyper or hypo)	o. Other fractures (e.g., wrist, vertebral)	ac. NONE OF ABOVE				
HEART/CIRCULATION	p. Osteoporosis																																								
a. Cerebrovascular accident (stroke)	SENSES																																								
b. Congestive heart failure	q. Cataract																																								
c. Coronary artery disease	r. Glaucoma																																								
d. Hypertension	PSYCHIATRIC/MOOD																																								
e. Irregularly irregular pulse	s. Any psychiatric diagnosis																																								
f. Peripheral vascular disease	INFECTIOUS																																								
NEUROLOGICAL	t. HIV infection																																								
g. Alzheimer's	u. Pneumonia																																								
h. Dementia other than Alzheimer's disease	v. Tuberculosis																																								
i. Head trauma	w. Urinary tract infection (in LAST 30 DAYS)																																								
j. Hemiplegia/hemiparesis	OTHER DISEASES																																								
k. Multiple sclerosis	x. Cancer—(in past 5 years) not including skin cancer																																								
l. Parkinsonism	y. Diabetes																																								
MUSCULO-SKELETAL	z. Emphysema/COPD/asthma																																								
m. Arthritis	aa. Renal Failure																																								
n. Hip fracture	ab. Thyroid disease (hyper or hypo)																																								
o. Other fractures (e.g., wrist, vertebral)	ac. NONE OF ABOVE																																								
2. OTHER CURRENT OR MORE DETAILED DIAGNOSES AND ICD-9 CODES	<table border="1"> <tr> <td>a.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>b.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>c.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>d.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	a.										b.										c.										d.									
a.																																									
b.																																									
c.																																									
d.																																									

SECTION K. HEALTH CONDITIONS AND PREVENTIVE HEALTH MEASURES

1. PREVENTIVE HEALTH (PAST TWO YEARS)	(Check all that apply—in PAST 2 YEARS) Blood pressure measured a. Received influenza vaccination b. Test for blood in stool or screening endoscopy c. IF FEMALE: Received breast examination or mammography d. NONE OF ABOVE e.
2. PROBLEM CONDITIONS PRESENT ON 2 OR MORE DAYS	(Check all that were present on at least 2 of the last 3 days) Diarrhea a. Loss of appetite d. Difficulty urinating or urinating 3 or more times at night b. Vomiting e. Fever c. NONE OF ABOVE f.
3. PROBLEM CONDITIONS	(Check all present at any point during last 3 days) PHYSICAL HEALTH a. Shortness of breath e. Chest pain/pressure at rest or on exertion b. MENTAL HEALTH No bowel movement in 3 days c. Delusions f. Dizziness or lightheadedness d. Hallucinations g. Edema h. NONE OF ABOVE

4.	PAIN	a. Frequency with which client complains or shows evidence of pain 0. No pain (score b-e as 0) 2. Daily - one period 1. Less than daily 3. Daily - multiple periods (e.g., morning and evening) b. Intensity of pain 0. No pain 2. Moderate 4. Times when pain is horrible or excruciating 1. Mild 3. Severe c. From client's point of view, pain intensity disrupts usual activities 0. No 1. Yes d. Character of pain 0. No pain 1. Localized - single site 2. Multiple sites e. From client's point of view, medications adequately control pain 0. Yes or no pain 1. Medications do not adequately control pain 2. Pain present, medication not taken	
5.	FALLS FREQUENCY	Number of times fell in LAST 90 DAYS (or since last assessment if less than 90 days) If none, code "0"; if more than 9, code "9"	
6.	DANGER OF FALL	(Code for danger of falling) 0. No 1. Yes a. Unsteady gait b. Client limits going outdoors due to fear of falling (e.g., stopped using bus, goes out only with others)	
7.	LIFESTYLE (Drinking/ Smoking)	(Code for drinking or smoking) 0. No 1. Yes a. In the LAST 90 DAYS (or since last assessment if less than 90 days), client felt the need or was told by others to cut down on drinking, or others were concerned with client's drinking b. In the LAST 90 DAYS (or since last assessment if less than 90 days), client had to have a drink first thing in the morning to steady nerves (i.e., an "eye opener") or has been in trouble because of drinking c. Smoked or chewed tobacco daily	
8.	HEALTH STATUS INDICATORS	(Check all that apply) Client feels he/she has poor health (when asked) Has conditions or diseases that make cognition, ADL, mood, or behavior patterns unstable (fluctuations, precarious, or deteriorating) Experiencing a flare-up of a recurrent or chronic problem Treatments changed in LAST 30 DAYS (or since last assessment if less than 30 days) because of a new acute episode or condition Prognosis of less than six months to live—e.g., physician has told client or client's family that client has end-stage disease NONE OF ABOVE	a. b. c. d. e. f.
9.	OTHER STATUS INDICATORS	(Check all that apply) Fearful of a family member or caregiver Unusually poor hygiene Unexplained injuries, broken bones, or burns Neglected, abused, or mistreated Physically restrained (e.g., limbs restrained, used bed rails, constrained to chair when sitting) NONE OF ABOVE	a. b. c. d. e. f.

SECTION L. NUTRITION/HYDRATION STATUS

1.	WEIGHT	(Code for weight items) 0. No 1. Yes a. Unintended weight loss of 5% or more in the LAST 30 DAYS [or 10% or more in the LAST 180 DAYS] b. Severe malnutrition (cachexia) c. Morbid obesity	
2.	CONSUMPTION	(Code for consumption) 0. No 1. Yes a. In at least 2 of the last 3 days, ate one or fewer meals a day b. In last 3 days, noticeable decrease in the amount of food client usually eats or fluids usually consumes c. Insufficient fluid—did not consume all/almost all fluids during last 3 days d. Enteral tube feeding	
3.	SWALLOWING	0. NORMAL—Safe and efficient swallowing of all diet consistencies 1. REQUIRES DIET MODIFICATION TO SWALLOW SOLID FOODS (mechanical diet or able to ingest specific foods only) 2. REQUIRES MODIFICATION TO SWALLOW SOLID FOODS AND LIQUIDS (puree, thickened liquids) 3. COMBINED ORAL AND TUBE FEEDING 4. NO ORAL INTAKE (NPO)	

SECTION M. DENTAL STATUS (ORAL HEALTH)

1.	ORAL STATUS	(Check all that apply) Problem chewing (e.g., poor mastication, immobile jaw, surgical resection, decreased sensation/motor control, pain while eating) Mouth is "dry" when eating a meal Problem brushing teeth or dentures NONE OF ABOVE	a. b. c. d.
----	--------------------	---	----------------------

SECTION N. SKIN CONDITION

1.	SKIN PROBLEMS	Any troubling skin conditions or changes in skin condition (e.g., burns, bruises, rashes, itchiness, body lice, scabies) 0. No 1. Yes														
2.	ULCERS (Pressure/Stasis)	Presence of an ulcer anywhere on the body. Ulcers include any area of persistent skin redness (Stage 1); partial loss of skin layers (Stage 2); deep craters in the skin (Stage 3); breaks in skin exposing muscle or bone (Stage 4). [Code 0 if no ulcer, otherwise record the highest ulcer stage (Stage 1-4).] a. Pressure ulcer—any lesion caused by pressure, shear forces, resulting in damage of underlying tissues b. Stasis ulcer—open lesion caused by poor circulation in the lower extremities														
3.	OTHER SKIN PROBLEMS REQUIRING TREATMENT	(Check all that apply) <table border="1"> <tr> <td>Burns (second or third degree)</td> <td>a.</td> <td>Surgical wound</td> <td>d.</td> </tr> <tr> <td>Open lesions other than ulcers, rashes, cuts (e.g., cancer)</td> <td>b.</td> <td>Corns, calluses, structural problems, infections, fungi</td> <td>e.</td> </tr> <tr> <td>Skin tears or cuts</td> <td>c.</td> <td>NONE OF ABOVE</td> <td>f.</td> </tr> </table>			Burns (second or third degree)	a.	Surgical wound	d.	Open lesions other than ulcers, rashes, cuts (e.g., cancer)	b.	Corns, calluses, structural problems, infections, fungi	e.	Skin tears or cuts	c.	NONE OF ABOVE	f.
Burns (second or third degree)	a.	Surgical wound	d.													
Open lesions other than ulcers, rashes, cuts (e.g., cancer)	b.	Corns, calluses, structural problems, infections, fungi	e.													
Skin tears or cuts	c.	NONE OF ABOVE	f.													
4.	HISTORY OF RESOLVED PRESSURE ULCERS	Client previously had (at any time) or has an ulcer anywhere on the body 0. No 1. Yes														
5.	WOUND/ ULCER CARE	(Check for formal care in LAST 7 DAYS) Antibiotics, systemic or topical Dressings Surgical wound care Other wound/ulcer care (e.g., pressure relieving device, nutrition, turning, debridement) NONE OF ABOVE														

SECTION O. ENVIRONMENTAL ASSESSMENT

1.	HOME ENVIRONMENT [Check any of following that make home environment hazardous or uninhabitable (if none apply, check NONE OF ABOVE; if temporarily in institution, base assessment on home visit)]	Lighting in evening (including inadequate or no lighting in living room, sleeping room, kitchen, toilet, corridors) Flooring and carpeting (e.g., holes in floor, electric wires where client walks, scatter rugs) Bathroom and toiletoom (e.g., non-operating toilet, leaking pipes, no rails though needed, slippery bathtub, outside toilet) Kitchen (e.g., dangerous stove, inoperative refrigerator, infestation by rats or bugs) Heating and cooling (e.g., too hot in summer, too cold in winter, wood stove in a home with an asthmatic) Personal safety (e.g., fear of violence, safety problem in going to mailbox or visiting neighbors, heavy traffic in street) Access to home (e.g., difficulty entering/leaving home) Access to rooms in house (e.g., unable to climb stairs) NONE OF ABOVE	a. b. c. d. e. f. g. h. i.
2.	LIVING ARRANGEMENT	a. As compared to 90 DAYS AGO (or since last assessment), client now lives with other persons—e.g., moved in with another person, other moved in with client 0. No 1. Yes b. Client or primary caregiver feels that client would be better off in another living environment 0. No 1. Client only 2. Caregiver only 3. Client and caregiver	

SECTION P. SERVICE UTILIZATION (IN LAST 7 DAYS)

1.	FORMAL CARE (Minutes rounded to even 10 minutes)	(A) # of Days	(B) Hours	(C) Mins
a.	Home health aides			
b.	Visiting nurses			
c.	Homemaking services			
d.	Meals			
e.	Volunteer services			
f.	Physical therapy			
g.	Occupational therapy			
h.	Speech therapy			
i.	Day care or day hospital			
j.	Social worker in home			

SECTION Q. MEDICATIONS

= When box blank, must enter number or letter = When letter in box, check if condition applies

SECTION R. ASSESSMENT INFORMATION

Ⓢ Country specific