




**NITCO**  
TILES MARBLE MOSAICO



**NITCO LIMITED**

NITCO House, Sheth Govindram Jolly  
Marg, Kanjur Marg (E), Mumbai - 400042.  
Tel.: +91-22-25772800 | Fax: +91-22-  
67521500.

[www.nitco.in](http://www.nitco.in) | 1800 266 4826



Scan for e-Catalogue Version  
Doc. No. 00.A. Printed in Nov 2025

**KRATOS**

EXTERIOR FLOOR TILES

300x300mm, 400X400mm

**2026-27**

# NITCO


Introducing Kratos - NITCO's premium 300x300mm & 400x400mm outdoor paver collection that redefines the benchmark for high-performance ground surfacing. Designed with intricate detail and raw strength, Kratos pavers go beyond aesthetics to offer unmatched anti-slip safety and robust load-bearing capacity, thanks to their high-density composition.

Each paver in this collection is a seamless blend of form and function, perfect for both heavy-load commercial driveways and detailed, refined residential landscapes. With Kratos, what you see on the surface is engineered for the elements, offering enhanced resistance to

weathering, heavy traffic, and moisture. Whether it's a sprawling patio or a high-use public walkway, these pavers are made to last and to anchor your design.

From nature-inspired textures to complex geometric patterns, every design in the Kratos collection is curated to elevate outdoor spaces. The integrated anti-slip finish lends a touch of safety while ensuring easy maintenance, making it ideal for flooring, garden paths, driveways, and pool decks.

Built for versatile layouts and timeless durability, Kratos is not just a paver, it's a foundation.



# Our Offerings



## Tiles:

NITCO Tiles combine precision and innovation, offering durable, globally benchmarked designs inspired by nature. They seamlessly integrate functionality and style, making them perfect for any space.



## Marble:

NITCO Marble stands as a symbol of unmatched quality and exceptional durability. Our cutting-edge TRT process ensures superior resistance to stains and breakage, keeping the marble pristine and robust for years. Sourced from over 25+ countries, our curated collection features an extensive range of colors and exotics to suit every design vision. Whether you're aiming for timeless elegance or modern luxury, NITCO Marble seamlessly blends beauty with lasting performance.



## Mosaic:

NITCO Mosaics bring creativity to life with customizable patterns crafted from high-quality materials. Our advanced technology and expert execution ensure stunning and precise results.

## DESIGN ETHOS

The natural world offers a myriad of design possibilities.

Each acts as a door, opening up a world of inspiration for us. From the most striking, to subtlest, our designs are a tribute to nature's artistic prowess. Which is why, we find ourselves on a never-ending quest to replicate the best of nature in our tiles.

We source natural products from around the world, dedicating our designs, technology, and manufacturing processes towards providing a closer-to-nature-look. It's more than a way of life for us. It's the ethos we live by.

And it is all brought to life through cutting-edge technology, superior processing systems and a designer mindset that takes shape in the form of our product offerings- Tiles, Marble and Mosaics.



# Everything Technical



Finish  
**Matt**

Sizes  
**300x300mm**  
**400x400mm**

## Paving the Way in Design

Step up your space with our 300x300mm and 400x400mm pavers, which are built for durability, performance, and effortless installation. Perfect for patios, pathways, or wherever your imagination takes you, these pavers combine durability with effortless style. The matt finish adds a subtle, elegant

look while providing a slip-resistant surface, perfect for both indoor and outdoor spaces. Available in a range of colors and patterns, these pavers allow you to create beautiful, versatile designs that seamlessly blend functionality with timeless style.

# Style That Goes Everywhere

Our 300x300mm and 400x400mm pavers are designed to fit beautifully into any setting. Their compact sizes and sturdy build make them perfect for patios, walkways, balconies, and garden paths, wherever a clean, seamless look is expected. They're easy to install and bring a touch of style and structure to outdoor living areas, whether large or small.

These pavers also work wonderfully in commercial or public spaces, such as cafés, terraces, or poolside areas. The matt finish adds a refined touch while keeping the surface safe and slip-resistant. Wherever you use them, these pavers offer a simple way to create inviting, durable spaces that feel both modern and timeless.

## APPLICATION AREAS



Residential Areas



Urban Areas



Terrace & Patios



Commercial Areas



Swimming Pools




Gardens



High Traffic Areas







# INDEX

## 400x400mm

White Terazzo	14
Sandstone	15
Castle Grey	16
Envy	17
Kota Stone	18
Squareform Grey	19
Baltic White	20
Baltic Black	21
Pixstone	22
Hexa Grey	23
Mayan Moss	25
Mayan Moss Decor	25
Citrine Slate	27
Citrine Slate Decor	27
Cross Stone Quad Taupe	28
Cross Stone Quad Balck	29
Cross Stone Beige	30
Cross Stone Light Grey	31
Cross Stone Dark Grey	31
Mosaic Brown Lt	33
Mosaic Brown Dk	33
Mosaic Grey Lt	35
Mosaic Grey Dk	35
Helios	36
Cruse	37
Circa Red	38
Holland	39
Lumen	40
Meraki Red	41
Meraki Verde	42
Meraki Blue	43
Antonia	44
Reven	45
Smudge Terracotta	47
Smudge Terracotta Decor	47
Cotto Alice Base	49
Cotto Alice Decor	49
Luxor	50
Herald	51
Victorian	52
Ornate	53
Rosette	54
Uranus	55

## 300x300mm

Cubix Maze	58
Cubix Azul	59
Chroma Blocks	60
Brique Terra	61
Maze Beige	62
Walkway	63
River Rock	64
Sea Rock	64
Flinstone	65
Asterix Beige	66
Asterix Decor	67
Asterix Mocha	67
Orbit Nero	68
Serene Ivory	69
Kapsel Ivory	69
Candid Ivory	69
Dazzle Ivory	69
Serene Terracotta	69
Kapsel Terracotta	69
Candid Terracotta	69
Dazzle Terracotta	69



400x  
400mm

## Bold, Beautiful, and Built to Last

The 400×400mm paver tiles bring a perfect balance of strength and style to open spaces. Its generous size creates a calm, open feel, every piece forming a steady rhythm underfoot. Whether it's a garden path, a courtyard, or a cozy outdoor seating area, these tiles blend effortlessly with nature and architecture alike.



White Terazzo



Faces - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch



Sandstone



Faces - 7

Available size:  
400x400mm | Available Finish:  
Matt Punch





**Castle Grey**



Faces - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch



**Envy**



Faces - 7

Available size:  
400x400mm | Available Finish:  
Matt Punch





Kota Stone



Faces - 4

Available size:  
400x400mm | Available Finish:  
Matt Punch



Squareform Grey



Faces - 4

Available size:  
400x400mm | Available Finish:  
Matt Punch





Baltic White



Faces - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch




Baltic Black



Faces - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch





**Pixstone**



Available size:  
400x400mm

Available Finish:  
Matt Punch




**Hexa Grey**




Faces - 4

Available size:  
400x400mm

Available Finish:  
Matt Punch





Mayan Moss Decor



Faces - 6

Mayan Moss



Faces - 6



Available size:  
400x400mm

Available Finish:  
Matt Punch




Citrine Slate Decor



Faces - 6

Citrine Slate



Faces - 6

Available size:  
400x400mm

Available Finish:  
Matt Punch



Cross Stone Quad Taupe



Available size:  
400x400mm | Available Finish:  
Matt Punch



Cross Stone Quad Balck



Available size:  
400x400mm | Available Finish:  
Matt Punch



Cross Stone Beige



Available size:  
400x400mm

Available Finish:  
Matt Punch



Cross Stone Light Grey



Available size:  
400x400mm

Available Finish:  
Matt Punch

Cross Stone Dark Grey



Available Finish:  
Matt Punch



Mosaic Brown Dk



Faces - 4

Mosaic Brown Lt



Faces - 4

Available size:  
400x400mm

Available Finish:  
Matt Punch



Mosaic Grey Dk



Faces - 4

Mosaic Grey Lt



Faces - 4

Available size:  
400x400mm

Available Finish:  
Matt Punch



**Helios**



Faces - 6

Available size:  
400x400mm

Available Finish:  
Matt



**Cruse**



Faces - 4


Available size:  
400x400mm

Available Finish:  
Matt





Circa Red




Available size:  
400x400mm

Available Finish:  
Matt Punch




Holland



Available size:  
400x400mm

Available Finish:  
Matt



Lumen



Available size:  
400x400mm

Available Finish:  
Matt Punch



Meraki Red



Faces - 6

Available size:  
400x400mm

Available Finish:  
Matt Punch





Meraki Verde



Random - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch



Meraki Blue



Faces - 6

Available size:  
400x400mm | Available Finish:  
Matt Punch





**Antonia**



Available size:  
400x400mm

Available Finish:  
Matt Punch



**Reven**



Faces - 4

Available size:  
400x400mm

Available Finish:  
Matt Punch





Smudge Terracotta Decor



Faces - 2

Smudge Terracotta



Faces - 3

Available size:  
400x400mm

Available Finish:  
Matt Punch



Cotto Alice Decor



Cotto Alice Base



Faces - 6

Available size:  
400x400mm

Available Finish:  
Matt Punch



Luxor



Available size:  
400x400mm

Available Finish:  
Matt

Base



Border



Corner



Herald



Base



Border



Corner



Available size:  
400x400mm

Available Finish:  
Matt



Victorian



Available size:  
400x400mm

Available Finish:  
Matt

Base




Border



Corner




Ornate



Base



Border




Corner



Available size:  
400x400mm

Available Finish:  
Matt



**Rosette**



Available size:  
400x400mm

Available Finish:  
Matt



**Uranus**



Available size:  
400x400mm

Available Finish:  
Matt





300x  
300mm

## Compact, Stylish, and Strong

The 300x300mm paver tiles are perfect for creating neat and attractive outdoor spaces. Its smaller size makes it easy to handle and install, while still offering great strength and durability. These tiles fit beautifully in gardens, walkways, balconies, and patios, adding a clean and balanced look wherever they're used. They are a smart choice for anyone seeking beauty, functionality, and longevity in one place.



Cubix Maze



Available size:  
300x300mm

Available Finish:  
Matt Punch




Cubix Azul



Available size:  
300x300mm

Available Finish:  
Matt Punch



**Chroma Blocks**



Available size:  
300x300mm

Available Finish:  
Matt Punch




**Brique Terra**



Available size:  
300x300mm

Available Finish:  
Matt Punch



Maze Beige



Available size:  
300x300mm

Available Finish:  
Matt Punch



Walkway



Available size:  
300x300mm

Available Finish:  
Matt Punch




River Rock



Available size:  
300x300mm

Sea Rock



Available Finish:  
Matt Punch



Flimestone



Available size:  
300x300mm

Available Finish:  
Matt Punch



Asterix Beige



Random - 4

Available size:  
300x300mm

Available Finish:  
Matt Punch



Asterix Decor



Available size:  
300x300mm

Available Finish:  
Matt Punch



Asterix Mocha



Orbit Nero



Available size:  
300x300mm


Available Finish:  
Matt Punch

Serene Ivory




Available Finish: Matt

Kapsel Ivory




Available Finish: Matt Punch

Candid Ivory



Available Finish: Matt Punch

Dazzle Ivory




Available Finish: Matt Punch

Serene Terracotta




Available Finish: Matt

Kapsel Terracotta



Available Finish: Matt Punch

Candid Terracotta



Available Finish: Matt Punch

Dazzle Terracotta




Available Finish: Matt Punch


# Installation Guide

Ensure a flawless finish with our easy-to-follow installation guide. Begin by preparing a clean, level surface to ensure the best results. Use the recommended adhesive and tools for a secure fit, and take your time aligning each tile for a perfect

layout. Once installed, complete the process with proper grouting and cleaning to bring out the tile's true beauty. Our installation guide walks you through the process, helping you create a space that's built to last and made to impress.



Installation on Grass




Installation on Gravel / Sand



Installation by Gluing on Cement-based Substrate

Lay the 12mm pavers on a bed of screed with adhesive for heavy-traffic areas, such as parking areas, courtyards, and other applications, including swimming pool borders, outdoor flooring, sit-out areas, and more.



Installation on Elevated Structures

Install 12mm pavers easily over uneven surfaces, terrains, or existing floors using raised floor pedestals, frames, and similar systems. This installation method provides a durable and level surface while allowing space for heating systems, insulation, and elevated flooring. The collection offers flexible laying options to meet diverse architectural and functional requirements.

### Technical Specifications for Exterior Floor Tiles 400x400mm and 300x300mm Digital

Test Description	Standard Test Method	ISO 13006:2018 Specification As per Bib	NITCO's Value
Deviation in Length and Width	ISO 10545 - 2	± 0.6 % (Max ± 2.0 mm)	± 0.2 %
Deviation in Thickness	ISO 10545 - 2	± 5.0 % ( Max ± 0.5 mm )	± 5 %
Straightness of Sides	ISO 10545 - 2	± 0.5 % ( Max ± 1.5 mm )	± 0.2 %
Rectangularity	ISO 10545 - 2	± 0.5 % ( Max ± 2.0 mm )	± 0.3 %
Surface flatness			
Centre Curvature	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Edge Curvature	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Warpage	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Water Absorption	ISO 10545 - 3	0.5 to 3.0 %	< 1.50 %
Mohs Hardness	En- 101	>5	>5
Flexural Strength	ISO 10545 - 4	>35 N/mm <sup>3</sup>	>=35 N/mm <sup>3</sup>
Surface Abrasion Resistance (PEI III, IV, V) for Digital Pavers	ISO 10545 - 7	As Specified by manufacturer	More Than Class IV
Breaking Strength	ISO 10545 - 4	>1100 N	>1300 N
Chemical Resistance	ISO 10545 - 13	Min Class B	Class GA
Thermal Shock Resistance	ISO 10545 - 9	Up to 10 cycles	Resistant
Stains Resistance	ISO 10545 - 14	Min Class 3	Class 3 for Non Digital and 4 for Digital

Above standards cover only First Grade Material. Certain amount of shade variation is inherent in the manufacture of tiles. TECHNICAL SPECIFICATION is applied for full tiles of above mentioned size only. It is not applicable to decorative accessories derived from full tile or trim such as edges, corners, skirting, capping, coves, beds, steps.

### Packing Details

Size	Tiles / Box	Coverage Area / Box	
400 X 400 mm Digital	05 Pieces	0.80 sq. mtr	8.61 sq. ft.
300 X 300 mm Digital	08 Pieces	0.75 sq. mtr	7.72 sq. ft.

Joint tolerance upto 2.5mm is based on product nature and manufacturing processes.

Please note that the designs shown on pages 10, 12, 16, 19, 20, 21, 22, 23 to 26, and 28 feature geometric and line-matching patterns. In such designs, a line joint deviation of approximately 2.5 to 3 mm may occur due to the inherent characteristics of the manufacturing process. These minor variations are natural and should not be considered as defects

### Technical Specifications for Exterior Floor Tiles 300x300mm Non Digital

Test Description	Standard Test Method	ISO 13006:2018 Specification As per Bib	NITCO's Value
Deviation in Length and Width	ISO 10545 - 2	± 0.6 % (Max ± 2.0 mm)	± 0.2 %
Deviation in Thickness	ISO 10545 - 2	± 5.0 % ( Max ± 0.5 mm )	± 5 %
Straightness of Sides	ISO 10545 - 2	± 0.5 % ( Max ± 1.5 mm )	± 0.2 %
Rectangularity	ISO 10545 - 2	± 0.5 % ( Max ± 2.0 mm )	± 0.3 %
Surface flatness			
Centre Curvature	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Edge Curvature	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Warpage	ISO 10545-2	± 0.4 % ( Max ± 1.8 mm )	± 0.20%
Water Absorption	ISO 10545 - 3	0.5 to 3.0 %	0.5 to 3.0 %
Mohs Hardness	En- 101	>5	>5
Flexural Strength	ISO 10545 - 4	>35 N/mm <sup>3</sup>	>=35 N/mm <sup>3</sup>
Deep Abrasion Resistance for Non Digital Paver.	ISO 10545 - 6	< 175 Cu.mm	< 175 Cu.mm
Breaking Strength	ISO 10545 - 4	>1100 N	>1300 N
Chemical Resistance	ISO 10545 - 13	Min Class B	Class GA
Thermal Shock Resistance	ISO 10545 - 9	Up to 10 cycles	Resistant
Stains Resistance	ISO 10545 - 14	Min Class 3	Class 3 for Non Digital and 4 for Digital

Above standards cover only First Grade Material. Certain amount of shade variation is inherent in the manufacture of tiles. TECHNICAL SPECIFICATION is applied for full tiles of above mentioned size only. It is not applicable to decorative accessories derived from full tile or trim such as edges, corners, skirting, capping, coves, beds, steps.

### Packing Details

Size	Tiles / Box	Coverage Area / Box	
300 X 300 mm Non Digital	10 Pieces	0.90 sq. mtr	9.69 sq. ft.

Joint tolerance upto 2.5mm is based on product nature and manufacturing processes.

Please note that the designs shown on pages 10, 12, 16, 19, 20, 21, 22, 23 to 26, and 28 feature geometric and line-matching patterns. In such designs, a line joint deviation of approximately 2.5 to 3 mm may occur due to the inherent characteristics of the manufacturing process. These minor variations are natural and should not be considered as defects

# Experience Centers

## Kanjurmarg

Nitco House, Seth Govindram Jolly Marg,  
Opposite Royal Park, Nehru  
Nagar, Kanjur marg East, Mumbai,  
Maharashtra 400042

## Bangalore

Shop No 2, Union St, off Infantry Road,  
near Medinova Diagnostic Centre, Shivaji  
Nagar, Bengaluru, Karnataka 560001

## Delhi

Building No, PN B1/A15, opposite Metro  
Pillar No 338 A, Block B1, Block E, Mohan  
Cooperative Industrial Estate, Badarpur,  
New Delhi 110044

## Chennai

Vairam Complex, Commercial Complex,  
DN 112, Third, Sir Thyagaraya Rd, nearby  
Globus, T. Nagar, Chennai, Tamil Nadu  
600017

## Chandigarh (Panchkula)

NITCO ltd. sco 367, first floor sector 8,  
panchkula, Haryana 134109

## Worli

Asphalt Compound, Recondo Compound,  
Sudam Kalu Ahire Marg, inside Municipal  
Building, Hanuman Nagar, Worli, Mumbai,  
Maharashtra 400030

## Cochin

Shop No 50/390 B & C, Madhushila  
Chamber, Palace Road, Junction, NH544,  
nearby Metro Pillar No 435, Edappally,  
Kochi, Kerala 682024

## Kolkata

Arcadia Center, 4th Floor, 31 - Dr. Ambedkar  
Sarani, Topsia, Kolkata , West Bengal - 700046,

# Franchise Stores



## Secunderabad

Shop No 107, Second Floor, Jain Estate,  
Park Ln, opposite Nanking Restaurant,  
Kalasiguda,, Secunderabad, Hyderabad,  
Telangana 500003

Call to locate  
a store near you

**1800 266 4826**

Scan to locate  
a store near you

OR

