

Student Enrollment & Course Management System (SECMS)

Project Documentation & Salesforce Implementation Evidence

Platform	Salesforce
Application Type	Cloud-based academic enrollment management
Core Objects	Student, Course, Instructor, Enrollment
Automation	Flows, Validation Rules, Approval Process
Reporting	Reports & Dashboards

Prepared from the supplied SECMS project process PDF and its embedded Salesforce screenshots.

1. Project Overview

The Student Enrollment & Course Management System (SECMS) is a Salesforce application intended to centralize student, course and enrollment operations. The supplied project document describes a unified environment for student records, course offerings, enrollments, instructor assignments, approvals, payments and reporting.

The project uses Salesforce Lightning for the user interface, Salesforce Objects for data storage, Salesforce Flows for logic and automation, Validation Rules and Approval Processes for controls, and Reports & Dashboards for monitoring.

Purpose

- Accurate student data management
- Structured enrollment workflows
- Automated approvals and validations
- Transparent reporting and monitoring

Project lifecycle

Awareness & Registration → Course Selection → Enrollment Request → Fee Payment → Approval → Instructor Assignment → Reporting & Completion.

The implementation evidence in this document uses the process screenshots embedded in the supplied project PDF.

2. Requirements & Technology Stack

Functional requirements

ID	Requirement	Description
FR-1	Student Management	Manage student records
FR-2	Course Management	Create and manage courses
FR-3	Enrollment Processing	Request, approve and reject enrollments
FR-4	Instructor Assignment	Auto-assign instructors
FR-5	Reporting	Dashboards and reports

Technology stack

Layer	Technology
UI	Salesforce Lightning
Logic	Salesforce Flows
Database	Salesforce Objects
Automation	Validation Rules, Approval Process
Reporting	Reports & Dashboards

3. Data Model

The project defines four core custom objects: Student, Course, Instructor and Enrollment. Enrollment links the academic records through lookup relationships to Student, Course and Instructor.

Object	Key fields described in the source
Student	Student Name, Email, Phone, Date of Birth, Student Status, Address
Course	Course Name, Category, Duration, Course Fee, Description
Instructor	Instructor Name, Instructor Code, Expertise, Phone, Email
Enrollment	Student, Course, Instructor, Enrollment Date, Enrollment Status, Fees Paid, Total Amount, Comments

Relationship model

Enrollment → Student (Lookup), Enrollment → Course (Lookup), and Enrollment → Instructor (Lookup). These relationships allow the system to display enrollment history from the Student, Course and Instructor records.

4. Salesforce Account Setup

Milestone 1 establishes the Salesforce Developer environment. The supplied process includes developer account creation, email verification and the initial Salesforce setup page.

5. Custom Object Creation

Milestone 2 creates the core custom objects used by SECMS. The process begins with the Student object and then applies the same approach to Course, Instructor and Enrollment.

The screenshot shows the 'Custom Object Definition Edit' page for the 'Student' object in Salesforce Setup. The left sidebar contains a navigation menu with 'Details' selected. The main content area is titled 'Custom Object Definition Edit' and includes buttons for 'Save', 'Save & New', and 'Cancel'. Below this is the 'Custom Object Information' section, which contains the following fields and options:

- Label:** Student (Example: Account)
- Plural Label:** Students (Example: Accounts)
- Starts with vowel sound:** ☐
- Object Name:** Student (Example: Account)
- Description:** (Empty text area)
- Context-Sensitive Help Setting:** ☒ Open the standard Salesforce.com Help & Training window; ☐ Open a window using a Visualforce page
- Content Name:** --None--

The screenshot shows the 'Enter Record Name Label and Format' section of the 'Custom Object Definition Edit' page for the 'Student' object. The left sidebar contains a navigation menu with 'Details' selected. The main content area is titled 'Enter Record Name Label and Format' and includes the following fields and options:

- Record Name:** Student Name (Example: Account Name)
- Data Type:** Text (Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type)
- Optional Features:**
 - ☒ Allow Reports
 - ☒ Allow Activities
 - ☒ Track Field History
 - ☐ Allow in Chatter Groups
 - ☐ Enable Licensing
- Object Classification:**

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object.

 - ☒ Allow Sharing
 - ☒ Allow Bulk API Access
 - ☒ Allow Streaming API Access
- Deployment Status:**
 - ☐ In Development
 - ☒ Deployed

6. Fields & Object Structure

The source document defines fields for Student, Course, Instructor and Enrollment. These fields capture identity, contact, course, fee, status and enrollment information.

Edit Enrollment Custom Field
Student

Help for this Page

Step 1. Choose the field type

Step 1

Next

Cancel

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

Select one of the data types below.

☒ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Edit Enrollment Custom Field
Course

Help for this Page

Step 1. Choose the field type

Step 1

Next

Cancel

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

Select one of the data types below.

☒ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

SETUP > OBJECT MANAGER

Enrollment

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Next

Cancel

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

Select one of the data types below.

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☒ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

7. Validation Rules

Validation rules are used to prevent invalid data. The supplied project includes an institutional email-domain rule for students and a rule that prevents approval when fees have not been paid.

Setup > OBJECT MANAGER
Student

Validation Rule Edit

Rule Name:

Active: ☒

Description:

Error Condition Formula

Example: More Examples...

Display an error if Discount is more than 30%

If this formula expression is **true**, display the text defined in the Error Message area

Insert Field: Insert Operator:

NOT(CONTAINS(Email__c, "@student.edu"))

Check Syntax

Functions: -- All Function Categories --

- ABS
- ACOS
- ADDMONTHS
- AND
- ASCII
- ASIN

Insert Selected Function

ABS(number)
Returns the absolute value of a number, a number without its sign

Help on this function

Error Message

Example:

This message will appear when Error Condition formula is **true**

Error Message:

This error message can either appear at the top of the page or below a specific field on the page

Error Location: ☐ Top of Page ☒ Field

Save Save & New Cancel

Setup > OBJECT MANAGER
Enrollment

Validation Rule Edit

Rule Name:

Active: ☒

Description:

Error Condition Formula

Example: More Examples...

Display an error if Discount is more than 30%

If this formula expression is **true**, display the text defined in the Error Message area

Insert Field: Insert Operator:

AND(ISPIECERVAL(Enrollment_Status__c, "Approved"), Fees_Paid__c = FALSE)

Check Syntax

Functions: -- All Function Categories --

- ABS
- ACOS
- ADDMONTHS
- AND
- ASCII
- ASIN

Insert Selected Function

ABS(number)
Returns the absolute value of a number, a number without its sign

Help on this function

8. Enrollment Approval Process

The approval process routes enrollment requests for review. The source specifies Requested as the entry condition, a Training Manager as approver, Approved as the final approval status and Rejected as the final rejection status.

Setup Home Object Manager

Q approval

▼ Data

Miss Transfer Approval Requests

▼ Feature Settings

Approval Settings

▼ Process Automation

Approval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Open Approvals App

Approvals are complex business processes that require information gathering and planning before implementing. It is recommended that you follow the instructions below before getting started.

1. Read the help topic
2. View the checklist
3. Create a custom user hierarchical relationship field
4. Create email templates
5. Create an approval process using either the Jump Start or Standard Wizard
6. Add Approval History Related List to all page layouts
7. Activate the process to deploy to your users

Manage Approval Processes For Enrollment

Create New Approval Process

- Use Jump Start Wizard
- Use Standard Setup Wizard

Reorder

Step 2. Specify Entry Criteria Step 2

Previous Save Next

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following criteria are met :

Field	Operator	Value
Enrollment: Enrollment Status	equals	Requested
--None--	--None--	
--None--	--None--	
--None--	--None--	
--None--	--None--	

AND AND AND AND

Field Updates

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the fields are shown only for the type that you select.

Field Update Edit Save Save & New Cancel

Identification

Name	Status to Approved
Unique Name	Status_to_Approved
Description	

Object Enrollment

Field to Update Enrollment: Enrollment Status

Field Data Type Picklist

Re-evaluate Workflow Rules after Field Change ☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value Approved

Save Save & New Cancel

Email Alert Edit

Save

Save & New

Cancel

Edit Email Alert

Description

Enrollment Rejected

Unique Name

Enrollment_Rejected

Object

Enrollment

Email Template

Enrollment Rejected

Protected Component

☐

Recipient Type

Search: User for

Find

Recipients

Available Recipients

User: Integration User

User: OrgFarm EPIC

User: Security User

Add

Remove

User: sai kumar A

9. Tabs & Lightning Application

The project creates tabs for Student, Course, Instructor and Enrollment and then places them in a Lightning application named Student Enrollment & Course Management. The source also includes Reports, Dashboards, Home and Tasks in the app navigation.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with the following items: Setup, Home, Object Manager, Analytics, User Interface, Console Settings, and a search bar. The 'Analytics' section is expanded, showing 'Tableau' and 'Tableau Embedding'. The 'User Interface' section is also expanded, showing 'Console Settings' and 'Loaded Console Tab Limit'. The 'Console Settings' section is further expanded, showing 'Rename Tabs and Labels' and 'Tabs'. The 'Tabs' item is selected, and the 'Custom Tab Definition Edit' page is displayed. The page title is 'Students'. The page content includes a 'Custom Object Tab Information' section with the following fields: Tab Label (Students), Object (Student), and Tab Style (Airplane). There is also an optional field for 'Splash Page Custom Link' with a dropdown menu set to 'None'. A description field is present with the label 'Enter a short description.' and a text area. At the bottom right, there are 'Save' and 'Cancel' buttons.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with the following items: Setup, Home, Object Manager, Apps, and a search bar. The 'Apps' section is expanded, showing 'App Manager'. The 'App Manager' item is selected, and the 'Lightning Experience App Manager' page is displayed. The page title is 'Lightning Experience App Manager'. The page content includes a 'New Lightning App' button and a 'New External Client App' button. At the bottom right, there is a 'Save' button.

10. Page Layouts & Record Types

Enrollment record types separate New Enrollment and Re-Enrollment processes. Separate page layouts can then display the fields relevant to each record type. The source also instructs adding the Enrollments related list to Student, Course and Instructor main layouts.

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the navigation items available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

The screenshot shows the 'Navigation Items' configuration interface. It is divided into two main sections: 'Available Items' on the left and 'Selected Items' on the right. The 'Available Items' section has a search bar with the placeholder text 'Type to filter list...'. Below the search bar is a list of items: Action Hub, Activation Targets, Activations, Agentforce Studio, All Sites, Alternative Payment Methods, and Analytics. The 'Selected Items' section shows a list of items that have been moved to the right: Students, Courses, Instructors, Enrollments, Accounts, Contacts, and Dashboards. There are arrows between the two sections to facilitate moving items.

The screenshot shows the 'Create New Page Layout' dialog for Enrollment. The dialog has a title bar 'Create New Page Layout'. Below the title bar is a message: 'As an option, you may select an existing layout to clone. If you create a page layout without cloning, your page layout will not include the standard sections whose'. Below the message are two fields: 'Existing Page Layout' with a dropdown menu showing 'Enrollment Layout' and 'Page Layout Name' with a text input field containing 'New Enrollment Layout'. At the bottom right are 'Save' and 'Cancel' buttons. The background shows the 'Enrollment' page layout configuration interface with a sidebar on the left containing 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', and 'Compact Layouts'. The 'Page Layouts' section is selected.

The screenshot shows the 'Create New Page Layout' dialog for Re-Enrollment. The dialog has a title bar 'Create New Page Layout'. Below the title bar is a message: 'As an option, you may select an existing layout to clone. If you create a page layout without cloning, your page layout will not include the standard sections whose'. Below the message are two fields: 'Existing Page Layout' with a dropdown menu showing 'Enrollment Layout' and 'Page Layout Name' with a text input field containing 'Re-Enrollment Layout'. At the bottom right are 'Save' and 'Cancel' buttons. The background shows the 'Enrollment' page layout configuration interface with a sidebar on the left containing 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', and 'Compact Layouts'. The 'Page Layouts' section is selected.

11. Flow Automation – Enrollment Date

A record-triggered flow sets Enrollment_Date__c to the current date when an Enrollment record is created. The source specifies an Update Records element using the record that triggered the flow and \$Flow.CurrentDate.

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object

Enrollment

Configure Trigger

Trigger the Flow When:

- ☒ A record is created
- ☐ A record is updated
- ☐ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of records that trigger the flow to conserve your org's resources.

Condition Requirements

None

Update Records	
* Label	* API Name
Set Enrollment Date	Set_Enrollment_Date
Description	
How to Find Records to Update and Set Their Values	
☒ Use the enrollment record that triggered the flow	
☐ Update records related to the enrollment record that triggered the flow	
☐ Use the IDs and all field values from a record or record collection	
☐ Specify conditions to identify records, and set fields individually	
Set Filter Conditions	
Condition Requirements to Update Record	
None—Always Update Record	
Set Field Values for the Enrollment Record	
Field	Value
Enrollment_Date	Running Flow Interview > CurrentDate

12. Flow Automation – Approved Enrollment

When an enrollment becomes Approved, the source flow retrieves the related Student record, sends an email alert, can notify an administrator, and updates the student's status to Active.

 Configure Start

Enrollment

Configure Trigger

Trigger the Flow When:

☐ A record is created

☐ A record is updated

☒ A record is created or updated

☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field

Operator

Value

Enrollment Status

Equals

Approved

Get Records

Label

Get Student

API Name

Get_Student

Description

Get Records of This Object

Data Source

☐ Data Cloud Object

☒ Salesforce Object

Object

Student

Filter Student Records

Condition Requirements

All Conditions Are Met (AND)

Field

Operator

Value

Status

Equals

Active

+ Add Condition

 Enrollment Approved EmailAlert

Label

Send Student Email

API Name

Send_Student_Email

Description

Use values from earlier in the flow to set the inputs for the "Enrollment Approved EmailAlert" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values

Record ID

Triggering Enrolement_c > Record ID

Student Enrollment & Course Management System (SECMS)

Page 14

Update Records

×

Label

Set Student Status Active

AP Name

Set_Student_Status_Active

Description

How to Find Records to Update and Set Their Values

☒ Use the enrollment record that triggered the flow
 ☐ Update records related to the enrollment record that triggered the flow
 ☐ Use the IDs and all field values from a record or record collection
 ☐ Specify conditions to identify records, and set fields individually

Set Filter Conditions

Condition Requirements to Update Record

None—Always Update Record

Set Field Values for the Enrollment Record

Field

Comments

×

←


Value

True

×

13. Auto-Assign Instructor

The source defines category-based instructor assignment: Technical → Instructor A, Language → Instructor B, and Non-Technical → Instructor C. The flow gets the related Course, evaluates its category, gets the matching Instructor and updates Enrollment.Instructor__c.



14. Auto-Create Follow-Up Task

When an Enrollment is Requested, the source flow creates a follow-up Task for an administrator. The task uses a due date of TODAY()+2, the Enrollment as WhatId, and the selected administrator as OwnerId.

Configure Start

Object

Enrollment

Configure Trigger

Trigger the Flow When:

☐ A record is created

☐ A record is updated

☒ A record is created or updated

☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field

Enrollment Status

Operator

Equals

Value

A Requested

Get Records

Get Admin User

GetAdminUser

Description

Get Records of This Object

Data Source

☐ Data Cloud Object

☒ Salesforce Object

Object

User

Filter User Records

Condition Requirements

All Conditions Are Met (AND)

Field

A Username

Operator

Equals

Value

geespin190431@agentforce.com

+ Add Condition

Create Records

×

Create a Record of This Object:

Object

Task

Set Field Values for the Task

Field	Value
Due Date Only	DueDateTodayPlus2
Description	Auto-created follow-up to enrollment request
Priority	Normal
Status	Not Started
Subject	Follow-up on enrollment request
Related To ID	Triggering Enrolment_c > Record ID

15. Reports

The supplied process defines reports for Students by Status, Enrollments by Course, Pending Enrollment Approvals and Revenue Report – Fees Paid. These reports support monitoring of student status, course enrollment, pending requests and paid fees.

Create Records

Create a Record of This Object:
Object
Task

Set Field Values for the Task

Field

Due Date Only X

←

Due Date Today Plus 2 X

🗑

Field

Description X

←

Auto-created follow-up for enrollment request

🔍🗑

Field

Priority X

←

Normal X

🗑

Field

Status X

←

Not Started X

🗑

Field

Subject X

←

Follow-up on enrollment request

🔍🗑

Field

Related To ID X

←

Triggering Enrolment_c > Record ID X

🗑

REPORT ▾

Students by Status ✓ Students

🔄🔄🔄 Save & Run Save Close Run

Outline Filters 1

Groups

GROUP ROWS

Add group...

Status X

GROUP COLUMNS

Add group...

Columns

Add column...

Student: Student Name X

Last Name X

Phone X

Email X

Previewing a limited number of records. Run the report to see everything. Update Preview Automatically: ✓

Record Count

0 0.2 0.4 0.6 0.8 1 1.2 1.4 1.6 1.8 2 2.2 2.4 2.6 2.8 3 3.2 3.4 3.6 3.8 4

Status Active

4

Status ▾

Student: Student Name ▾

Last Name ▾

Phone ▾

Email ▾

Active (4)

Aarishex

Jakura

📞 12345678

abhinav@student.edu

Vignesh

Dhosh

📞 12345678

vignesh@student.edu

Swaroop

M

📞 12345678

swaroop@student.edu

Sushanth

Jelgama

📞 9000300115

sushanth@student.edu

Subtotal

Total (4)

Report: Enrollments

Pending Enrollment Approvals

Enable Field Editing 🔍🔄🔄 Edit ▾

Record Count

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2

Enrollment Owner Name

sai kumar A

Enrollment: Owner Name ▾

Enrollment: Enrolment Name ▾

Course ▾

Enrollment Status ▾

Enrollment Date ▾

Enrollment: Created Date ▾

sai kumar A (2)

Sushanth

Computer Science

Requested

12/5/2025

12/5/2025

Vignesh

Electronic Communications & Engineering

Requested

12/5/2025

12/5/2025

Subtotal

Total (2)

Row Counts



Detail Rows ✓

Subtotals ✓

Grand Total ✓

16. Dashboard

The source dashboard combines the reports into visual components: a donut chart for Students by Status, a bar chart for Enrollments by Course, a gauge for paid-fee revenue and a table for pending approvals.



17. Security Setup

The source specifies profiles for Admin, Enrollment Officer and Instructor, along with permission sets and organization-wide defaults. Enrollment is described as Private, while Students and Courses are Public Read/Write in the example configuration.

2. Steps (example for Enrollment Officer fName: Enrollment Officer).
3. In **Object Settings**:
 - Enrollment__c: Read, Create, Edit.
 - Student__c / Course__c: Read (and Edit if required).
4. Save.

Repeat similarly for **Instructor** profile with **Read-Only** on Enrollments

Activity 2: Create Permission Sets

1. Go to **Setup → Permission Sets → New**.
2. Create **Custom Object Access** (additional access to project objects if needed).
3. Create **Dashboard Editor** (Create/Customize Reports & Dashboards permissions).
4. Assign to relevant users.

Activity 3: Configure Sharing & OWD

Steps:

1. Go to **Setup → Sharing Settings**.
2. Set **Organization-Wide Defaults**:

18. Testing & Validation

The supplied project document states that screenshots were captured during testing to verify record creation, validation rules, record types, flow execution, automated approvals, reports, dashboards and related functionality. The testing section is intended to provide evidence that the configured Salesforce features operate as expected.

- **Students (Student__c):** Public Read/Write.
- **Courses (Course__c):** Public Read/Write.
- **Enrollments (Enrollment__c):** Private.

3. Save.

For Instructor access to assigned Enrollments, optionally:

- Add a **User lookup** on Enrollment (Instructor User).
- Use a simple **Record-Triggered Flow** to set **OwnerId = Instructor User** so they can see only their own records.

7. FUNCTIONAL & PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce user interface to verify the proper functioning of all implemented features of the Student Enrollment & Course Management System (SECMS). These include student, course, instructor, and enrollment record creation; validation rule checks for mandatory fields, eligibility, and enrollment constraints; verification of record type behavior for different course categories; flow execution for automated enrollment approvals and seat availability checks; and Apex trigger functionality to ensure automatic confirmation and record updates. Additionally, screenshots of generated reports and dashboards were documented to validate accurate data visualization, enrollment tracking, and performance monitoring. Submit the Screenshots while testing.

19. Conclusion & Future Scope

The SECMS project brings student registration, course management, enrollment processing, instructor assignment, approvals, revenue tracking and reporting into a Salesforce-based workflow. The implementation described in the supplied source relies on native Salesforce configuration such as custom objects, lookup relationships, validation rules, flows, approval processes, reports and dashboards.

Advantages

- Centralized data
- Automated workflows
- Real-time reporting

Limitations noted in the source

- Salesforce dependency
- Requires initial configuration effort

Future scope

- Payment gateway integration
- Student self-service portal
- Analytics-driven insights
- Mobile access support

Source basis

This document was prepared from the uploaded “Student Enrollment & Course Management System (SECMS)” PDF, preserving its terminology, milestones and implementation sequence. The embedded Salesforce screenshots are reused as process evidence.

— End of Project Documentation —