

Student Enrollment & Course Management System (SECMS)

Project Documentation & Salesforce Implementation Evidence

Platform	Salesforce
Application Type	Cloud-based academic enrollment management
Core Objects	Student, Course, Instructor, Enrollment
Automation	Flows, Validation Rules, Approval Process
Reporting	Reports & Dashboards

Prepared from the supplied SECMS project process PDF and its embedded Salesforce screenshots.

1. Project Overview

The Student Enrollment & Course Management System (SECMS) is a Salesforce application intended to centralize student, course and enrollment operations. The supplied project document describes a unified environment for student records, course offerings, enrollments, instructor assignments, approvals, payments and reporting.

The project uses Salesforce Lightning for the user interface, Salesforce Objects for data storage, Salesforce Flows for logic and automation, Validation Rules and Approval Processes for controls, and Reports & Dashboards for monitoring.

Purpose

- Accurate student data management
- Structured enrollment workflows
- Automated approvals and validations
- Transparent reporting and monitoring

Project lifecycle

Awareness & Registration → Course Selection → Enrollment Request → Fee Payment → Approval → Instructor Assignment → Reporting & Completion.

The implementation evidence in this document uses the process screenshots embedded in the supplied project PDF.

2. Requirements & Technology Stack

Functional requirements

ID	Requirement	Description
FR-1	Student Management	Manage student records
FR-2	Course Management	Create and manage courses
FR-3	Enrollment Processing	Request, approve and reject enrollments
FR-4	Instructor Assignment	Auto-assign instructors
FR-5	Reporting	Dashboards and reports

Technology stack

Layer	Technology
UI	Salesforce Lightning
Logic	Salesforce Flows
Database	Salesforce Objects
Automation	Validation Rules, Approval Process
Reporting	Reports & Dashboards

3. Data Model

The project defines four core custom objects: Student, Course, Instructor and Enrollment. Enrollment links the academic records through lookup relationships to Student, Course and Instructor.

Object	Key fields described in the source
Student	Student Name, Email, Phone, Date of Birth, Student Status, Address
Course	Course Name, Category, Duration, Course Fee, Description
Instructor	Instructor Name, Instructor Code, Expertise, Phone, Email
Enrollment	Student, Course, Instructor, Enrollment Date, Enrollment Status, Fees Paid, Total Amount, Comments

Relationship model

Enrollment → Student (Lookup), Enrollment → Course (Lookup), and Enrollment → Instructor (Lookup). These relationships allow the system to display enrollment history from the Student, Course and Instructor records.

4. Salesforce Account Setup

Milestone 1 establishes the Salesforce Developer environment. The supplied process includes developer account creation, email verification and the initial Salesforce setup page.




Figure 1. Salesforce Developer account sign-up screen (source PDF page 17).

A screenshot of the 'Change Your Password' screen in Salesforce. The screen has a light blue background with a white form in the center. The form title is 'Change Your Password'. Below the title, it says 'Enter a new password for lead@sb.com. Make sure to include at least:'. There are three green checkmarks indicating requirements are met: '8 characters', '1 letter', and '1 number'. The 'New Password' field is highlighted with a red box, and the 'Confirm New Password' field is also highlighted with a red box. Below these fields is a 'Security Question' dropdown menu set to 'In what city were you born?'. The 'Answer' field contains the text 'asdfghjkl'. At the bottom of the form is a blue button labeled 'Change Password'.

Figure 2. Salesforce account activation screen (source PDF page 18).

5. Custom Object Creation

Milestone 2 creates the core custom objects used by SECMS. The process begins with the Student object and then applies the same approach to Course, Instructor and Enrollment.

Setup Home Object Manager

SETUP > OBJECT MANAGER

Student

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label Student Example: Account

Plural Label Students Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Student Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name --None--

Figure 3. Salesforce Object Manager / custom object configuration evidence (source PDF page 20).

Setup Home Object Manager

SETUP > OBJECT MANAGER

Student

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Name".

Record Name Student Name Example: Account Name

Data Type Text Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object.

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

☐ In Development

☒ Deployed

Figure 4. Additional object configuration evidence (source PDF page 20).

6. Fields & Object Structure

The source document defines fields for Student, Course, Instructor and Enrollment. These fields capture identity, contact, course, fee, status and enrollment information.

Edit Enrollment Custom Field
Student

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☒ Lookup Relationship

Next

Figure 5. Lookup relationship configuration screen (source PDF page 24).

Edit Enrollment Custom Field
Course

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☒ Lookup Relationship

Next

Figure 6. Course relationship configuration evidence (source PDF page 25).

SETUP > OBJECT MANAGER

Enrollment

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☐ Formula

☐ Roll-Up Summary

☒ Lookup Relationship

Next

Figure 7. Instructor relationship configuration evidence (source PDF page 26).

7. Validation Rules

Validation rules are used to prevent invalid data. The supplied project includes an institutional email-domain rule for students and a rule that prevents approval when fees have not been paid.

Setup Home Object Manager

SETUP > OBJECT MANAGER

Student

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Validation Rule Edit Save Save & New Cancel

Rule Name Email_Must_Be_Student_Domain

Active ☒

Description

Error Condition Formula

Example: Discount_Percent__c > 0.30 More Examples...

Display an error if Discount is more than 30%

If this formula expression is **true**, display the text defined in the Error Message area

Insert Field Insert Operator

NOT(CONTAINS(Email__c, "@student.edu"))

Check Syntax

Functions

-- All Function Categories --

ABS

ACOS

ADDMONTHS

AND

ASCII

ASIN

Insert Selected Function

ABS(number)

Returns the absolute value of a number, a number without its sign

Help on this function

Figure 8. Student email-domain validation rule setup (source PDF page 27).

Error Message

Example: Discount percent cannot exceed 30%

This message will appear when Error Condition formula is **true**

Error Message Email must be a valid student institution email

This error message can either appear at the top of the page or below a specific field on the page

Error Location ☐ Top of Page ☒ Field Email

Save Save & New Cancel

Figure 9. Fee-before-approval validation setup (source PDF page 28).

Setup Home Object Manager

SETUP > OBJECT MANAGER

Enrollment

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Validation Rule Edit Save Save & New Cancel

Rule Name Fees_Must_Be_Paid_Before_Approval

Active ☒

Description

Error Condition Formula

Example: Discount_Percent__c > 0.30 More Examples...

Display an error if Discount is more than 30%

If this formula expression is **true**, display the text defined in the Error Message area

Insert Field Insert Operator

AND(ISPIECWAL(Enrollment_Status__c, "Approved"), Fees_Paid__c = FALSE)

Check Syntax

Functions

-- All Function Categories --

ABS

ACOS

ADDMONTHS

AND

ASCII

ASIN

Insert Selected Function

ABS(number)

Returns the absolute value of a number, a number without its sign

Help on this function

Figure 10. Validation rule configuration evidence (source PDF page 29).

8. Enrollment Approval Process

The approval process routes enrollment requests for review. The source specifies Requested as the entry condition, a Training Manager as approver, Approved as the final approval status and Rejected as the final rejection status.

Setup Home Object Manager

approval

Data

Mass Transfer Approval Requests

Feature Settings

Approval Settings

Process Automation

Approval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Open Approvals App

Approvals are complex business processes that require information gathering and planning before implementing. It is recommended that you follow the instructions below before getting started.

1. Read the help topic
2. View the checklist
3. Create a custom user hierarchical relationship field
4. Create email templates
5. Create an approval process using either the Jump Start or Standard Wizard
6. Add Approval History Related List to all page layouts
7. Activate the process to deploy to your users

Manage Approval Processes For Enrollment

Create New Approval Process

Use Jump Start Wizard

Use Standard Setup Wizard

Reorder

Figure 11. Approval Process setup (source PDF page 30).

Step 2. Specify Entry Criteria

Previous Save Next

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following criteria are met

Field	Operator	Value
Enrollment: Enrollment Status	equals	Requested
--None--	--None--	
--None--	--None--	
--None--	--None--	
--None--	--None--	

AND

AND

AND

AND

Figure 12. Approval step / approver configuration (source PDF page 31).

Field Updates

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the fields are shown only for the type that you select.

Field Update Edit

Save Save & New Cancel

Identification

Name Status to Approved

Unique Name Status_to_Approved

Description

Object Enrollment

Field to Update Enrollment: Enrollment Status

Field Data Type Picklist

Re-evaluate Workflow Rules after Field Change

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value Approved

Save Save & New Cancel

Figure 13. Final approval/rejection action configuration (source PDF page 32).

Email Alert Edit Save Save & New Cancel

Edit Email Alert

Description: **Enrollment Rejected**

Unique Name: **Enrollment_Rejected**

Object: **Enrollment**

Email Template: **Enrollment Rejected**

Protected Component: ☐

Recipient Type: Search: **User** for: Find

Recipients

Available Recipients	Selected Recipients
User: Integration User ▲ User: OrgFarm EPIC User: Security User	User: sai kumar A ▲

Add
Remove

Figure 14. Activation of approval process (source PDF page 33).

9. Tabs & Lightning Application

The project creates tabs for Student, Course, Instructor and Enrollment and then places them in a Lightning application named Student Enrollment & Course Management. The source also includes Reports, Dashboards, Home and Tasks in the app navigation.




Figure 15. Custom tab creation evidence (source PDF page 34).




Figure 16. Lightning App configuration and navigation items (source PDF page 35).

10. Page Layouts & Record Types

Enrollment record types separate New Enrollment and Re-Enrollment processes. Separate page layouts can then display the fields relevant to each record type. The source also instructs adding the Enrollments related list to Student, Course and Instructor main layouts.

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the navigation items available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Create

Type to filter list...

Action Hub

- Activation Targets
- Activations
- Agentforce Studio
- All Sites
- Alternative Payment Methods
- Analytics

Selected Items

- Students
- Courses
- Instructors
- Enrollments
- Accounts
- Contacts
- Dashboards

Figure 17. Record Type / page layout configuration (source PDF page 36).

SETUP > OBJECT MANAGER

Enrollment

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Create New Page Layout

As an option, you may select an existing layout to clone. If you create a page layout without cloning, your page layout will not include the standard sections whose...

Existing Page Layout: Enrollment Layout

Page Layout Name: New Enrollment Layout

Save Cancel

Figure 18. New page layout creation evidence (source PDF page 38).

Setup Home Object Manager

SETUP > OBJECT MANAGER

Enrollment

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Create New Page Layout

As an option, you may select an existing layout to clone. If you create a page layout without cloning, your page layout will not include the standard sections whose...

Existing Page Layout: Enrollment Layout

Page Layout Name: Re-Enrollment Layout

Save Cancel

Figure 19. Page Layout Assignment evidence (source PDF page 39).

11. Flow Automation – Enrollment Date

A record-triggered flow sets Enrollment_Date__c to the current date when an Enrollment record is created. The source specifies an Update Records element using the record that triggered the flow and \$Flow.CurrentDate.

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object

Enrollment

Configure Trigger

Trigger the Flow When:

- ☒ A record is created
- ☐ A record is updated
- ☐ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of records that trigger the flow to conserve your org's resources.

Condition Requirements

None

Figure 20. Record-Triggered Flow configuration (source PDF page 41).

Update Records

* Label: Set Enrollment Date

* API Name: Set_Enrollment_Date

Description

*** How to Find Records to Update and Set Their Values**

- ☒ Use the enrollment record that triggered the flow
- ☐ Update records related to the enrollment record that triggered the flow
- ☐ Use the IDs and all field values from a record or record collection
- ☐ Specify conditions to identify records, and set fields individually

Set Filter Conditions

Condition Requirements to Update Record

None—Always Update Record

Set Field Values for the Enrollment Record

Field	Value
Enrollment_Date	Running Flow Interview > CurrentDate

Figure 21. Update Records / flow configuration evidence (source PDF page 42).

12. Flow Automation – Approved Enrollment

When an enrollment becomes Approved, the source flow retrieves the related Student record, sends an email alert, can notify an administrator, and updates the student's status to Active.

Configure Start

Enrollment

Configure Trigger

Trigger the Flow When:

- ☐ A record is created
- ☐ A record is updated
- ☒ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field: Enrollment Status X Operator: Equals Value: Approved X

Figure 22. Get Records for related Student__c (source PDF page 43).

Get Records

* Label: Get Student X * API Name: Get_Student

Description:

Get Records of This Object

* Data Source

- ☐ Data Cloud Object
- ☒ Salesforce Object

* Object: Student

Filter Student Records

Condition Requirements: All Conditions Are Met (AND)

Field: Status X Operator: Equals Value: Active X

+ Add Condition

Figure 23. Email action configuration (source PDF page 44).

Enrollment Approved EmailAlert

* Label: Send Student Email

* API Name: Send_Student_Email

Description:

Use values from earlier in the flow to set the inputs for the "Enrollment Approved EmailAlert" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values

* Record ID: Triggering Enrolement_c > Record ID X

Figure 24. Additional flow action configuration (source PDF page 45).

Update Records

* Label

Set Student Status Active

* API Name

Set_Student_Status_Active

Description

*** How to Find Records to Update and Set Their Values**

☒ Use the enrollment record that triggered the flow
☐ Update records related to the enrollment record that triggered the flow
☐ Use the IDs and all field values from a record or record collection
☐ Specify conditions to identify records, and set fields individually

Set Filter Conditions

Condition Requirements to Update Record

None—Always Update Record

Set Field Values for the Enrollment Record

Field

Comments

Value

True

Figure 25. Student update action evidence (source PDF page 46).

13. Auto-Assign Instructor

The source defines category-based instructor assignment: Technical → Instructor A, Language → Instructor B, and Non-Technical → Instructor C. The flow gets the related Course, evaluates its category, gets the matching Instructor and updates Enrollment.Instructor__c.





Figure 26. Auto-assignment flow diagram (source PDF page 47).

14. Auto-Create Follow-Up Task

When an Enrollment is Requested, the source flow creates a follow-up Task for an administrator. The task uses a due date of TODAY()+2, the Enrollment as WhatId, and the selected administrator as OwnerId.



Configure Start

* Object
Enrollment

Configure Trigger

Trigger the Flow When:

- ☐ A record is created
- ☐ A record is updated
- ☒ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions


Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Field: Enrollment Status Operator: Equals Value: Requested

Figure 27. Follow-up task flow configuration (source PDF page 48).



Get Records

Get Admin User Get_Admin_User

Description

Get Records of This Object

* Data Source
☐ Data Cloud Object
☒ Salesforce Object

* Object
User

Filter User Records

Condition Requirements
All Conditions Are Met (AND)

Field: Username Operator: Equals Value: geespam198430@agentforce.com

+ Add Condition

Figure 28. Task creation configuration (source PDF page 49).

Create Records

×

Create a Record of This Object

* Object

Task

Set Field Values for the Task

Field	Value
Due Date Only	DueDateTodayPlus2
Description	Auto-created follow-up for enrollment request
Priority	Normal
Status	Not Started
Subject	Follow up on enrollment request
Related To ID	Triggering Enrolement_c > Record ID

Figure 29. Create Records / Task field configuration (source PDF page 50).

15. Reports

The supplied process defines reports for Students by Status, Enrollments by Course, Pending Enrollment Approvals and Revenue Report – Fees Paid. These reports support monitoring of student status, course enrollment, pending requests and paid fees.

Create Records

Create a Record of This Object

* Object
Task

Set Field Values for the Task

Field	Value
Due Date Only	Due Date Today Plus 2
Description	Auto-created follow-up for enrollment request
Priority	Normal
Status	Not Started
Subject	Follow up on enrollment request
Related To ID	Triggering Enrollement_c > Record ID

Figure 30. Report creation evidence (source PDF page 50).

REPORT ▾

Students by Status ▾ Students

Previewing a limited number of records. Run the report to see everything. Update Preview Automatically

Record Count

Status Active

Status	Student: Student Name	Last Name	Phone	Email
Active (4)	Abhishek	Jakkula	12345625	abhishek@student.edu
	Vignesh	Doodh	12345678	vignesh@student.edu
	Swaroop	M	212154231	swroop@student.edu
	Sushanth	jalgama	9000000015	sushanth@student.edu
Subtotal				
Total (4)				

Figure 31. Students/Enrollments report evidence (source PDF page 51).

Report: Enrollments

Pending Enrollment Approvals

Enable Field Editing

Record Count

Enrollment Owner Name

sai kumar A

Enrollment: Owner Name	Enrollment: Enrollement Name	Course	Enrollment Status	Enrollment Date	Enrollment: Created Date
sai kumar A (2)	Sushanth	Computer Science	Requested	12/5/2025	12/5/2025
	Vignesh	Electronic Communications & Engineering	Requested	12/5/2025	12/5/2025
Subtotal					
Total (2)					

Row Counts Detail Rows Subtotals Grand Total

Figure 32. Report output evidence (source PDF page 52).

16. Dashboard

The source dashboard combines the reports into visual components: a donut chart for Students by Status, a bar chart for Enrollments by Course, a gauge for paid-fee revenue and a table for pending approvals.




Figure 33. Dashboard/report workspace evidence (source PDF page 53).




Figure 34. Student Management Dashboard with visual components (source PDF page 54).

17. Security Setup

The source specifies profiles for Admin, Enrollment Officer and Instructor, along with permission sets and organization-wide defaults. Enrollment is described as Private, while Students and Courses are Public Read/Write in the example configuration.

2. Steps (example for Enrollment Officer fName: Enrollment Officer).
3. In Object Settings:
 - Enrollment__c: Read, Create, Edit.
 - Student__c / Course__c: Read (and Edit if required).
4. Save.

Repeat similarly for Instructor profile with Read-Only on Enrollments

Activity 2: Create Permission Sets

1. Go to Setup → Permission Sets → New.
2. Create Custom Object Access (additional access to project objects if needed).
3. Create Dashboard Editor (Create/Customize Reports & Dashboards permissions).
4. Assign to relevant users.

Activity 3: Configure Sharing & OWD

Steps:

1. Go to Setup → Sharing Settings.
2. Set Organization-Wide Defaults:

Figure 35. Security setup instructions and access configuration (source PDF page 55).

18. Testing & Validation

The supplied project document states that screenshots were captured during testing to verify record creation, validation rules, record types, flow execution, automated approvals, reports, dashboards and related functionality. The testing section is intended to provide evidence that the configured Salesforce features operate as expected.

- **Students (Student__c):** Public Read/Write.
- **Courses (Course__c):** Public Read/Write.
- **Enrollments (Enrollment__c):** Private.

3. Save.

For Instructor access to assigned Enrollments, optionally:

- Add a **User lookup** on Enrollment (Instructor User).
- Use a simple **Record-Triggered Flow** to set **OwnerId = Instructor User** so they can see only their own records.

7. FUNCTIONAL & PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce user interface to verify the proper functioning of all implemented features of the Student Enrollment & Course Management System (SECMS). These include student, course, instructor, and enrollment record creation; validation rule checks for mandatory fields, eligibility, and enrollment constraints; verification of record type behavior for different course categories; flow execution for automated enrollment approvals and seat availability checks; and Apex trigger functionality to ensure automatic confirmation and record updates. Additionally, screenshots of generated reports and dashboards were documented to validate accurate data visualization, enrollment tracking, and performance monitoring. Submit the Screenshots while testing.

Figure 36. Functional & performance testing, advantages and conclusion section from the source process PDF (page 56).

19. Conclusion & Future Scope

The SECMS project brings student registration, course management, enrollment processing, instructor assignment, approvals, revenue tracking and reporting into a Salesforce-based workflow. The implementation described in the supplied source relies on native Salesforce configuration such as custom objects, lookup relationships, validation rules, flows, approval processes, reports and dashboards.

Advantages

- Centralized data
- Automated workflows
- Real-time reporting

Limitations noted in the source

- Salesforce dependency
- Requires initial configuration effort

Future scope

- Payment gateway integration
- Student self-service portal
- Analytics-driven insights
- Mobile access support

Source basis

This document was prepared from the uploaded “Student Enrollment & Course Management System (SECMS)” PDF, preserving its terminology, milestones and implementation sequence. The embedded Salesforce screenshots are reused as process evidence.

— End of Project Documentation —