LA PRESA QUE QUEREMOS · LA FLORIDA, ARROYO SECO · BARAJA DE LA ORILLA

Cómo se juega la baraja

Cada par recibe la baraja de su componente: cartas de pieza (cosas concretas que pueden quedar hechas en la orilla) y cartas en blanco para lo que no esté. Cada carta tiene dos caras: al frente la idea; al reverso, cómo imaginarla sobre una foto real de la presa con Gemini. El juego termina con tres a cinco piezas elegidas, con lugar y con doliente, pasadas al marco lógico.

1 Repartan y lean en voz alta

Una persona lee el título de cada carta y la otra la pone en la mesa. Nadie lee todo: solo título, dibujo y "por ejemplo". Lo demás se lee cuando la carta sobreviva.

- 1a · Contener la erosión
- 1b · Revegetar con plantas de aquí
- 2 · La comunidad cuida y vigila
- 3 · Recreación para las edades
- 4 · Seguro y limpio
- 5 · Convivencia y descanso

2 Tres montones: va, quizá, no

Tres preguntas por carta: ¿resuelve algo que la gente pidió?, ¿hay quien lo pueda cuidar?, ¿se puede probar antes de construirlo? Las que fallen van al "no"; las dudosas, a "quizá". Al final quedan de tres a cinco en "va". Si falta una idea, se llena una carta en blanco.

3 ¿Dónde y quién?

En cada carta de "va" encierren la zona de la foto (1 a 5) y escriban quién la cuidaría. Sin zona y sin nombre, la carta regresa a "quizá".

4 Imagínenla sobre la foto

Volteen la carta. Tomen la foto del lugar exacto, marquen en rojo dónde iría y peguen el prompt en Gemini. El montaje realista convence; el boceto a lápiz blanco invita a cambiarlo. Guarden todos los intentos, también los feos.

5 Llenen la fila del marco lógico

Con las cartas de "va": el "para que quede" es la semilla de las actividades y el "cómo sabemos que funciona" es la semilla del indicador.

6 Presenten y reciban

Tres minutos por equipo: las cartas de "va" y sus fotomontajes. Los demás dejan tarjetas de dos tipos: "falta" y "choca con lo mío". Con eso se ajusta y se arma el catálogo que irá a la asamblea.

EL FRENTE DE LA CARTA

Qué es, un ejemplo con medida y material, qué hay que hacer para que quede, cómo sabemos que funciona, y de dónde salió la idea: la clave remite a una ficha del banco de patrones de espacio público; "propuesta sin ficha" es técnica corriente de conservación de suelo o sentido común de obra; "de la consulta" viene de las tarjetas de la gente; "del curso" ya está en las semanas 5 a 7.

EL REVERSO DE LA CARTA

Tres pasos y dos prompts en inglés para Gemini, tomados de la guía de fotomontajes del curso: uno hace un montaje que parece fotografía y otro dibuja la idea a mano alzada sobre la foto. Los prompts también se pueden copiar desde la versión web de la baraja, con enlaces a imágenes de ejemplo.

Las medidas son un punto de partida para conversar y cotizar, no un proyecto firmado: se confirman en la orilla, con cinta y con la gente. Las imágenes que salgan de Gemini son propuestas para discutirse, no proyectos aprobados; conviene decirlo en voz alta al mostrarlas. Gestión y Manejo de Proyectos · Lic. en Producción Agropecuaria Sustentable · UAQ Campus Concá · 2026.

1A · CONTENER LA EROSIÓN 01



Las dos rayas del agua

Pintar hasta dónde subió el agua el año más lluvioso (raya roja) y hasta dónde bajó en la seca más fuerte (raya azul), con la gente que se acuerda y el año escrito al lado. Entre las dos rayas no va nada fijo.

POR EJEMPLO En un tronco o una piedra junto al vertedor: si la raya roja queda a tres metros del agua de hoy, las barreras de piedra van abajo y las bancas arriba.

PARA QUE QUEDE Una tarde con tres vecinos mayores, dos botes de pintura y una brocha. Es la primera pieza de todos los equipos.

¿CÓMO SABEMOS QUE FUNCIONA? Las dos rayas están pintadas con su año y aparecen dibujadas en todos los bocetos; ninguna pieza fija quedó entre ellas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **WET-13**

MÁS IDEAS busca imágenes de «marcas de nivel de agua pintadas en tronco» · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 02



Fajinas de rama en curvas de nivel

Rollos de ramas de la limpia, de un brazo de grueso, atados con alambre y acostados a nivel sobre la pendiente, enterrados a la mitad y sujetos con estacas. Frenan el agua y juntan tierra.

POR EJEMPLO En el talud de tierra suelta junto al vertedor, una fajina cada dos metros de caída, de arriba hacia abajo, antes de que entren las lluvias.

PARA QUE QUEDE Faena de un día con machete, alambre y estacas; se revisa después del primer aguacero.

¿CÓMO SABEMOS QUE FUNCIONA? Después de la primera lluvia fuerte las fajinas siguen en su lugar y detrás de cada una se ve tierra retenida.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha**

MÁS IDEAS busca imágenes de «fajinas control de erosión talud» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 03



Estacas vivas de sauce y aile al pie

Ramas de sauce o de aile (aliso) de un metro, cortadas en la cuenca e hincadas dos tercios en el suelo húmedo del pie del talud, en plena lluvia. Prenden, echan raíz y amarran la tierra.

POR EJEMPLO Una estaca cada medio metro al pie del corte de la orilla, en dos hileras a tresbolillo, cortadas e hincadas el mismo día.

PARA QUE QUEDE Se cortan al inicio de las lluvias, de árboles que ya crecen junto al agua.

¿CÓMO SABEMOS QUE FUNCIONA? A los tres meses, de cada diez estacas, siete tienen hojas; al año el pie del corte ya no se desmorona.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha** · THO-15

MÁS IDEAS busca imágenes de «estacas vivas de sauce bioingeniería talud» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 04



Barreras de piedra a nivel en las cárcavas

Una cárcava es el surco que abre el agua cuesta abajo. Se cruza con hileras de piedra del sitio puestas a nivel (ni más altas de un lado que del otro): el agua se frena, suelta la tierra y la va rellenando.

POR EJEMPLO En una cárcava de diez metros, tres barreras de medio metro de alto, una cada tres metros, hechas en una faena de medio día.

PARA QUE QUEDE Con piedra del propio sitio, sin cemento; un nivel de manguera para que queden parejas.

¿CÓMO SABEMOS QUE FUNCIONA? Tras la primera lluvia fuerte las barreras siguen enteras y detrás de cada una se ve tierra acumulada; la cárcava no creció.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha**

MÁS IDEAS busca imágenes de «presas filtrantes piedra acomodada cárcavas» · www.gob.mx · voltea la carta para imaginarla sobre la foto

REVERSO · 1A-02 · FAJINAS DE RAMA EN CURVAS DE NIVEL

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert several horizontal bundles of branches (fascines), each about 25 cm thick and 3 to 4 m long, tied with wire and half-buried along the contour of the bare earth slope, held by wooden stakes, spaced about 2 m apart down the slope. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the concrete spillway wall and the height of the slope in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «fajinas control de erosión talud»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · www.gob.mx (enlace en la versión web)

REVERSO · 1A-01 · LAS DOS RAYAS DEL AGUA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert two painted level marks on an existing tree trunk or large rock at the shoreline: a red horizontal band about 15 cm wide marking the highest flood level, and a blue band lower down marking the lowest dry-season level, both hand-painted and slightly uneven. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «marcas de nivel de agua pintadas en tronco»

REVERSO · 1A-04 · BARRERAS DE PIEDRA A NIVEL EN LAS CÁRCAVAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three low check dams of loose stacked local limestone, each about 50 cm high and 1.5 m wide, built across a small erosion gully on the slope, spaced about 3 m apart, with fine sediment starting to collect behind each one. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «presas filtrantes piedra acomodada cárcavas»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · ww

REVERSO · 1A-03 · ESTACAS VIVAS DE SAUCE Y AILE AL PIE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert two staggered rows of live willow cuttings, each about 1 m long and 3 to 5 cm thick, driven two thirds into the wet soil at the foot of the eroded bank, spaced 50 cm apart, some already sprouting small green leaves. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «estacas vivas de sauce bioingeniería talud»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · ww

1A · CONTENER LA EROSIÓN 05



Muro seco al pie del corte

Donde la orilla se desgaja en pared, un muro de piedra acomodada sin cemento, inclinado hacia el talud, que sostiene el pie y deja pasar el agua entre las piedras.

POR EJEMPLO Sesenta centímetros de alto y cincuenta de ancho, con la piedra grande abajo; arriba se tiende la pared y se siembra.

PARA QUE QUEDE Dos faenas con piedra del sitio; un albañil del pueblo marca el nivel y la inclinación.

¿CÓMO SABEMOS QUE FUNCIONA? Después de la temporada de lluvias el muro sigue en pie, sin panza, y el corte de arriba ya no se desmorona sobre él.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha**

MÁS IDEAS busca imágenes de «muro de piedra seca contención talud» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 06



Tender la pared y escalonarla

El corte vertical no se sostiene solo. Se tiende con pico a un talud más suave y se parte en dos gradas, cada una con su piedra al pie y su planta encima.

POR EJEMPLO El corte de dos metros del área abierta se vuelve dos escalones de un metro con una berma de piedra entre ellos.

PARA QUE QUEDE A mano, en secas; el suelo abierto se cubre con hojarasca el mismo mes.

¿CÓMO SABEMOS QUE FUNCIONA? Las dos gradas siguen enteras después de las lluvias y la planta sembrada en ellas prendió.


NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha** · THO-06

MÁS IDEAS busca imágenes de «terrazas de piedra talud erosionado» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 07



Bordo de coronación, arriba del corte

Un bordo de tierra y piedra, a nivel, en la parte alta del talud, para que el agua de lluvia no se derrame por la pared sino que se infiltre o salga por un paso empedrado. Va arriba del corte, nunca en la orilla.

POR EJEMPLO Diez metros de bordo de treinta centímetros sobre el corte del área abierta, con una salida de piedra hacia un lado.

PARA QUE QUEDE Con nivel de manguera, nunca a ojo: una zanja chueca concentra el agua y abre otra cárcava.

¿CÓMO SABEMOS QUE FUNCIONA? En un aguacero el agua ya no cae por la pared; sale por el paso empedrado y la cara del corte amanece seca.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha**

MÁS IDEAS busca imágenes de «zanja bordo a nivel conservación de suelo» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 08



Cubrir el suelo desnudo en treinta días

Todo suelo que se abra se tapa en menos de un mes con ramas, hojarasca o costales de yute abiertos, sujetos con estacas, para que la primera lluvia no se lo lleve.

POR EJEMPLO El talud junto al vertedor cubierto con ramas de la roza y hojarasca de los encinos antes de las lluvias.

PARA QUE QUEDE Una faena corta cada vez que se mueva tierra. Es la regla de obra que más tierra le ahorra a la presa.

¿CÓMO SABEMOS QUE FUNCIONA? No queda suelo desnudo a la vista un mes después de cualquier faena; la foto desde el punto fijo lo muestra cubierto.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **THO-14**

MÁS IDEAS busca imágenes de «cobertura de hojarasca y ramas talud erosión» · voltea la carta para imaginarla sobre la foto

REVERSO · 1A-06 · TENDER LA PARED Y ESCALONARLA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert the vertical eroded earth bank reshaped into two gentle terraces, each about 1 m high, with a low edge of stacked local stone at the foot of each terrace and young native plants and dry grass covering the soil on top. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «terrazas de piedra talud erosionado»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · ww

REVERSO · 1A-05 · MURO SECO AL PIE DEL CORTE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a low dry-stone retaining wall of local limestone, about 60 cm high and 50 cm thick, with larger stones at the base and leaning slightly back into the slope, running along the foot of the eroded earth bank next to the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the height of the eroded bank and the fence posts in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «muro de piedra seca contención talud»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · ww
w.gob.mx (enlace en la versión web)

REVERSO · 1A-08 · CUBRIR EL SUELO DESNUDO EN TREINTA DÍAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert the bare earth slope covered with a loose layer of cut branches, oak leaf litter and opened jute sacks pinned with wooden stakes, so almost no bare soil remains visible. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «cobertura de hojarasca y ramas talud erosión»

REVERSO · 1A-07 · BORDO DE CORONACIÓN, ARRIBA DEL CORTE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a low earth and stone berm about 30 cm high running level along the top edge of the eroded bank, set back about 1 m from the edge, with a small stone-paved outlet at one end. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «zanja bordo a nivel conservación de suelo»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · ww
w.gob.mx (enlace en la versión web)

1A · CONTENER LA EROSIÓN 09



Trampa de azolve mientras llueve

Costales de arena o un filtro de carrizo tendido en la parte baja de cada zona trabajada, que detiene la tierra suelta antes de que llegue al agua.

POR EJEMPLO Una hilera de costales entre el talud y la orilla toda la temporada de lluvias; se revisa después de cada aguacero.

PARA QUE QUEDE Costales de la tienda, arena del sitio y dos horas de trabajo.

¿CÓMO SABEMOS QUE FUNCIONA? Después de cada aguacero hay tierra retenida detrás de los costales y el agua que entra a la presa se ve menos turbia.


NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **THO-14**

MÁS IDEAS busca imágenes de «trampa de sedimentos costales de arena obra» · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 10



Medias lunas con planta

Cajetes en forma de media luna, a nivel y a tresbolillo sobre la pendiente, cada uno con una planta de aquí. Juntan el agua y la tierra que baja.

POR EJEMPLO Cien medias lunas de ochenta centímetros en el talud nuevo, con maguey, nopal, zacatón o palmilla.

PARA QUE QUEDE Faena al inicio de lluvias, con pico y azadón; la lista de plantas la hace el equipo 1b.

¿CÓMO SABEMOS QUE FUNCIONA? A los tres meses la mayoría de las plantas de las medias lunas están vivas y los cajetes tienen tierra fina acumulada.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **propuesta sin ficha**

MÁS IDEAS busca imágenes de «medias lunas conservación de suelo reforestación» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 11



Cerco de estacas que prenden

Un cerco de estacas vivas (sauce, aile, jarilla) o de alambre a pocos hilos, que saca al ganado de las zonas recién tratadas los primeros tres años.

POR EJEMPLO Cien metros de cerco en el área abierta, con un paso acordado para que los animales bajen a beber en la punta.

PARA QUE QUEDE Antes de cercar se acuerda con los ganaderos dónde abreva el ganado y a qué horas.

¿CÓMO SABEMOS QUE FUNCIONA? No hay huellas ni excremento de ganado dentro del tramo cercado, y las plantas nuevas no están mordidas.


NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **THO-13 · KIC-03**

MÁS IDEAS busca imágenes de «cerco vivo estacas sauce ganado» · www.gob.mx · voltea la carta para imaginarla sobre la foto

1A · CONTENER LA EROSIÓN 12



Vereda en zigzag con escalones de tronco

Donde la gente baja derecho por la pendiente se abre una canaleta. La bajada se traza en zigzag, con escalones de tronco atravesados, para que el pie no pise tierra suelta.

POR EJEMPLO Del camino al agua, cuatro zigzags con escalones de tronco de un metro anclados con estaca; las bajadas viejas se cierran y se siembran.

PARA QUE QUEDE Se traza con estacas y mecate y se camina antes de cavar.

¿CÓMO SABEMOS QUE FUNCIONA? La gente baja por la nueva vereda y no por la canaleta vieja, que ya tiene planta encima; después de las lluvias los escalones siguen en su sitio.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **WET-16 · WET-07**

MÁS IDEAS busca imágenes de «escalones de tronco sendero zigzag ladera» · voltea la carta para imaginarla sobre la foto

REVERSO · 1A-10 · MEDIAS LUNAS CON PLANTA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert many small half-moon shaped earth basins, each about 80 cm wide, arranged in staggered rows across the bare slope, each basin with a small native plant (agave, prickly pear or bunch grass) planted inside. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «medias lunas conservación de suelo reforestación»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · www.gob.mx (enlace en la versión web)

REVERSO · 1A-09 · TRAMPA DE AZOLVE MIENTRAS LLUEVE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a row of sand-filled jute sacks laid end to end along the lower edge of the worked slope, just above the shoreline, acting as a sediment barrier. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «trampa de sedimentos costales de arena obra»

REVERSO · 1A-12 · VEREDA EN ZIGZAG CON ESCALONES DE TRONCO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a narrow footpath descending the slope in four zigzag switchbacks, with steps made of logs about 1 m long set across the path and held by stakes, the old straight eroded path closed with branches and young plants. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «escalones de tronco sendero zigzag ladera»

REVERSO · 1A-11 · CERCO DE ESTACAS QUE PRENDEN

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a simple rustic fence of live willow stakes about 1.5 m high connected by two strands of plain wire, running along the edge of the restored slope, with an open gap left as a passage for cattle. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «cerco vivo estacas sauce ganado»
Manual de restauración forestal (CONAFOR, 2023): obras de conservación de suelo · www.gob.mx (enlace en la versión web)



Franja sin tocar entre la obra y el agua

Entre cualquier zona trabajada y el agua se deja una franja de monte sin remover que filtra lo que baja. Es también lo que se le muestra a la Reserva como prueba de que la obra no daña el humedal.

POR EJEMPLO Quince metros de carrizo y monte frente al corte, sin pisar ni limpiar, marcados con estacas y mecate.

PARA QUE QUEDE Se marca antes de la primera faena y se escribe en el acta.


¿CÓMO SABEMOS QUE FUNCIONA? La franja sigue con su carrizo y su monte en la foto de cada temporada; nadie abrió brecha ni limpió dentro de ella.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-14**

MÁS IDEAS busca imágenes de «franja de amortiguamiento ribereña vegetación» · voltea la carta para imaginarla sobre la foto



Dren de piedra donde escurre la roca

Donde el agua sale del cerro aunque no llueva, no va relleno: va una zanja llena de piedra y grava que saca el agua hacia la presa sin arrastrar tierra.

POR EJEMPLO Al pie del talud, una zanja de cuarenta centímetros rellena de piedra, envuelta en costal, que descarga al vaso.

PARA QUE QUEDE Los escurrimientos se marcan con estaca en agosto, cuando se ven.

¿CÓMO SABEMOS QUE FUNCIONA? El agua sale limpia por el dren y no encharca el camino; en lluvias ya no hay lodo en ese tramo.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WET-02 · WET-09**

MÁS IDEAS busca imágenes de «dren francés de piedra escurrimiento ladera» · voltea la carta para imaginarla sobre la foto



Tres estacas: el punto fijo de la foto

Tres estacas pintadas desde donde se toma la misma foto antes de la obra, después de cada lluvia fuerte y cada temporada. Es la prueba más barata de que la barrera aguantó.

POR EJEMPLO Una frente al corte, una en el vertedor, una en la cola; cada foto se guarda con su clave y su fecha.

PARA QUE QUEDE Una tarde; la foto se anota en la hoja de línea base.

¿CÓMO SABEMOS QUE FUNCIONA? Hay una serie de fotos del mismo punto, con fecha, donde se ve cada vez menos suelo pelado.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **propuesta sin ficha**

MÁS IDEAS busca imágenes de «punto fijo fotográfico monitoreo restauración» · voltea la carta para imaginarla sobre la foto

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA propuesta del equipo

REVERSO · 1A-14 · DREN DE PIEDRA DONDE ESCURRE LA ROCA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a shallow drainage trench about 40 cm wide filled with loose stones and gravel, running from the foot of the slope down to the water, where a small seep of water emerges from the rock. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «dren francés de piedra escurrimiento ladera»

REVERSO · 1A-13 · FRANJA SIN TOCAR ENTRE LA OBRA Y EL AGUA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert an untouched strip of reeds, native shrubs and tall grass about 15 m wide left between the worked slope and the water's edge, marked at its boundary by simple wooden stakes and a rope. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «franja de amortiguamiento ribereña vegetación»

REVERSO · IDEA NUEVA · 1A

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · 1A-15 · TRES ESTACAS: EL PUNTO FIJO DE LA FOTO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a single wooden survey stake about 1.2 m high with its top painted bright orange, planted in the ground at a viewpoint facing the eroded bank. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «punto fijo fotográfico monitoreo restauración»

1B · REVEGETAR CON PLANTAS DE AQUÍ 01



El cartel de las plantas de aquí

Un cartel con las plantas que ya crecen en este encinar, hecho caminando con quien las conoce: nombre, para qué sirve, si aguanta la seca. De esa lista, y de ninguna otra, se siembra.

POR EJEMPLO Sombra: encino, cedro blanco, tepame, huizache, fresno. Junto al agua: sauce, aile, carrizo, tule. Suelo: zacatón, maguey, nopal, palmilla.

PARA QUE QUEDE Un recorrido con dos personas mayores; la Reserva da el visto bueno a la lista antes de colectar.

¿CÓMO SABEMOS QUE FUNCIONA? Todo lo que se sembró está en el cartel; no hay en la orilla ninguna planta de vivero que no sea de aquí.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-15**

MÁS IDEAS busca imágenes de «especies nativas bosque de encino Sierra Gorda Querétaro» · agua.org.mx · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 02



Cuarenta árboles con cajete

Encinos, cedros blancos, tepames y huizaches, sembrados en la lluvia con un cajete ancho y poco profundo que junta el agua, sobre el suelo que el equipo 1a ya detuvo.

POR EJEMPLO Veinte en el área abierta y veinte en el llanito, del lado poniente de donde se sienta la gente.

PARA QUE QUEDE Faena al inicio de lluvias, con lista de quienes vinieron y foto desde el punto fijo.

¿CÓMO SABEMOS QUE FUNCIONA? A los tres meses siguen vivos treinta de cuarenta; al final de la primera seca, por lo menos veinticinco.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **del curso**

MÁS IDEAS busca imágenes de «reforestación encino cedro blanco cajetes» · ccmss.org.mx · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 03



Un tramo con nombre por cada grupo escolar

Cada grupo escoge qué sembrar en su pedazo de orilla, junta la semilla, le pone nombre en un cartel y lo visita una vez al mes con el maestro. Se cuida lo que se ayudó a decidir.

POR EJEMPLO "Tramo de segundo B": veinte metros frente al llanito, con un cartel de madera y la fecha de la última visita.

PARA QUE QUEDE Primero un recorrido para que identifiquen las plantas; ellos deciden, no solo plantan.

¿CÓMO SABEMOS QUE FUNCIONA? Cada cartel tiene una fecha de visita de menos de un mes, y los alumnos saben decir cuántas plantas de su tramo están vivas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-17**

MÁS IDEAS busca imágenes de «tramo adoptado escuela reforestación letrero» · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 04



El cartel del turno de riego

Quién riega, qué día y con qué agua, las dos primeras secas, escrito en el mismo cartel del tramo. Sin esto la planta nueva se muere en la primera seca.

POR EJEMPLO "Martes: familia Pérez, veinte cubetas del canal. Sábado: comité del agua."

PARA QUE QUEDE Un martes cualquiera se cuenta cuántos cajetes están húmedos: esa es la señal temprana.

¿CÓMO SABEMOS QUE FUNCIONA? Un martes cualquiera de la seca, más de la mitad de los cajetes están húmedos y el cartel tiene palomitas de la semana.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **del curso**

MÁS IDEAS busca imágenes de «riego con cubeta plantación cajete» · voltea la carta para imaginarla sobre la foto

REVERSO · 1B-02 · CUARENTA ÁRBOLES CON CAJETE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert forty young native trees (oaks, white cedar, acacia) about 1 m tall, each planted inside a wide shallow earth basin, spaced about 5 m apart on the slope and the flat area above the shoreline. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «reforestación encino cedro blanco cajetes»
Prácticas de reforestación, manual básico (CCMSS) · ccmss.org.mx (enlace en la versión web)

REVERSO · 1B-01 · EL CARTEL DE LAS PLANTAS DE AQUÍ

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-painted wooden sign about 90 by 120 cm on two rustic posts near the entrance, showing simple painted silhouettes of local trees and plants with blank name labels. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «especies nativas bosque de encino Sierra Gorda Querétaro»
Manual de restauración con especies nativas (agua.org.mx) · agua.org.mx (enlace en la v

REVERSO · 1B-04 · EL CARTEL DEL TURNO DE RIEGO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a row of young planted trees with wide earth basins, the soil in the basins visibly dark and wet, two metal buckets left on the ground next to them. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «riego con cubeta plantación cajete»

REVERSO · 1B-03 · UN TRAMO CON NOMBRE POR CADA GRUPO ESCOLAR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small hand-painted wooden sign about 40 by 60 cm on a single post at the edge of a planted strip, with young native trees behind it and a few stones marking the strip's limits. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.


OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «tramo adoptado escuela reforestación letrero»

1B · REVEGETAR CON PLANTAS DE AQUÍ 05



Corredores de monte entre las islas

Dos franjas continuas de quince a veinte metros que conecten el humedal, el arroyo y el encinar de la ladera, cercadas contra el ganado tres años y sembradas con plantas de aquí.

POR EJEMPLO Una franja del carrizal a los encinos del cerro, con cerco de estacas vivas y cero riego después del tercer año.

PARA QUE QUEDE El límite se dibuja en el plano y se escribe que el aspecto de monte es a propósito.

¿CÓMO SABEMOS QUE FUNCIONA? En la foto de cada temporada la franja se ve más cerrada que la anterior, y en ella se ven aves y huellas de fauna.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-13**

MÁS IDEAS busca imágenes de «corredor biológico vegetación nativa ribera» · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 06



Casa para polinizadores

Una caja de madera con techo, llena de tramos de carrizo, troncos barrenados y adobe con agujeros, donde anidan abejas solitarias y otros polinizadores. Se pone junto a plantas con flor de aquí.

POR EJEMPLO Una casa de un metro por sesenta centímetros sobre un poste, mirando al oriente, con huizache y salvias florecidas alrededor.

PARA QUE QUEDE Una sesión de manos de la secundaria: cortar carrizo, barrenar troncos, armar la caja.

¿CÓMO SABEMOS QUE FUNCIONA? A los dos meses hay tubos de carrizo tapados con lodo o resina: alguien ya anidó.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PIP1-13**

MÁS IDEAS busca imágenes de «hotel de insectos casa para polinizadores» · www.consumer.es · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 07



El papel con semilla y un deseo

Al cierre del ciclo escolar cada quien escribe un deseo para la presa en papel hecho a mano con semilla de un zacate de aquí; se cuelga en el árbol viejo y se siembra con las lluvias.

POR EJEMPLO Papel con semilla de zacatón, colgado en el encino grande en junio, sembrado en el tramo pelado en julio.

PARA QUE QUEDE Un taller de papel en la escuela, una tarde.

¿CÓMO SABEMOS QUE FUNCIONA? En agosto hay zacate nuevo en el tramo pelado, y la escuela repite el gesto el siguiente ciclo sin que nadie se lo pida.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-17**

MÁS IDEAS busca imágenes de «papel con semillas hecho a mano deseos árbol» · voltea la carta para imaginarla sobre la foto

1B · REVEGETAR CON PLANTAS DE AQUÍ 08



Tres árboles del lado del sol

Junto a cada sombra o banca, tres árboles de la lista sembrados del lado poniente, con riego de auxilio el primer año. En diez años sustituyen a la ramada.

POR EJEMPLO Encino, tepame y huizache a cinco pasos de las bancas del llanito, hacia donde se mete el sol.

PARA QUE QUEDE Se siembran el mismo día que se pone la ramada.

¿CÓMO SABEMOS QUE FUNCIONA? Al tercer año los tres árboles pasan de la altura de una persona y a las cinco de la tarde su sombra ya toca las bancas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-29**

MÁS IDEAS busca imágenes de «árboles de sombra junto a banca plantación» · voltea la carta para imaginarla sobre la foto

REVERSO · 1B-06 · CASA PARA POLINIZADORES

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert an insect hotel: a wooden box about 1 m wide and 60 cm tall with a small pitched roof, mounted on a single rustic post about 1.2 m high, filled with cut reed tubes, drilled logs and adobe blocks with holes, with flowering native shrubs around it. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «hotel de insectos casa para polinizadores»
Hoteles para insectos: qué son y cómo construir uno · www.consumer.es (enlace en la ve

REVERSO · 1B-05 · CORREDORES DE MONTE ENTRE LAS ISLAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a continuous strip of dense native shrubs and young trees about 15 m wide running from the reeds at the shoreline up the slope to the oak woodland, fenced on both sides with simple wire and wooden posts. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «corredor biológico vegetación nativa ribera»

REVERSO · 1B-08 · TRES ÁRBOLES DEL LADO DEL SOL

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three young native trees about 2 m tall (an oak, an acacia and a huizache) planted in a line about 4 m to the west of a simple wooden bench, each with a wide earth basin. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «árboles de sombra junto a banca plantación»

REVERSO · 1B-07 · EL PAPEL CON SEMILLA Y UN DESEO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert dozens of small handmade paper tags tied with natural twine hanging from the lower branches of a large old oak tree near the shoreline. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «papel con semillas hecho a mano deseos árbol»

1B · REVEGETAR CON PLANTAS DE AQUÍ 09



La tabla de las plantas vivas

Una tabla a la vista con cuántas plantas se sembraron y cuántas siguen vivas a los tres meses y al final de cada seca. La cuentan los alumnos de cada tramo y se lee en asamblea.

POR EJEMPLO "Sembradas: 40. Vivas en enero: 31." Pintado en el tablero de la entrada.

PARA QUE QUEDE El conteo es el indicador que ya tiene la cadena de la línea 1: treinta de cuarenta a los tres meses.

¿CÓMO SABEMOS QUE FUNCIONA? La tabla tiene por lo menos dos conteos con fecha, y el número de vivas se leyó en una asamblea.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **KIC-17**

MÁS IDEAS busca imágenes de «tabla de registro plantación sobrevivencia» · voltea la carta para imaginarla sobre la foto

---

IDEA NUEVA · 1B · REVEGETAR CON PLANTAS DE AQUÍ +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 1B · REVEGETAR CON PLANTAS DE AQUÍ +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 1B · REVEGETAR CON PLANTAS DE AQUÍ +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

REVERSO · IDEA NUEVA · 1B

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · 1B-09 · LA TABLA DE LAS PLANTAS VIVAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small wooden board about 60 by 40 cm fixed to a post, with a hand-painted two-column tally table, standing at the edge of a planted area. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «tabla de registro plantación sobrevivencia»

REVERSO · IDEA NUEVA · 1B

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · IDEA NUEVA · 1B

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

2 · LA COMUNIDAD CUIDA Y VIGILA 01



El convenio de una cuartilla

Un papel entre quienes mandan en la orilla (delegación, ejido, la Reserva si toca) que contesta tres preguntas antes de construir: quién barre, quién arregla y con qué dinero, quién le dice algo al que no cumple.

POR EJEMPLO "La delegación autoriza; el comité repara con la caja chica; el delegado llama la atención."

PARA QUE QUEDE Se redacta en asamblea y se firma antes de la primera obra. Si no se sabe contestar, no se construye todavía.

¿CÓMO SABEMOS QUE FUNCIONA? Existe el papel firmado, con las tres respuestas, antes de que se ponga la primera piedra.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-33**

MÁS IDEAS busca imágenes de «convenio comunitario mantenimiento espacio público» · voltea la carta para imaginarla sobre la foto

2 · LA COMUNIDAD CUIDA Y VIGILA 02



El reglamento de ocho renglones

Reglas de uso en lenguaje llano, hechas a partir de las que ya existen de hecho: horario, ganado, lumbre, motos, ruido, basura, pesca y qué pasa si alguien no cumple.

POR EJEMPLO "El ganado bebe en la punta de abajo de siete a nueve; en el llanito no entra."

PARA QUE QUEDE Se escribe en asamblea y se pinta en el tablero de la entrada.

¿CÓMO SABEMOS QUE FUNCIONA? Cualquiera que llega puede decir las reglas de memoria, y en un mes no hubo que inventar una regla nueva.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-33**

MÁS IDEAS busca imágenes de «reglamento de uso parque comunitario letrero» · voltea la carta para imaginarla sobre la foto

2 · LA COMUNIDAD CUIDA Y VIGILA 03



La tabla de tramos y horas

En vez de prohibir, decir dónde y cuándo cabe cada uso: aquí bebe el ganado, aquí se pesca, aquí no entran carros, aquí se deja quieto para las aves. Cada tramo con su nombre y su responsable.

POR EJEMPLO Una tabla de madera a la entrada con el dibujo de la orilla partido en tramos de colores.

PARA QUE QUEDE Se revisa cada año en asamblea: el acuerdo se actualiza, no se congela.

¿CÓMO SABEMOS QUE FUNCIONA? El ganado bebe donde dice la tabla y a esas horas; no hay pleitos nuevos por el uso de la orilla en el primer año.


NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-03**

MÁS IDEAS busca imágenes de «mapa pintado zonificación uso comunitario» · voltea la carta para imaginarla sobre la foto

2 · LA COMUNIDAD CUIDA Y VIGILA 04



El plano de lotes de cuidado

La orilla partida en pedazos y, en cada uno, quién lo cuida, cada cuándo y qué gana a cambio. Ninguna pieza se pone sin el nombre de quien la mantiene.

POR EJEMPLO Quien vende los domingos cuida veinte metros alrededor del puesto; la escuela, la vereda al pueblo; el comité del agua, los árboles.

PARA QUE QUEDE Se pone el dibujo de la presa en el suelo y cada pedazo se dice en voz alta: quién, cada cuándo, qué gana.

¿CÓMO SABEMOS QUE FUNCIONA? Cada pedazo de la orilla tiene un nombre escrito, y en un recorrido se ve que los pedazos con nombre están más limpios que antes.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-12**

MÁS IDEAS busca imágenes de «plano de mantenimiento comunitario por tramos» · voltea la carta para imaginarla sobre la foto

REVERSO · 2-02 · EL REGLAMENTO DE OCHO RENGLONES

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-painted wooden sign with eight short lines of text (illegible), about 90 by 120 cm, fixed to two rustic posts at the entrance path. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «reglamento de uso parque comunitario letrero»

REVERSO · 2-01 · EL CONVENIO DE UNA CUARTILLA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a framed one-page handwritten agreement protected by clear plastic, fixed to a rustic wooden board at the entrance of the site. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «convenio comunitario mantenimiento espacio público»

REVERSO · 2-04 · EL PLANO DE LOTES DE CUIDADO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-drawn plan of the shoreline on a large sheet of plywood, divided into numbered plots with names written in each, leaning against a tree near the entrance. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «plano de mantenimiento comunitario por tramos»

REVERSO · 2-03 · LA TABLA DE TRAMOS Y HORAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a wooden board about 1.2 m wide on two posts with a simple hand-painted map of the reservoir shoreline divided into color-coded stretches, near the entrance path. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «mapa pintado zonificación uso comunitario»



El cartel del grupo de cuidado

Quiénes son, qué turno le toca a cada quien (riego, botes, recorrido, reposición), dónde se juntan y la fecha del último turno cumplido.

POR EJEMPLO Un cartel de sesenta por noventa en la tienda, con los nombres y una columna de palomitas por semana.

PARA QUE QUEDE El primer turno se cumple la primera semana; si no se cumple, se sabe en la primera semana y no en la evaluación.

¿CÓMO SABEMOS QUE FUNCIONA? El cartel tiene una palomita por cada semana del mes, y el primer turno se cumplió en la primera semana.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **del curso**

MÁS IDEAS busca imágenes de «rol de turnos comunitario cartel» · voltea la carta para imaginarla sobre la foto



El tablero de la entrada

Un tablero de madera de noventa por ciento veinte en el portal, con los ocho renglones, el plano de lotes, el nombre del lugar y quién arregló qué y cuándo.

POR EJEMPLO Tableros intercambiables colgados de dos barrenos en un horcón de encino, pintados con el color del proyecto.

PARA QUE QUEDE Se pinta en faena; lo que diga el tablero es lo único que cuenta como regla.

¿CÓMO SABEMOS QUE FUNCIONA? La fecha de la última faena en el tablero tiene menos de un mes.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **THO-17 · PIP1-09**

MÁS IDEAS busca imágenes de «tablero de avisos madera rústico entrada parque» · voltea la carta para imaginarla sobre la foto



La bolsa chica anual

En vez de obligar a la faena, convocarla: diez a quince mil pesos al año solo para materiales, con convocatoria pegada en la tienda y fallo leído en asamblea. El trabajo lo pone el grupo que propone.

POR EJEMPLO "Grupo de las bancas: cinco nombres, pide tres mil de madera y pone la mano de obra."

PARA QUE QUEDE El comité no ejecuta: recibe propuestas y reparte. Sin nombres no hay solicitud.

¿CÓMO SABEMOS QUE FUNCIONA? Cada año llegan por lo menos tres propuestas con nombres, y lo que ganó la bolsa está construido y en uso al año siguiente.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **PIP3-13**

MÁS IDEAS busca imágenes de «convocatoria fondo comunitario cartel» · www.pps.org · voltea la carta para imaginarla sobre la foto



La caja chica del lugar

Tablas con el nombre de la familia que cooperó para una banca o una sombra; una cooperación simbólica por usar el asador; un tanto de cada venta en las fiestas. Todo publicado: cuánto entró y en qué se gastó.

POR EJEMPLO Una tabla tallada "Familia Pérez, 2027" en cada mesa, y la hoja de cuentas en el tablero.

PARA QUE QUEDE Lo que la presa genere se queda en la presa, en una cuenta del comité, y solo se gasta en limpiar, reparar y sembrar.

¿CÓMO SABEMOS QUE FUNCIONA? La hoja de cuentas del tablero se actualiza cada mes y lo gastado se ve reparado o sembrado en el sitio.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **PPS-27 · KIC-34**

MÁS IDEAS busca imágenes de «placa de madera tallada donante banca» · voltea la carta para imaginarla sobre la foto

REVERSO · 2-06 · EL TABLERO DE LA ENTRADA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic notice board about 90 by 120 cm made of planks, with a small wooden roof, mounted on a thick oak post at the entrance, with several hand-painted panels hanging on it. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «tablero de avisos madera rústico entrada parque»

REVERSO · 2-05 · EL CARTEL DEL GRUPO DE CUIDADO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-painted duty roster board about 60 by 90 cm with a grid of names and check marks, fixed to the wall of a small rural shop. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «rol de turnos comunitario cartel»

REVERSO · 2-08 · LA CAJA CHICA DEL LUGAR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic wooden picnic table with a small carved wooden plaque fixed to its end showing a family name, under a tree near the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «placa de madera tallada donante banca»

REVERSO · 2-07 · LA BOLSA CHICA ANUAL

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-painted poster on the wall of a village shop announcing a small community fund, with a few people reading it. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «convocatoria fondo comunitario cartel»

Ligero, rápido y barato: ejemplos de Project for Public Spaces · www.pps.org (enlace en l a versión web)



La libreta del cuidador

Dos vueltas al día en temporada, de diez minutos, con rayitas de hombres, mujeres y niños por tramo y una línea de qué se usó y qué no.

POR EJEMPLO "Domingo cuatro de la tarde: llanito, doce personas, cinco mujeres, tres niños; nadie en el vertedor."

PARA QUE QUEDE La hoja del mes se lee en la junta y decide ajustes: mover una sombra, abrir un horario, reponer una mesa.

¿CÓMO SABEMOS QUE FUNCIONA? La libreta tiene dos vueltas anotadas por día de temporada, y en la junta se tomó por lo menos una decisión con ella.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PPS-34**

MÁS IDEAS busca imágenes de «bitácora conteo de visitantes libreta» · voltea la carta para imaginarla sobre la foto



El cuaderno de ideas con encargado

Todo el que proponga algo para la presa tiene a quién decírselo, con nombre y fecha. Vive en la tienda o con quien guarda las sillas.

POR EJEMPLO Un cuaderno con tres columnas: quién, qué propone, qué se le contestó.

PARA QUE QUEDE Se lee en cada junta del comité; lo que no se contesta en un mes se contesta en asamblea.

¿CÓMO SABEMOS QUE FUNCIONA? Cada idea del cuaderno tiene una respuesta escrita en menos de un mes.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PPS-37**

MÁS IDEAS busca imágenes de «buzón de ideas comunitario cuaderno» · voltea la carta para imaginarla sobre la foto



El nombre y el logo del lugar, hechos en taller

El nombre que la gente ya usa, elegido entre los que conviven, y una figura que lo acompañe (el encino viejo, la garza, el vertedor), dibujada por la gente en un taller y tallada o pintada por quien tiene oficio.

POR EJEMPLO Un taller con la escuela: todos dibujan la presa en una figura; se vota; el carpintero la talla en el dintel del portal y el herrero la corta en lámina.

PARA QUE QUEDE Un inventario de nombres con tres mayores, caminando; luego el taller de figuras.

¿CÓMO SABEMOS QUE FUNCIONA? La gente de fuera pregunta por el lugar con ese nombre, y la figura aparece en el portal, el tablero y las camisetas de la fiesta.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WAY-15 · KIC-23 · KIC-19 · WAY-08**

MÁS IDEAS busca imágenes de «logo comunitario tallado en madera portal» · voltea la carta para imaginarla sobre la foto



El calendario de fiestas con responsable

Sobre fechas que ya existen (la patronal, Semana Santa, Muertos, el fin de curso, el día de la faena) más una nueva decidida en asamblea. Cada fecha dice qué se necesita y quién responde.

POR EJEMPLO Pintado en el tablero: "Fiesta del estiaje, abril: lona, luz, basura. Responsable: fulano."

PARA QUE QUEDE La fecha nueva se decide en asamblea; el programa de secas es distinto del de aguas.

¿CÓMO SABEMOS QUE FUNCIONA? Cada fecha del calendario ocurrió, con su responsable presente, y la fecha nueva se repitió al segundo año.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-09 · PPS-23**

MÁS IDEAS busca imágenes de «calendario festivo comunitario pintado» · voltea la carta para imaginarla sobre la foto

REVERSO · 2-10 · EL CUADERNO DE IDEAS CON ENCARGADO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a thick notebook with a hand-lettered cover reading nothing, lying open on the counter of a small rural shop with a pencil. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «buzón de ideas comunitario cuaderno»

REVERSO · 2-09 · LA LIBRETA DEL CUIDADOR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small weatherproof wooden box with a hinged lid fixed to a post, holding a notebook and a pencil on a string, near the entrance of the site. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «bitácora conteo de visitantes libreta»

REVERSO · 2-12 · EL CALENDARIO DE FIESTAS CON RESPONSABLE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a hand-painted annual calendar board with twelve columns and small drawings for festivals, fixed to a wooden notice board at the entrance. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «calendario festivo comunitario pintado»

REVERSO · 2-11 · EL NOMBRE Y EL LOGO DEL LUGAR, HECHOS EN TALLER

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a simple carved wooden emblem about 60 cm wide showing a stylized oak tree over water, fixed to the lintel of a rustic two-post timber gateway. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «logo comunitario tallado en madera portal»



Un adoquín por cada quien cuida

Donde la gente pasa despacio, los nombres de quienes hicieron la obra y de quienes se comprometen a cuidarla, un nombre por adoquín, con espacio libre para los que se sumen después.

POR EJEMPLO Una franja de adoquines en la entrada; el piso queda inconcluso a propósito, y eso mismo es la invitación.

PARA QUE QUEDE Se graba en el mismo colado, con esténcil, una tarde.

¿CÓMO SABEMOS QUE FUNCIONA? Cada año se agregan adoquines con nombres nuevos y ninguno de los primeros está roto o arrancado.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **WAY-10**

MÁS IDEAS busca imágenes de «adoquines con nombres grabados sendero» · voltea la carta para imaginarla sobre la foto



La persona árbitra

Alguien que no sea del ejido, ni del municipio, ni de quienes venden, con una sola función: cuando dos partes se traben, convoca en tres días, escucha a cada una y devuelve una propuesta escrita.

POR EJEMPLO El nombre se escribe en el convenio y en el tablero; se cambia cada año si la asamblea quiere.

PARA QUE QUEDE Se pregunta en asamblea, en papelito: ¿a quién le tendrían confianza para que oiga a los dos?

¿CÓMO SABEMOS QUE FUNCIONA? Hubo por lo menos un pleito que se resolvió con su propuesta escrita sin llegar a la asamblea.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **PIP1-06**

MÁS IDEAS busca imágenes de «mediación comunitaria conflicto espacio público» · voltea la carta para imaginarla sobre la foto



Un cuidador con sueldo, gestionado con el municipio

Un acuerdo con el ayuntamiento para pagar un jornal a una persona del pueblo que haga el recorrido, vacíe los botes, abra y cierre la tranca y lleve la libreta. La faena sostiene lo demás; lo diario necesita a alguien pagado.

POR EJEMPLO Un oficio a Servicios Públicos u Obras: tres días a la semana en temporada, con la libreta del cuidador como comprobante.

PARA QUE QUEDE Se pide desde la semana 8, junto con el oficio de quién tiene la orilla a su cargo; se negocia que el pago salga del gasto corriente del municipio, no del proyecto.

¿CÓMO SABEMOS QUE FUNCIONA? Hay un recibo o nómina del municipio a nombre del cuidador y la libreta tiene sus vueltas anotadas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **propuesta sin ficha** · KIC-33 · PPS-07 · vacío 9

MÁS IDEAS busca imágenes de «guardaparques comunitario cuidador espacio público» · voltea la carta para imaginarla sobre la foto

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

REVERSO · 2-14 · LA PERSONA ÁRBITRA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert two wooden chairs facing each other under a large oak tree near the shore, with a third chair between them. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «mediación comunitaria conflicto espacio público»

REVERSO · 2-13 · UN ADOQUÍN POR CADA QUIEN CUIDA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a strip of square concrete pavers set into the ground along the entrance path, each paver with a short carved name (illegible), some pavers still blank. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «adoquines con nombres grabados sendero»

REVERSO · IDEA NUEVA · 2

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · 2-15 · UN CUIDADOR CON SUELDO, GESTIONADO CON EL MUNICIPIO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a person in a wide-brimmed hat and work clothes walking along the shoreline path carrying a small notebook and a rake, with a lidded trash drum behind. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.


OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «guardaparques comunitario cuidador espacio público»

3 · RECREACIÓN PARA LAS EDADES 01



Juego en el paisaje

Troncos de la limpia acostados y anclados, piedras grandes para trepar y sentarse, un montículo de tierra. Los niños prefieren eso a los aparatos: más libertad y menos reglas.

POR EJEMPLO Tres troncos de encino anclados con estaca, cinco piedras de medio metro y un montículo de un metro en el llanito, lejos del agua.

PARA QUE QUEDE Todo material del sitio; se repara en faena. Primero tres domingos de prueba con troncos y cuerdas prestados.

¿CÓMO SABEMOS QUE FUNCIONA? Un domingo se cuentan niños jugando ahí más de veinte minutos seguidos, de varias edades a la vez.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-15 · KIC-21**

MÁS IDEAS busca imágenes de «natural playground troncos piedras juego en el paisaje» · www.pps.org · voltea la carta para imaginarla sobre la foto

3 · RECREACIÓN PARA LAS EDADES 02



Columpios frente al agua

El único aparato: columpios de cadena sobre horcones de encino o cedro, mirando al agua, arriba de la raya roja. Es lo que más pidió la consulta y el imán que hace visible el cambio.

POR EJEMPLO Tres columpios en un marco de horcones de tres metros, con asiento de llanta o tablón, a quince pasos de la sombra.

PARA QUE QUEDE Un herrero del pueblo suelda los ganchos; se revisan cada mes.

¿CÓMO SABEMOS QUE FUNCIONA? Los columpios están en uso casi todas las tardes y las cadenas y ganchos pasan la revisión mensual sin falla.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **de la consulta** · ficha PPS-19

MÁS IDEAS busca imágenes de «columpios de madera rústicos frente al lago» · voltea la carta para imaginarla sobre la foto

3 · RECREACIÓN PARA LAS EDADES 03



El límite hacia lo hondo

Lo que sí necesita obra formal: una barrera de plantas densa y una señal visible donde empieza lo hondo, decidida con las madres. Y la regla: todo lo pintado de azul queda del lado del agua.

POR EJEMPLO Una hilera de carrizo y sauce con un poste azul cada diez metros donde el fondo cae.

PARA QUE QUEDE Se marca después del dato de profundidad; mientras, se dibuja en otro color.

¿CÓMO SABEMOS QUE FUNCIONA? Los niños juegan de este lado de la barrera, y las madres dicen que saben dónde empieza lo hondo.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-15 · WAY-05**

MÁS IDEAS busca imágenes de «señalización zona profunda orilla postes» · voltea la carta para imaginarla sobre la foto

3 · RECREACIÓN PARA LAS EDADES 04



El abecedario de la presa en placas

Veinte placas de concreto de treinta por treinta con la silueta en relieve de un pez, un ave, una planta o una huella, y su nombre como le dicen aquí, al ras de la vereda. Las más llamativas van al extremo menos visitado.

POR EJEMPLO La mojarra, la garza, el encino, la huella del mapache; molde de madera, coladas en faena por tandas.

PARA QUE QUEDE La lista se coteja con quien conoce las especies: treinta tarjetas y “aparte los que no hay aquí”.

¿CÓMO SABEMOS QUE FUNCIONA? Los niños van de placa en placa hasta el extremo menos visitado, y saben decir el nombre de aquí de cinco animales.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WAY-09**

MÁS IDEAS busca imágenes de «placas de concreto en relieve sendero interpretativo» · voltea la carta para imaginarla sobre la foto

REVERSO · 3-02 · COLUMPIOS FRENTE AL AGUA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic swing set made of three thick timber posts about 3 m high with a crossbeam, holding three chain swings with plank seats, facing the water from the grassy area above the shoreline. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «columpios de madera rústicos frente al lago»

REVERSO · 3-01 · JUEGO EN EL PAISAJE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a natural play area on the flat grassy area: three large oak logs about 4 m long lying on the ground and anchored with stakes, five big boulders arranged for climbing, and a low grassy mound about 1 m high, far from the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «natural playground troncos piedras juego en el paisaje»
Cinco proyectos ligeros que inspiran (PPS) · www.pps.org (enlace en la versión web)

REVERSO · 3-04 · EL ABECEDARIO DE LA PRESA EN PLACAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert square concrete paving plaques about 30 by 30 cm set flush into the earth footpath every few meters, each with a simple relief silhouette of a fish, a heron, an oak leaf or an animal footprint. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «placas de concreto en relieve sendero interpretativo»

REVERSO · 3-03 · EL LÍMITE HACIA LO HONDO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a dense low hedge of reeds and willow shrubs along the shoreline with short wooden posts about 1 m high painted blue every 10 m, marking where the water gets deep. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «señalización zona profunda orilla postes»



Tres recorridos con tres colores

En vez de “el sendero”, tres vueltas de veinte a cuarenta minutos desde el mismo acceso: el del agua y las aves, el del trabajo (abrevadero, carrizal, milpa) y el de los sentidos, el más corto y plano.

POR EJEMPLO Postes con la tapa pintada de tres colores; el de los sentidos con tres paradas para oír, oler y tocar.

PARA QUE QUEDE Se caminan con mayores y con niños antes de marcarlos.

¿CÓMO SABEMOS QUE FUNCIONA? Quien llega se queda más de una hora en vez de veinte minutos, y los tres recorridos tienen huella de uso.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PIP1-15**

MÁS IDEAS busca imágenes de «postes señalización senderos colores» · voltea la carta para imaginarla sobre la foto



El juego de pistas de la memoria

Seis estaciones con placas de madera quemada, sin internet: cada una lleva una pregunta que solo sabe alguien del pueblo y remite a la siguiente.

POR EJEMPLO “¿En qué año llegó el agua hasta este tronco?” “¿Qué ave grita al atardecer?” “¿Dónde estaba el vado viejo?”

PARA QUE QUEDE Las respuestas se recogen entrevistando a los mayores: esa entrevista es el juego.

¿CÓMO SABEMOS QUE FUNCIONA? Los visitantes completan las seis estaciones y dejan la respuesta en el cuaderno; las placas no han sido arrancadas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PIP1-14**

MÁS IDEAS busca imágenes de «placas de madera quemada pirograbado sendero» · voltea la carta para imaginarla sobre la foto



La columna que mide el agua y a la gente

Un poste de cuatro metros donde el agua toca la vereda, con metros de un lado y las siluetas de un niño y un adulto del otro, para leer “hasta aquí me llega”, y marcas con año de las crecidas.

POR EJEMPLO Poste de madera tratada pintado en faena; cada año se graba el nivel que alcanzó el agua.

PARA QUE QUEDE Se planta en blanco y la gente marca con gis hasta dónde llegó el agua el año que más subió.

¿CÓMO SABEMOS QUE FUNCIONA? Cada año tiene su marca con fecha en la columna, y los niños se paran junto a ella a medirse.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WAY-14**

MÁS IDEAS busca imágenes de «regla de nivel de agua poste pintado» · voltea la carta para imaginarla sobre la foto



Un lugar cómodo para pescar

En el punto donde ya se pesca, un piso de piedra plana y un escalón bajo entre las dos rayas, para sentarse con la caña sin resbalar. Es piedra suelta acomodada, que la crecida no vuelve dique.

POR EJEMPLO Dos metros de laja en la punta de abajo, con un tronco anclado de respaldo arriba de la raya roja.

PARA QUE QUEDE Se pregunta a los pescadores dónde se paran hoy y a qué hora.

¿CÓMO SABEMOS QUE FUNCIONA? Los pescadores usan el piso de laja en vez de la orilla pelada, y después de las lluvias la laja sigue en su lugar.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **de la consulta** · ficha THO-06

MÁS IDEAS busca imágenes de «plataforma de piedra para pesca orilla» · voltea la carta para imaginarla sobre la foto

REVERSO · 3-06 · EL JUEGO DE PISTAS DE LA MEMORIA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small plaque of dark burnt wood about 30 by 20 cm fixed to a rustic post at the edge of the path near a large old tree, with a short burned-in text (illegible). Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «placas de madera quemada pirograbado sendero»

REVERSO · 3-05 · TRES RECORRIDOS CON TRES COLORES

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three short rustic wooden marker posts about 1.2 m high standing together at a path junction, each with its top painted a different color (blue, ochre, green), with three narrow earth paths leading away. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «postes señalización senderos colores»

REVERSO · 3-08 · UN LUGAR CÓMODO PARA PESCAR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small platform of flat local stone slabs about 2 by 2 m set into the shoreline at water level, with a low step of stacked stone and an anchored log behind it as a backrest. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «plataforma de piedra para pesca orilla»

REVERSO · 3-07 · LA COLUMNA QUE MIDE EL AGUA Y A LA GENTE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a tall wooden post about 4 m high standing at the water's edge, painted with a metric scale on one side and simple painted silhouettes of a child and an adult on the other, with a few horizontal marks and years. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «regla de nivel de agua poste pintado»



Muelle flotante, solo con el dato

Si el agua lo permite, un muelle que sube y baja con el nivel, anclado a la orilla, en vez de uno fijo que la crecida se lleva. Se dibuja en otro color hasta que llegue el dato.

POR EJEMPLO Tarima de tres por seis sobre tambos, con pasarela articulada y barandal donde pase de setenta y seis centímetros.

PARA QUE QUEDE Antes: calidad del agua, profundidad del fondo y acuerdo con protección civil.

¿CÓMO SABEMOS QUE FUNCIONA? El muelle sigue flotando y anclado después de la primera crecida y la primera seca, y nadie lo usa de trampolín.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **de la consulta** · ficha PIP3-05 · WET-13

MÁS IDEAS busca imágenes de «muelle flotante casero tambos madera» · voltea la carta para imaginarla sobre la foto



Agua somera con fondo de grava

Cuando llegue el dato: un tramo de agua baja con fondo de grava, acceso claro, zona segura boyada y alguien que sepa rescatar. Antes del dato, fuera del presupuesto.

POR EJEMPLO Veinte metros de orilla en la punta, con boyas de garrafón y una tabla con la regla de uso.

PARA QUE QUEDE El equipo pide el dato en tres partes: laboratorio, fondo, protección civil.

¿CÓMO SABEMOS QUE FUNCIONA? Las familias se meten solo dentro de las boyas, hay alguien del grupo de cuidado en la orilla los domingos, y no ha habido sustos.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **KIC-15 · vacío 3**

MÁS IDEAS busca imágenes de «zona de nado boyas lago fondo de grava» · voltea la carta para imaginarla sobre la foto

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 3 · RECREACIÓN PARA LAS EDADES +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

REVERSO · 3-10 · AGUA SOMERA CON FONDO DE GRAVA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a shallow swimming area along the shore: clear gravel bottom visible under the water, a line of white floating buoys made of plastic jugs on a rope about 15 m out, and a stone-paved entry into the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «zona de nado boyas lago fondo de grava»

REVERSO · 3-09 · MUELLE FLOTANTE, SOLO CON EL DATO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a simple floating wooden dock about 3 by 6 m made of planks over plastic drums, connected to the shore by a short hinged timber gangway, with a low timber railing. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the width of the water and the trees on the far shore as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «muelle flotante casero tambos madera»

REVERSO · IDEA NUEVA · 3

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · IDEA NUEVA · 3

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

4 · SEGURO Y LIMPIO 01



Vereda angosta con bordo de piedra

De sesenta a noventa centímetros, de tierra compactada con un bordo de piedra del sitio, arriba de la raya roja, hecha por tramos en faena con un responsable por tramo.

POR EJEMPLO Trescientos metros del acceso a la punta, en seis tramos de cincuenta, cada uno con su nombre.

PARA QUE QUEDE Se sigue la vereda que la gente ya pisó, no una nueva; las bajadas viejas se cierran.

¿CÓMO SABEMOS QUE FUNCIONA? La gente camina por la vereda y no por el monte; después de las lluvias no hay surcos ni charcos en ella.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-25 · PPS-14**

MÁS IDEAS busca imágenes de «sendero de tierra con bordo de piedra» · voltea la carta para imaginarla sobre la foto

4 · SEGURO Y LIMPIO 02



Un tramo plano de metro ochenta

De la explanada a la primera sombra, un solo tramo en plano por donde pase una silla de ruedas o una carriola. Pesa doble para personas mayores y familias con niños chicos.

POR EJEMPLO Ciento cincuenta metros con pendiente menor al cinco por ciento, de finos de trituradora humedecidos y compactados.

PARA QUE QUEDE Se verifica con nivel antes de compactar.

¿CÓMO SABEMOS QUE FUNCIONA? Una persona en silla de ruedas y una carriola recorren el tramo sin ayuda, y en lluvias no se enloda.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-25 · PIP1-09**

MÁS IDEAS busca imágenes de «sendero accesible silla de ruedas grava compactada» · voltea la carta para imaginarla sobre la foto

4 · SEGURO Y LIMPIO 03



Líneas de vista abiertas

Que desde la entrada se vea el agua, y desde la sombra grande se vean la entrada, la vereda al pueblo y el tramo donde se meten los niños. Árboles de copa alta y nada de bardas ciegas.

POR EJEMPLO Se rozan los tres huecos de matorral que tapan la vista del llanito al vertedor.

PARA QUE QUEDE Se verifica parado en la ramada, no en el plano.

¿CÓMO SABEMOS QUE FUNCIONA? Parado en la sombra grande se ven la entrada, la vereda y donde se meten los niños sin moverse del lugar.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-11**

MÁS IDEAS busca imágenes de «visibilidad despeje de matorral seguridad parque» · voltea la carta para imaginarla sobre la foto

4 · SEGURO Y LIMPIO 04



La tabla de “quién arregló qué”

El mantenimiento a la vista hace sentir más seguridad que una caseta: bancas enteras, señales enteras y una tabla en la entrada con la fecha de la última faena.

POR EJEMPLO “Quince de marzo: se repuso la banca tres. Grupo de las bancas.”

PARA QUE QUEDE Se actualiza en cada faena, antes de guardar la herramienta.

¿CÓMO SABEMOS QUE FUNCIONA? La última fecha de la tabla tiene menos de un mes y no hay bancas ni señales rotas a la vista.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PIP1-09**

MÁS IDEAS busca imágenes de «registro de mantenimiento comunitario tablero» · voltea la carta para imaginarla sobre la foto

REVERSO · 4-02 · UN TRAMO PLANO DE METRO OCHENTA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a wide level path about 1.8 m wide of compacted fine crushed stone, edged with local rocks, leading from the flat entrance area toward a shaded spot, gently graded. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «sendero accesible silla de ruedas grava compactada»

REVERSO · 4-01 · VEREDA ANGOSTA CON BORDO DE PIEDRA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a narrow compacted earth footpath about 80 cm wide edged on both sides with a single line of local limestone rocks, following the shoreline a few meters above the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «sendero de tierra con bordo de piedra»

REVERSO · 4-04 · LA TABLA DE "QUIÉN ARREGLÓ QUÉ"

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small hand-painted wooden board about 60 by 90 cm with a list of dates and short lines (illegible), fixed to the post of a rustic gateway. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «registro de mantenimiento comunitario tablero»

REVERSO · 4-03 · LÍNEAS DE VISTA ABIERTAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert the view from the shaded gathering area toward the water, with low thorny scrub cleared away so the shoreline and the entrance path are clearly visible between tall trees with high canopies. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «visibilidad despeje de matorral seguridad parque»



Botes con tapa, solo con ruta

Ningún bote se instala sin una ruta de recolección por escrito. Mientras no la haya: "lo que traes, te lo llevas", en el tablero y repetido por quien vende.

POR EJEMPLO Tres tambos con tapa en el nodo, con el nombre de quien los vacía; el municipio comprometido cada martes.

PARA QUE QUEDE Primero el acuerdo escrito con el municipio o el comité; luego el bote.


¿CÓMO SABEMOS QUE FUNCIONA? La basura del lunes, contada con la misma hoja, baja respecto de la línea base, y los botes nunca están desbordados.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **de la consulta** · ficha KIC-33

MÁS IDEAS busca imágenes de «botes de basura tambos pintados parque rural» · voltea la carta para imaginarla sobre la foto



Un solo poste de señal, repetido

Horcón de encino descortezado, con dos barrenos a altura fija para colgar tableros de tres tamaños. Resuelve dirección, nombre de área y regla de uso. Nada de concreto donde llega el agua.

POR EJEMPLO Doce horcones iguales; tableros de lámina pintada que se descuelgan en lluvias.

PARA QUE QUEDE Primero se cuenta dónde la gente duda o pregunta; solo ahí va señal.


¿CÓMO SABEMOS QUE FUNCIONA? Los visitantes llegan a la sombra y a los recorridos sin preguntar, y ningún poste quedó bajo el agua en la crecida.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **WAY-01 · WAY-02**

MÁS IDEAS busca imágenes de «poste de señalización madera rústica sendero» · voltea la carta para imaginarla sobre la foto



La franja que brilla en la oscuridad

Sobre el bordo de la vereda, del lado del agua, una franja de pintura fotoluminiscente de tres centímetros que se carga con el sol y marca el filo al anochecer, sin luz eléctrica ni recibo.

POR EJEMPLO Veinte metros de prueba; se cita a la gente a las ocho de la noche a verla en el sitio.

PARA QUE QUEDE Casi siempre lo que falta no es luz: es ver el filo.

¿CÓMO SABEMOS QUE FUNCIONA? A las ocho de la noche la franja se ve desde diez pasos y la gente dice que se anima a quedarse hasta el oscurecer.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **de la consulta** · ficha WAY-04

MÁS IDEAS busca imágenes de «pintura fotoluminiscente sendero borde» · voltea la carta para imaginarla sobre la foto



Lámpara solar, solo en el nodo

Si se ilumina, se ilumina únicamente la sombra grande y los primeros cincuenta metros de vereda, con lámparas solares que no cobran recibo. Nunca la orilla completa, que es de las aves.

POR EJEMPLO Dos lámparas solares de poste en el nodo y una en el portal.

PARA QUE QUEDE Se decide después de la prueba de la franja que brilla, no antes.

¿CÓMO SABEMOS QUE FUNCIONA? Las lámparas prenden solas al oscurecer todos los días del mes, y la orilla sigue a oscuras para las aves.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — **de la consulta** · ficha THO-10

MÁS IDEAS busca imágenes de «lámpara solar poste parque rural» · voltea la carta para imaginarla sobre la foto

REVERSO · 4-06 · UN SOLO POSTE DE SEÑAL, REPETIDO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic debarked oak post about 2 m high with two small painted metal signboards hanging from pegs, one with an arrow, standing at the edge of the footpath. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «poste de señalización madera rústica sendero»

REVERSO · 4-05 · BOTES CON TAPA, SOLO CON RUTA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three metal drums painted a single teal color with hinged lids, mounted on a low wooden stand under a tree near the gathering area. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «botes de basura tambos pintados parque rural»

REVERSO · 4-08 · LÁMPARA SOLAR, SOLO EN EL NODO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert two solar-powered lamp posts about 4 m high with a small panel on top, standing at the edge of the shaded gathering area, the rest of the shoreline left dark. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «lámpara solar poste parque rural»

REVERSO · 4-07 · LA FRANJA QUE BRILLA EN LA OSCURIDAD

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert the stone edge of a footpath along the shoreline at dusk, with a thin glowing pale-green photoluminescent painted stripe along the rocks on the water side. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.


RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «pintura fotoluminiscente sendero borde»



El portal de dos horcones

Dos horcones de encino o cedro con dintel donde el camino cruza el límite, con el nombre tallado y el tablero de reglas. Sin umbral el visitante no sabe si ya llegó ni dónde leer las reglas.

POR EJEMPLO Horcones de veinticinco centímetros y tres metros y medio, visibles desde el camino, la vereda del pueblo y el sendero.

PARA QUE QUEDE Un segundo umbral de dos piedras paradas donde la vereda toca el agua.

¿CÓMO SABEMOS QUE FUNCIONA? Quien llega se detiene en el portal, lee el tablero y dice el nombre del lugar.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-17**

MÁS IDEAS busca imágenes de «portal de madera rústico entrada parque» · voltea la carta para imaginarla sobre la foto



Pasito de madera donde la vereda cruza el agua

Donde baja un escurrimiento, una alcantarilla de madera rectangular, a nivel, que se limpia con pala. No un tubo, que se tapa en semanas y concentra el chorro.

POR EJEMPLO Claro de ochenta centímetros, abertura de cincuenta, forrada con piedra del sitio.

PARA QUE QUEDE Los escurrimientos se marcan con estaca en lluvias; alguien se compromete a limpiarlos cada año.

¿CÓMO SABEMOS QUE FUNCIONA? Después de las lluvias el pasito sigue en su lugar, el agua pasa por debajo y la vereda no se cortó.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WET-08**

MÁS IDEAS busca imágenes de «alcantarilla de madera sendero drenaje» · voltea la carta para imaginarla sobre la foto



Vado ancho para los animales

Donde cruza el ganado, el paso se hace ancho (sesenta centímetros o más) y de fondo plano, para que el animal pise adentro y no se quiebre una pata.

POR EJEMPLO Un vado de piedra en el abrevadero de la punta de abajo, separado del paso de la gente.

PARA QUE QUEDE Se acuerda con los ganaderos por dónde bajan y a qué horas.


¿CÓMO SABEMOS QUE FUNCIONA? El ganado baja por el vado y no por la orilla cercada; ningún animal se ha lastimado en el paso.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **WET-09**

MÁS IDEAS busca imágenes de «vado empedrado paso de ganado» · voltea la carta para imaginarla sobre la foto



Tranca y guardaganado hacia el vertedor

Una tranca de madera que se abre con llave y un guardaganado de rieles en la brecha que lleva al vertedor: los carros se quedan en la explanada, el ganado baja solo por su paso, y la gente cruza a pie. Un motor a treinta metros arruina lo que la gente platicando no arruina.

POR EJEMPLO Tranca de dos hojas de cedro entre horcones de encino, con guardaganado de riel de tres metros y candado en manos del cuidador.

PARA QUE QUEDE Se acuerda en asamblea quién tiene la llave y cuándo se abre (faena, fiesta, emergencia).

¿CÓMO SABEMOS QUE FUNCIONA? Los domingos no hay vehículos entre la gente y el agua, el ganado no entra al vertedor, y la tranca tiene su candado puesto.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA **de la consulta** · ficha PIP3-17 · KIC-03 · PIP3-05

MÁS IDEAS busca imágenes de «tranca de madera guardaganado camino rural» · voltea la carta para imaginarla sobre la foto

REVERSO · 4-10 · PASITO DE MADERA DONDE LA VEREDA CRUZA EL AGUA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a short low timber footbridge about 1.5 m long over a small drainage channel lined with stones, flush with the earth path, made of treated planks on two timber sills. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «alcantarilla de madera sendero drenaje»

REVERSO · 4-09 · EL PORTAL DE DOS HORCONES

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic gateway of two thick oak posts about 3.5 m high with a carved timber lintel, standing where the dirt road enters the site, with a wooden notice board on the right post. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «portal de madera rústico entrada parque»

REVERSO · 4-12 · TRANCA Y GUARDAGANADO HACIA EL VERTEDOR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a rustic double-leaf wooden gate between two thick oak posts across the dirt track leading toward the concrete spillway, with a cattle guard of steel rails set into the ground in front of it. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the concrete spillway wall and the width of the dirt track as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «tranca de madera guardaganado camino rural»

REVERSO · 4-11 · VADO ANCHO PARA LOS ANIMALES

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a wide shallow stone-paved ford about 1 m wide with a flat bottom crossing a small drainage channel near the shore, with hoof prints in the mud beside it. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «vado empedrado paso de ganado»

4 · SEGURO Y LIMPIO 13



Lavapiés de piedra donde la vereda toca el agua

Un tramo de piedra plana donde la gente sube del agua, para que el lodo no se quede en la madera o en la tierra y la vuelva resbalosa todo el año.

POR EJEMPLO Dos metros de laja al pie de la bajada, antes de cualquier tablón.

PARA QUE QUEDE Se hace antes que todo lo de madera.

¿CÓMO SABEMOS QUE FUNCIONA? La bajada no está enlodada en lluvias y nadie se ha resbalado en ese tramo.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **WET-16**

MÁS IDEAS busca imágenes de «piso de laja acceso al agua» · voltea la carta para imaginarla sobre la foto

4 · SEGURO Y LIMPIO 14



Sanitario seco de doble cámara

Si llegan visitantes, un sanitario seco de dos cámaras, dimensionado por usuarios y con quien lo atienda por escrito. Un domingo de doscientos sin baño degrada la orilla más que cualquier obra.

POR EJEMPLO Caseta de dos por tres arriba de la raya roja, en el nodo, con el nombre de quien lo cuida en el tablero.

PARA QUE QUEDE Hace falta un manual de saneamiento rural: ningún libro del banco lo cubre.

¿CÓMO SABEMOS QUE FUNCIONA? El sanitario está limpio y sin olor un domingo a mediodía, y no hay papel ni excremento en el monte alrededor.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **vacío 4**

MÁS IDEAS busca imágenes de «sanitario seco ecológico caseta adobe» · slp.gob.mx · voltea la carta para imaginarla sobre la foto

4 · SEGURO Y LIMPIO 15



Puente peatonal sobre el vertedor

Un puente de madera tratada que cruce el canal del vertedor apoyado en los muros de concreto que ya existen, sin pilas dentro del canal, con el piso arriba de la marca de la crecida mayor y barandal con travesaño bajo para que no se cuele un niño.

POR EJEMPLO Claro de seis metros, piso de dos tablones de ancho (1.20 m), barandal de 1.07 m con travesaño a 38 cm, vigas de pino tratado ancladas a los muros con varilla y herraje galvanizado.

PARA QUE QUEDE Primero se mide el claro y la altura de la crecida con la gente; un carpintero del pueblo arma las vigas en el taller y se montan en seca.

¿CÓMO SABEMOS QUE FUNCIONA? Después de la primera crecida el puente sigue en su sitio sin ramas atoradas, y la gente cruza por él en vez de brincar los muros.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **propuesta sin ficha** · WET-13 · WET-14 · WET-10 · WET-18

MÁS IDEAS busca imágenes de «puente peatonal de madera sobre canal vertedor» · voltea la carta para imaginarla sobre la foto

IDEA NUEVA · 4 · SEGURO Y LIMPIO +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

REVERSO · 4-14 · SANITARIO SECO DE DOBLE CÁMARA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small dry composting toilet hut about 2 by 3 m with adobe walls, a timber door and a pitched clay tile roof, raised on a stone base, set among trees above the shoreline. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «sanitario seco ecológico caseta adobe»
Manual de baño seco (SEGAM, San Luis Potosí) · slp.gob.mx (enlace en la versión web)

REVERSO · 4-13 · LAVAPIÉS DE PIEDRA DONDE LA VEREDA TOCA EL AGUA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small apron of flat limestone slabs about 2 by 2 m set into the ground where the footpath meets the water's edge. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «piso de laja acceso al agua»

REVERSO · IDEA NUEVA · 4

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · 4-15 · PUENTE PEATONAL SOBRE EL VERTEDOR

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a simple timber footbridge about 6 m long and 1.2 m wide spanning the concrete spillway channel, resting on the existing concrete walls with no supports inside the channel, with a rustic timber railing about 1 m high with a low middle rail. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the concrete spillway walls and the width of the channel in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «puente peatonal de madera sobre canal vertedor»

5 · CONVIVENCIA Y DESCANSO 01



El muro bajo que sienta y contiene

Un muro de piedra del lugar, de cuarenta y cinco centímetros de alto y de ancho, siguiendo el borde del lado que mira al agua. La gente se pega al borde y busca espalda y vista; si el borde no ofrece dónde quedarse, el lugar se vuelve pasillo.

POR EJEMPLO Treinta metros de muro en el borde del llanito, con la piedra grande abajo y la cara de arriba asentada con mezcla para que quede pareja; sirve de asiento y contiene el suelo.

PARA QUE QUEDE Faena de piedra por tramos, con lista y foto; un albañil asienta la cara superior.

¿CÓMO SABEMOS QUE FUNCIONA? Un domingo por la tarde hay gente sentada en el muro, y después de las lluvias ninguna piedra se soltó.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-06**

MÁS IDEAS busca imágenes de «muro bajo de piedra asiento borde explanada» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 02



Bancas durables de piedra y madera tratada

Bancas que aguanten sol, lluvia y uso sin que nadie las repare cada año: base de piedra o concreto del lugar, asiento y respaldo de madera tratada a presión, herraje galvanizado. Con la espalda al camino y la vista al agua, bajo sombra.

POR EJEMPLO Seis bancas de 2.40 m: dos bases de piedra asentada, tablones de pino tratado (duran unos treinta años) atornillados con pija galvanizada; también sirven las de concreto con acabado de piedra.

PARA QUE QUEDE Van donde la prueba de los domingos mostró que la gente se paró aunque no hubiera dónde sentarse.

¿CÓMO SABEMOS QUE FUNCIONA? A los dos años las seis bancas están enteras, sin tablones podridos ni flojos, y un domingo por la tarde están ocupadas.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-06 · WET-18**

MÁS IDEAS busca imágenes de «banca de piedra y madera tratada parque» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 03



Escalones anchos entre las dos rayas

Dos o tres bermas de piedra de cuarenta centímetros entre la raya de creciente y la de estiaje: cuando el agua baja, el de abajo queda de asiento con los pies en el agua; cuando sube, el de arriba sigue sirviendo.

POR EJEMPLO Tres escalones de piedra suelta acomodada en la punta, donde ya se sienta la gente a ver el agua.

PARA QUE QUEDE Es la única pieza que va entre las rayas, porque la crecida no la vuelve dique.

¿CÓMO SABEMOS QUE FUNCIONA? En secas hay gente sentada en el escalón de abajo con los pies en el agua; después de la crecida los escalones siguen ahí.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-06**

MÁS IDEAS busca imágenes de «escalinata de piedra orilla lago asiento» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 04



Ramada durable: cedro o acero con teja o lámina

Una sombra que dure veinte años sin cambiar el techo cada tres: horcones de cedro tratado o postes de acero galvanizado anclados en dado de concreto, techo de lámina galvanizada pintada o de teja de barro, cuatro por cinco metros, faldón bajado al poniente para cortar el sol de tres a seis.

POR EJEMPLO Seis postes, altura libre de 2.40 m, techo a dos aguas con alero de un metro; en el punto que la prueba haya confirmado, arriba de la raya roja.

PARA QUE QUEDE Tres domingos de prueba con una ramada prestada antes de construirla; luego herrero o carpintero del pueblo.

¿CÓMO SABEMOS QUE FUNCIONA? A las tres de la tarde de un domingo hay gente debajo, y después de las lluvias y los vientos de marzo el techo no perdió una lámina.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-29 · KIC-21 · WET-18**

MÁS IDEAS busca imágenes de «palapa durable teja de barro postes madera» · www.pps.org · voltea la carta para imaginarla sobre la foto

REVERSO · 5-02 · BANCAS DURABLES DE PIEDRA Y MADERA TRATADA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a sturdy bench about 2.4 m long with two bases of mortared local stone and a seat and backrest of thick treated timber planks, placed under a large tree facing the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «banca de piedra y madera tratada parque»

REVERSO · 5-01 · EL MURO BAJO QUE SIENTA Y CONTIENE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a low wall of local limestone about 45 cm high and 45 cm wide with a flat mortared top, running about 30 m along the edge of the flat grassy area facing the water, used as a long bench. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «muro bajo de piedra asiento borde explanada»

REVERSO · 5-04 · RAMADA DURABLE: CEDRO O ACERO CON TEJA O LÁMINA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert an open-sided shade shelter about 4 by 5 m with six sturdy posts of treated cedar timber and a pitched roof of clay tiles with a wide overhang on the west side, standing on the flat grassy area above the shoreline. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «palapa durable teja de barro postes madera»

REVERSO · 5-03 · ESCALONES ANCHOS ENTRE LAS DOS RAYAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three broad terraced steps of loose stacked local stone, each about 40 cm high and 1 m deep, descending the bank to the water's edge, the lowest step touching the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «escalinata de piedra orilla lago asiento»

5 · CONVIVENCIA Y DESCANSO 05



Sol y sombra a cinco pasos

Al lado de la ramada, y no debajo, dos bancas al descubierto para los meses fríos. La gente sigue el sol en el día y en el año. Si hace falta más sombra, tres ramadas chicas, no una techumbre continua.

POR EJEMPLO Dos bancas al sol a cinco pasos de la ramada, del lado del oriente.

PARA QUE QUEDE Se verifica la sombra en el sitio a las diez, a las dos y a las cinco.

¿CÓMO SABEMOS QUE FUNCIONA? En diciembre la gente se sienta en las bancas al sol; en mayo, en las de la sombra.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **KIC-29**

MÁS IDEAS busca imágenes de «bancas al sol junto a sombra plaza» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 06



Sillas apilables y mesas plegables, con bodega

En vez de bancas de concreto: la gente las agrupa en círculo para comer en familia. Exigen bodega y alguien con nombre que las saque y las guarde. Sin encargado, no se compran.

POR EJEMPLO Veinte sillas y cuatro mesas en un cuarto de dos por tres con candado, a cargo del comité.

PARA QUE QUEDE El nombre del encargado va en el tablero de la entrada.

¿CÓMO SABEMOS QUE FUNCIONA? Las sillas regresan a la bodega cada tarde; al año no falta ninguna.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **KIC-29**

MÁS IDEAS busca imágenes de «bodega de sillas plegables parque comunitario» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 07



Malla sombra sobre tubo, la primera sombra

Material agrícola corriente en la región: barata, desmontable antes de las crecidas y reparable en el pueblo. Es la sombra de la temporada de prueba, mientras se construye la ramada durable.

POR EJEMPLO Cuatro por cuatro de malla al ochenta por ciento sobre tubo galvanizado, en el mismo punto donde después irá la ramada.

PARA QUE QUEDE Se guarda en la bodega cada temporada de lluvias.

¿CÓMO SABEMOS QUE FUNCIONA? Tres domingos seguidos hay gente debajo de la malla, y el cuaderno dice dónde se sentó.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **PPS-26**

MÁS IDEAS busca imágenes de «malla sombra estructura tubo galvanizado» · www.pps.org · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 08



Un nodo, no piezas regadas

Sombra, asiento, puesto de comida y juego de niños a pasos uno del otro, en un radio de cuarenta metros, para que cada pieza le dé gente y ojos a las demás. El resto de la orilla se queda simple.

POR EJEMPLO En el llanito: ramada, muro-asiento, dos bases de puesto y los columpios, todo a menos de cuarenta pasos.

PARA QUE QUEDE Se dibuja el círculo de cuarenta metros sobre la foto antes de poner nada.

¿CÓMO SABEMOS QUE FUNCIONA? Un domingo, desde la ramada se ven ocupados el muro, el puesto y los columpios al mismo tiempo.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA — ficha **PPS-05 · THO-10**

MÁS IDEAS busca imágenes de «nodo de actividades plaza rural sombra puesto juegos» · www.pps.org · voltea la carta para imaginarla sobre la foto

REVERSO · 5-06 · SILLAS APILABLES Y MESAS PLEGABLES, CON BODEGA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a small lockable storage shed about 2 by 3 m with stone walls and a tin roof next to the shade shelter, with stacked plastic chairs and folding tables visible through its open door. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «bodega de sillas plegables parque comunitario»

REVERSO · 5-05 · SOL Y SOMBRA A CINCO PASOS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert two sturdy stone and timber benches standing in the open sun about 4 m east of a shade shelter, on the flat grassy area facing the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «bancas al sol junto a sombra plaza»

REVERSO · 5-08 · UN NODO, NO PIEZAS REGADAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a compact gathering node on the flat grassy area: a tile-roofed shade shelter, a low stone seating wall, a small food stall under a canvas awning and a rustic swing set, all within about 40 m of each other. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «nodo de actividades plaza rural sombra puesto juegos»
Cinco proyectos ligeros que inspiran (PPS) · www.pps.org (enlace en la versión web)

REVERSO · 5-07 · MALLA SOMBRA SOBRE TUBO, LA PRIMERA SOMBRA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a simple temporary shade of black agricultural shade cloth about 4 by 4 m stretched over a frame of galvanized steel tubes, standing on the grassy area near the water. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «malla sombra estructura tubo galvanizado»
Ligero, rápido y barato: ejemplos de Project for Public Spaces · www.pps.org (enlace en l a versión web)

5 · CONVIVENCIA Y DESCANSO 09



Sombra para la familia grande

Un lugar donde quepan tres o cuatro familias a la vez, con mobiliario que se agrupe en círculo, una toma de agua y residuos con tapa. Todo arriba de la raya roja.

POR EJEMPLO Bajo la ramada grande o dos ramadas chicas juntas, con mesas plegables y espacio para tender un mantel en el suelo.

PARA QUE QUEDE Se pregunta a cada familia cuántos vienen, qué traen y dónde comen hoy.

¿CÓMO SABEMOS QUE FUNCIONA? Un domingo caben tres familias a la vez sin estorbarse y se quedan más minutos que en la línea base.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **de la consulta** · ficha KIC-10

MÁS IDEAS busca imágenes de «área de picnic familiar sombra grande» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 10



Asadores de piedra y adobe

Dos o tres asadores hechos a mano, de piedra y adobe, con piso de laja alrededor que no se queme, a diez pasos de la sombra y del lado contrario al viento. Con la regla escrita: las cenizas frías van al bote, y la leña se trae, no se corta aquí.

POR EJEMPLO Tres asadores de un metro por sesenta centímetros, con parrilla de fierro que se puede quitar, sobre un piso de laja de tres por tres.

PARA QUE QUEDE Un albañil del pueblo los levanta en una faena; la parrilla la hace el herrero.

¿CÓMO SABEMOS QUE FUNCIONA? Los domingos los asadores están en uso, no hay fogatas improvisadas en el monte y las cenizas amanecen en el bote.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **de la consulta** · ficha KIC-10

MÁS IDEAS busca imágenes de «asador de piedra y adobe parque» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 11



Círculo de fogata

Un anillo de piedra de un metro con troncos de asiento alrededor, en un claro sin monte, arriba de la raya roja, para la noche: cuentos, huapango, cielo estrellado. Con quién lo apaga escrito en el tablero.

POR EJEMPLO Anillo de piedra de un metro de diámetro, piso de tierra limpia de tres metros alrededor, seis troncos de encino de dos metros anclados como bancas.

PARA QUE QUEDE Se limpia el claro en faena y se acuerda la regla de la leña y del apagado.

¿CÓMO SABEMOS QUE FUNCIONA? Hay noches de fogata en el calendario y amanecen las cenizas frías y el claro sin basura.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **de la consulta** · ficha KIC-10 · PPS-23

MÁS IDEAS busca imágenes de «círculo de fogata troncos asiento campamento» · voltea la carta para imaginarla sobre la foto

5 · CONVIVENCIA Y DESCANSO 12



Puestos de comida con base de piedra

Lugares previstos para vender comida, no tolerados después: bases de piedra de dos por dos con anillo de horcones para colgar la lona, una toma de agua y un bote con tapa, en el cruce por donde pasa la gente. Sin locales cerrados, para no crear derechos de posesión.

POR EJEMPLO Cuatro bases de piedra con cuatro horcones de cedro cada una, a diez pasos de la ramada y del lado del camino; cada quien monta su lona y la retira al final del día.

PARA QUE QUEDE El reglamento de quién vende, qué días y quién barre se acuerda antes de construir las bases.

¿CÓMO SABEMOS QUE FUNCIONA? Los domingos hay por lo menos dos puestos montados en las bases, y al anochecer las bases quedan limpias y sin lona.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ **de la consulta** · ficha THO-09 · KIC-24

MÁS IDEAS busca imágenes de «puesto de comida rústico base de piedra lona» · voltea la carta para imaginarla sobre la foto

REVERSO · 5-10 · ASADORES DE PIEDRA Y ADOBE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert three hand-built barbecue grills of local stone and adobe, each about 1 m long and 80 cm high with a removable iron grate, standing on a paved apron of flat stones about 3 by 3 m, a few meters from the shade shelter. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «asador de piedra y adobe parque»

REVERSO · 5-09 · SOMBRA PARA LA FAMILIA GRANDE

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a large shaded area under a timber and tile shelter with several folding tables and chairs arranged in circles, a simple water tap on a post and a lidded trash drum nearby. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «área de picnic familiar sombra grande»

REVERSO · 5-12 · PUESTOS DE COMIDA CON BASE DE PIEDRA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert four small food-stall bases of flat local stone about 2 by 2 m, each with four rustic timber posts about 2.2 m high supporting a simple canvas awning, lined up at the edge of the flat area near the path. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «puesto de comida rústico base de piedra lona»

REVERSO · 5-11 · CÍRCULO DE FOGATA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a fire circle: a ring of local stones about 1 m across on bare cleared earth, surrounded by six oak logs about 2 m long set as benches, in an open spot above the shoreline with the water visible beyond. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «círculo de fogata troncos asiento campamento»



La explanada con anclajes para lonas

Tierra compactada junto al acceso, con ocho anclajes al ras para tensar lonas, una toma de agua y un punto de acopio. El tianguis o la fiesta se fijan por calendario, no por edificio.

POR EJEMPLO Explanada de veinte por veinticinco, con los anclajes empotrados en dados de concreto al ras del piso.

PARA QUE QUEDE Se traza con cal y la gente se mete adentro a ver si cabe la fiesta.

¿CÓMO SABEMOS QUE FUNCIONA? El día de la fiesta las lonas se tensan en los anclajes en menos de una hora, y entre semana la explanada está libre y limpia.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **KIC-24**

MÁS IDEAS busca imágenes de «explanada tierra compactada anclajes lona fiesta» · voltea la carta para imaginarla sobre la foto



Un recinto de veinte pasos, no una plaza

Ningún espacio de estar mayor de veinte metros en su lado corto: veinticinco personas se ven a gusto en veinte por treinta pasos y se ven perdidas en el doble. Lo demás se queda monte y se siega el día de la fiesta.

POR EJEMPLO Se traza con estacas y mecate y la gente se mete adentro a ver si se ve lleno o vacío.

PARA QUE QUEDE El trazo se hace dos veces: con el agua baja y con el agua alta.


¿CÓMO SABEMOS QUE FUNCIONA? Un domingo normal el recinto se ve lleno con la gente que hay, y el monte de alrededor sigue sin pavimentar.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-08 · PIP3-06**

MÁS IDEAS busca imágenes de «plaza pequeña recinto espacio público rural» · voltea la carta para imaginarla sobre la foto



Un solo color de pintura para todo

Elegido en asamblea, para botes, postes, tableros y mesas, de modo que lo disperso se lea como conjunto. Sacado de una foto del atardecer sobre la presa, no de una carta comercial.

POR EJEMPLO El verde-azul del agua a las seis de la tarde; una cubeta de ese color siempre en la bodega.

PARA QUE QUEDE Se vota con tres muestras pintadas en tablitas.

¿CÓMO SABEMOS QUE FUNCIONA? Todo lo pintado del proyecto es del mismo color, y lo que se repone se pinta igual.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **PPS-26 · WAY-13**

MÁS IDEAS busca imágenes de «mobiliario pintado un solo color identidad parque» · voltea la carta para imaginarla sobre la foto



El banco de material a la vista

Se construye el cuarenta por ciento (piso del nodo, bases, postes, vereda, muro) y se deja el sesenta a la gente: un montón de carrizo, horcón, piedra y alambre con la regla escrita de que la comunidad puede añadir sin pedir permiso dentro del recinto.

POR EJEMPLO A los dos años se revisa qué agregó la gente: ese es el programa de la segunda etapa.

PARA QUE QUEDE La regla se escribe en el tablero de la entrada.

¿CÓMO SABEMOS QUE FUNCIONA? A los dos años hay por lo menos tres cosas en el recinto que la gente añadió sola.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA ficha **THO-16**

MÁS IDEAS busca imágenes de «banco de materiales construcción comunitaria» · www.pps.org · voltea la carta para imaginarla sobre la foto

REVERSO · 5-14 · UN RECINTO DE VEINTE PASOS, NO UNA PLAZA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a modest gathering space about 20 by 30 m on the grassy area defined by a low stone seating wall and a shade shelter, with natural scrub and trees left untouched beyond its edge. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «plaza pequeña recinto espacio público rural»

REVERSO · 5-13 · LA EXPLANADA CON ANCLAJES PARA LONAS

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a flat open area of compacted earth about 20 by 25 m next to the entrance with a few small metal anchor rings set flush into concrete at ground level, a water tap on a post at one corner. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «explanada tierra compactada anclajes lona fiesta»

REVERSO · 5-16 · EL BANCO DE MATERIAL A LA VISTA

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a tidy stockpile of building materials under a tree near the gathering area: bundles of reeds, rustic timber posts, a heap of local stone and a roll of wire, with a small wooden sign. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «banco de materiales construcción comunitaria»
Ligero, rápido y barato: ejemplos de Project for Public Spaces · www.pps.org (enlace en l a versión web)

REVERSO · 5-15 · UN SOLO COLOR DE PINTURA PARA TODO

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert several rustic elements near the shore (a trash drum, two sign posts, a notice board and a table) all painted the same deep teal color. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «mobiliario pintado un solo color identidad parque»



La cuarteta tallada en el escalón

Una décima o cuarteta elegida por la comunidad, cincelada o con esténcil en el concreto fresco de la escalinata de entrada, donde todo mundo pasa despacio y mira al piso.

POR EJEMPLO Letra de seis centímetros; el trovador local propone tres y la asamblea elige una.

PARA QUE QUEDE Se graba en el mismo colado; cuesta la tarde.

¿CÓMO SABEMOS QUE FUNCIONA? La gente que pasa se detiene a leerla y alguien del pueblo la sabe de memoria.

NOTAS DEL EQUIPO

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ ficha **WAY-10**

MÁS IDEAS busca imágenes de «verso grabado en escalón de concreto» · voltea la carta para imaginarla sobre la foto

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 5 · CONVIVENCIA Y DESCANSO +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 5 · CONVIVENCIA Y DESCANSO +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

IDEA NUEVA · 5 · CONVIVENCIA Y DESCANSO +

DIBÚJALA AQUÍ

CÓMO SE LLAMA

QUÉ ES

POR EJEMPLO (MEDIDA, MATERIAL)

PARA QUE QUEDE (QUÉ HAY QUE HACER)

¿CÓMO SABEMOS QUE FUNCIONA?

¿DÓNDE? Cedral · Área abierta · Vertedor · Llanito · Perímetro

LO CUIDA _____ propuesta del equipo

REVERSO · IDEA NUEVA · 5

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · 5-17 · LA CUARTETA TALLADA EN EL ESCALÓN

Imagínalo sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala (una persona, una cerca).
2. Marca en rojo el sitio con el marcador del celular. Dos o tres marcas, no más.
3. Sube la foto a Gemini y pega el prompt. Guarda todos los intentos.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert a short flight of concrete and stone steps at the entrance with a line of carved lettering (illegible) along the riser of one step. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the existing trees, the fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

MÁS IDEAS · imágenes: busca «verso grabado en escalón de concreto»

REVERSO · IDEA NUEVA · 5

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```

REVERSO · IDEA NUEVA · 5

Imagínala sobre la foto

1. Foto horizontal del lugar exacto, con algo de escala.
2. Marca en rojo el sitio con el marcador del celular.
3. Pega el prompt llenando lo que va entre [[ ]] con material, tamaño y posición; puede ir en español.

PROMPT · MONTAJE REALISTA

```
You are an architectural visualization specialist. I am giving you a real photograph of the shoreline of Presa La Florida, a small reservoir in the Sierra Gorda Biosphere Reserve, rural Querétaro, Mexico (oak and white-cedar hills, huizache scrub, reeds, a small concrete spillway).

TASK: Inside the RED mark, insert [[ WHAT GOES HERE: material, size and position — e.g. a rustic timber bench 2.4 m long under the big oak ]]. Keep everything else exactly as it is. The red mark is my instruction: do NOT draw it; replace it with the element.

RULES: 1) Preserve the photograph: same angle, framing, terrain, vegetation, sky, water and time of day. 2) Match the light and the direction of the existing shadows. 3) Real scale, using the trees, fence posts or a standing person visible in the photo as reference. 4) Vernacular rural Mexican construction: rough local timber, local stone, adobe, clay tile or thatch; no polished urban design, no steel and glass, no lawns, no imported plants. 5) Modest and low-cost, built by the community. 6) No people, vehicles, signage or text unless I ask.

OUTPUT: one photorealistic image, same aspect ratio and resolution as the original.
```

VARIANTE · BOCETO A LÁPIZ BLANCO (SE AÑADE AL FINAL)

```
SKETCH VARIANT (same photo, same red mark): instead of a photorealistic insert, draw the same element as loose freehand white grease-pencil lines ON TOP of the unmodified photograph, with light hatching for shade, low line density so the photo stays visible, correct perspective on the ground plane; no color fills, no CAD lines, no text. OUTPUT: the original photograph with the white sketch overlaid.
```