

00:24

Greedy Best First Search in AI

- Greedy best-first search tries to expand the node that is closest to the goal, on the grounds that this is likely to **lead to a solution quickly**.
- Thus, it evaluates nodes by using the heuristic function; that is,

$$f(n) = h(n)$$

Like, Share and Subscribe to Mahesh Huddar

Visit: vtupulse.com

00:27

Greedy Best First Search in AI

- Greedy best-first search tries to expand the node that is closest to the goal, on the grounds that this is likely to **lead to a solution quickly**.
- Thus, it evaluates nodes by using the heuristic function; that is,

$$f(n) = h(n)$$

- $h(n)$ = estimated cost from the state at node n to a goal state

00:35


Greedy Best First Search in AI

- Greedy best-first search tries to expand the node that is closest to the goal, on the grounds that this is likely to **lead to a solution quickly**.
- Thus, it evaluates nodes by using the heuristic function; that is,
$$f(n) = h(n)$$
- $h(n)$ = estimated cost from the state at node n to a goal state

03:01

Greedy Best First Search in AI – Example 1

- $f(B) = h(B) = 32$
- $f(D) = h(D) = 35$
- $f(C) = h(C) = 25$






03:21

Greedy Best First Search in AI – Example 1

- $\underline{f(F)} = \underline{h(F)} = 17$

- $\underline{f(E)} = \underline{h(E)} = 19$





03:30

Greedy Best First Search in AI – Example 1

- $\underline{f(F)} = \underline{h(F)} = 17$

- $\underline{f(E)} = \underline{h(E)} = 19$






Like, Share and Subscribe to Mahesh Huddar

Visit: vtupulse.com

03:32

Greedy Best First Search in AI – Example 1

- $f(F) = h(F) = 17$
- $f(E) = h(E) = 19$



Like, Share and Subscribe to Mahesh Huddar

Visit: vtupulse.com

03:40


Greedy Best First Search in AI – Example 1

- $f(F) = h(F) = 17$

35

17

- $f(E) = h(E) = 19$




Like, Share and Subscribe to Mahesh Huddar

Visit: vtupulse.com

04:04

Greedy Best First Search in AI – Example 1

- $f(D) = h(D) = 35$
- $f(G) = h(G) = 0$



Like, Share and Subscribe to Mahesh Huddar

Visit: vtupulse.com

04:31

Greedy Best First Search in AI – Example 1

• Path is –

A → C → F → G

