



05:26

The screenshot shows a Notepad++ window with the file path C:\Users\user\Desktop\html\box model in css.html. The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5   </head>
6   <body>
7     <h2>This is h2 element</h2>
8     <p>A paragraph is a self-contained
9       unit of discourse in writing dealing with a
10      particular point or idea. A paragraph consists of one or more
11      sentences. Though not required by the syntax of any language,
12      paragraphs are usually an expected part of formal writing, I
13      used to organize longer prose</p>
14   </body>
15 </html>
```

The paragraph from line 8 to line 13 is highlighted with a light purple background.

05:38

The screenshot shows a web browser window with two tabs: "paragraph - Google Search" and "css box model". The current tab is "css box model" and displays the following content:

This is h2 element

A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose

At the bottom of the browser window, there is a large watermark that reads "VideoPress - Recorded".



07:47

The screenshot shows a Notepad++ window titled "box model in css.html". The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding[  
9           padding  
10          padding-bottom  
11          padding-left  
12          padding-right  
13        <h2>Tpadding-top      t</h2>  
14      <p>A paragraph is a self-contained  
15        unit of discourse in writing dealing with a  
16        particular point or idea. A paragraph consists of one or more .
```

A tooltip is displayed over the word "padding" in line 8, showing the following options:

- padding
- padding-bottom
- padding-left
- padding-right

At the bottom of the Notepad++ window, the status bar displays: "Hyper Text Markup Language file", "length : 526 lines : 22", "Ln : 8 Col : 17 Sel : 0 | 0", "Windows (CR LF) | UTF-8", and "INS".

07:56

The screenshot shows a Notepad++ window titled "box model in css.html". The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding:20px[  
9       }
10      </style>
```

At the bottom of the Notepad++ window, the status bar displays: "Hyper Text Markup Language file", "length : 526 lines : 22", "Ln : 8 Col : 17 Sel : 0 | 0", "Windows (CR LF) | UTF-8", and "INS".

```
11 </neaa>
12 <body>
13 <h2>This is h2 element</h2>
14 <p>A paragraph is a self-contained
15 unit of discourse in writing dealing with a
16 particular point or idea. A paragraph consists of one or more
```

Hyper Text Markup Language file

length : 531 lines : 22

Ln : 8 Col : 22 Sel : 0 | 0

Windows (CR LF) UTF-8


INS

Type here to search




8:14 PM 10/30/2021

08:17



08:43



```
9
10     }
11     </style>
12   </head>
13   <body>
14     <h2>This is h2 element</h2>
15     <p>A paragraph is a self-contained
16       unit of discourse in writing dealing with a
          particular point or idea. A paragraph consists of one or more
```

Hyper Text Markup Language file

length : 536 lines : 22

Ln : 8 Col : 27 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:15 PM  
10/30/2021

08:53

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html X
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding-left:30px;
9         padding-top:50px;
10        }
11       </style>
12     </head>
13     <body>
14       <h2>This is h2 element</h2>
15       <p>A paragraph is a self-contained
          unit of discourse in writing dealing with a
```

Hyper Text Markup Language file

length : 557 lines : 23

Ln : 9 Col : 25 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:15 PM  
10/30/2021

08:55

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html X
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
```

Hyper Text Markup Language file

length : 557 lines : 23

Ln : 9 Col : 25 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:15 PM  
10/30/2021

```
6
7     h2{
8         background:pink;
9         padding-left:30px;
10        padding-top:50px
11    }
12    </style>
13 </head>
14 <body>
15 <h2>This is h2 element</h2>
16 <p>A paragraph is a self-contained
unit of discourse in writing dealing with a
```

Hyper Text Markup Language file

length : 558 lines : 23

Ln : 9 Col : 26 Sel : 0 | 0

Windows (CR LF) | UTF-8


INS

Type here to search




8:15 PM  
10/30/2021

09:06



09:34



A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose

# VideoProc - Recorder



10:28

C:\Users\user\Desktop\html\box model in css.html - Notepad++

```
<!DOCTYPE html>
<html>
<head>
    <title>css box model</title>
    <style>
        h2 {
            background:pink;
            padding-left:30px;
            padding-top:50px;
            padding-bottom:50px
        }
    </style>
</head>
<body>
    <h2>This is h2 element</h2>
    <p>A paragraph is a self-contained

```

Hyper Text Markup Language file length : 583 lines : 24 Ln : 10 Col : 29 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search

10/30/2021 8:17 PM

10:24



## This is h2 element

A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose

# VideoProc - Recorder



11:03

A screenshot of a browser window at 11:03. The title bar shows "paragraph - Google Search" and "css box model". The address bar indicates the file is located at "C:/Users/user/Desktop/html/box%20model%20in%20css.html". The main content area has a pink header with the text "This is h2 element" and a paragraph below it: "A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose".

A screenshot of a browser window at 11:03, identical to the previous one. It shows the same pink header with "This is h2 element" and the same paragraph of text below it.

10:59


The screenshot shows the Notepad++ interface with an open file named "box model in css.html". The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding:5px 20px
9       }
10    </style>
11  </head>
12  <body>
13    <h2>This is h2 element</h2>
14    <p>A paragraph is a self-contained
15      unit of discourse in writing dealing with a
16
```

The Notepad++ status bar indicates: Length: 540, Lines: 23, Ln: 8, Col: 26, Sel: 0 | 0, Windows (CR LF), UTF-8, INS.

The taskbar at the bottom shows the Windows Start button, a search bar, and several pinned application icons.

11:05



top,bottom: 5px, left right-20px;


11:54

C:\Users\user\Desktop\html\box model in css.html - Notepad++


```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding:5px 60px;
9         width:150px
10      }
11    </style>
12  </head>
13  <body>
14    <h2>This is h2 element</h2>
15    <p>A paragraph is a self-contained
16 
```

Hyper Text Markup Language file length : 557 lines : 24 Ln : 9 Col : 21 Sel : 0 | 0 Windows (CR LF) UTF-8 8:18 PM 10/30/2021 INS

12:06



12:25



12:26

```
<!DOCTYPE html>
<html>
  <head>
    <title>css box model</title>
    <style>
      h2{
        background: pink;
        padding: 5px 60px;
        width: 550px
      }
    </style>
  </head>
  <body>
    <h2>This is h2 element</h2>
  </body>
</html>
```

A screenshot of Notepad++ at 12:26. The code editor displays the following CSS code:


```
<!DOCTYPE html>
<html>
  <head>
    <title>css box model</title>
    <style>
      h2{
        background: pink;
        padding: 5px 60px;
        width: 550px
      }
    </style>
  </head>
  <body>
    <h2>This is h2 element</h2>
  </body>
</html>
```

The line "background: pink;" is highlighted with a red vertical bar on the left side of the code editor. The Notepad++ interface includes a menu bar with File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and Help. The status bar at the bottom shows the file name "box model in css.html" and the line number 16.

<p>A paragraph is a self-contained




12:18



4 values: top right bottom left(clockwise)

14:33



```
14    </head>
15    <body>
16      <h2>This is h2 element</h2>
```

Hyper Text Markup Language file

length : 581 lines : 25

Ln : 10 Col : 17 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:21 PM  
10/30/2021

14:39

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>css box model</title>
5      <style>
6        h2{
7          background:pink;
8          padding:15px 60px 30px 50px;
9          width:550px; I
10         border:solid
```

The code shows a CSS rule for an h2 element with a pink background, padding of 15px 60px 30px 50px, a width of 550px, and a solid border. The border property is partially typed as "border:solid".

```
11       }
12     </style>
13   </head>
14   <body>
15     <h2>This is h2 element</h2>
```

Hyper Text Markup Language file

length : 587 lines : 25

Ln : 10 Col : 23 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search

8:21 PM  
10/30/2021

14:46

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>css box model</title>
5      <style>
6        h2{
7          background:pink;
8          padding:15px 60px 30px 50px;
9          width:550px; I
10         border:solid 10px
```

The code shows a CSS rule for an h2 element with a pink background, padding of 15px 60px 30px 50px, a width of 550px, and a border of 10px solid. The border property is fully typed as "border:solid 10px".

```
11
12      }
13      </style>
14  </head>
15  <body>
16    <h2>This is h2 element</h2>
```

Hyper Text Markup Language file

length : 592 lines : 25

Ln : 10 Col : 28 Sel : 0 | 0

Windows (CR LF) UTF-8 INS

Type here to search

8:21 PM 10/30/2021

14:51

```
C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>css box mode</title>
5      <style>
6        h2{
7          background:pink;
8          padding:15px 60px;
9          width:550px;
10         border:solid 10px blue
11
12       }
13       </style>
14   </head>
15   <body>
16     <h2>This is h2 element</h2>
```

black  
blink  
block  
blockquote  
blue  
body  
bold  
bolder  
border

Hyper Text Markup Language file

length : 596 lines : 25


Ln : 10 Col : 32 Sel : 0 | 0

Windows (CR LF) UTF-8 INS

Type here to search

8:21 PM 10/30/2021


15:45



## css box model - Recorder



16:52



A screenshot of the Notepad++ text editor. The title bar shows the file path: C:\Users\user\Desktop\html\box model in css.html - Notepad++. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and Help. The toolbar below has various icons for file operations like Open, Save, Print, and Find. The main code editor window displays the following HTML and CSS code:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding:15px 60px 30px 50px;
9         width:550px;
10        border:solid 50px blue
11      }
12    </style>
13  </head>
14  <body>
15    <h2>This is h2 element</h2>
16
```

The CSS rule for the h2 element is highlighted with a light purple selection. The status bar at the bottom provides file information: Hyper Text Markup Language file, length: 596, lines: 25, Ln: 10 Col: 24 Sel: 0 | 0, and encoding details: Windows (CR LF), UTF-8, and INS. The taskbar at the bottom is identical to the one at the top.

16:43



A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose



## VideoProc - Recorder



width + padding + border = actual width of an element

height + padding + border = actual height of an element

21:12



21:37

The screenshot shows a Notepad++ window with the following code:

```
<!DOCTYPE html>
<html>
  <head>
    <title>css box model</title>
    <style>
      h2{
        background:pink;
        padding:25px 70px 40px 60px;
        width:550px;
        border:dotted 7px blue
      }
    </style>
  </head>
  <body>
    <h2>This is h2 element</h2>
  </body>

```

The code defines an HTML document with a title "css box model". Inside the head section, there is a style block containing a rule for h2 elements. The rule sets the background color to pink, specifies padding of 25px on the top and bottom, and 70px on the left and right, a width of 550px, and a border style of dotted with a thickness of 7px and a color of blue. The body contains a single h2 element with the text "This is h2 element". The Notepad++ interface includes a toolbar, status bar, and a search bar.

21:37

The screenshot shows a Notepad++ window with the following code:


```
<!DOCTYPE html>
<html>
  <head>
    <title>css box model</title>
    <style>
      h2{
        background:pink;
        padding:25px 70px 40px 60px;
        width:550px;
        border:none
      }
    </style>
  </head>
  <body>
    <h2>This is h2 element</h2>
  </body>

```

The code is identical to the one in the previous screenshot, except for the border rule in the CSS style block. Instead of "border:dotted 7px blue", it now says "border:none". This change removes the dotted border from the h2 element. The rest of the document structure and styling remain the same.

21:40

21:42



22:02

A screenshot of Notepad++ showing the file 'box model in css.html'. The code is as follows:


```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>css box model</title>
5     <style>
6       h2{
7         background:pink;
8         padding:25px 70px 40px 60px;
9         width:550px;
10        border:double 7px blue
11
12      
```

The line 'border:double 7px blue' is highlighted with a red circle around the '7px' value.

```
12
13     </style>
14 </head>
15 <body>
16     <h2>This is h2 element</h2>
```

Hyper Text Markup Language file length : 596 lines : 25 Ln : 10 Col : 25 Sel : 0 | 0 Windows (CR LF) UTF-8 8:28 PM 10/30/2021 INS

22:07



23:20

```
C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html

1 <!DOCTYPE html>
2 <html>
3     <head>
4         <title>css box model</title>
5         <style>
6             h2{
7                 background:pink;
8                 padding:25px 70px 40px 60px;
9                 width:550px;
```

```
10 border:double 30px blue;
11 border-left:dotted 40px black
12
13 }
14 </style>
15 </head>
16 <body>
```

Hyper Text Markup Language file

length : 632 lines : 26

Ln : 11 Col : 30 Sel : 0 | 0


Windows (CR LF) UTF-8

INS

Type here to search

8:30 PM ENG 10/30/2021

23:11



23:32

23:53




```
1  ~: DOCUMENT HTML
2  <html>
3    <head>
4      <title>css box model</title>
5      <style>
6        h2{
7          background:pink;
8          padding:25px 70px 40px 60px;
9          width:550px;
10         border:double 30px blue;
11         border-left:dashed 10px black
12       }
13     </style>
14   </head>
15   <body>
16     <h2>This is h2 element</h2>
```

Hyper Text Markup Language file length : 632 lines : 26 Ln : 11 Col : 28 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search 8:30 PM 10/30/2021

23:43



25:16

25.10

C:\Users\user\Desktop\html\box model in css.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

box model in css.html


```
4 <title>css box model</title>
5 <style>
6 h2{
7 background:pink;
8 padding:25px 70px 40px 60px;
9 width:550px;
10 border:double 30px blue;
11 border-left:dashed 10px black
12
13 }
14 p{
15 margin-left :50px}
16 </style>
17 </head>
18 <body>
19 <h2>This is h2 element</h2>
```

Hyper Text Markup Language file length : 662 lines : 28 Ln : 1 Col : 1 Sel : 662 | 28 Windows (CR LF) UTF-8 INS


Type here to search

8:31 PM 10/30/2021


25:24



25:31



26:06




26:09

A screenshot of the Notepad++ application window. The title bar shows the file path: C:\Users\user\Desktop\html\box model in css.html - Notepad++. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and Help. Below the menu is a toolbar with various icons. The main editor area contains the following CSS code:

```
4 <title>css box model</title>
5 <style>
6 h2{
7 background:pink;
8 padding:25px 70px 40px 60px;
9 width:550px;
10 border:double 30px blue;
11 border-left:dashed 10px black;
12 margin-left:20px;
13
14 }
15 p{
16 margin-left :50px}
17 </style>
18 </head>
19 <body>
```

The status bar at the bottom displays: Hyper Text Markup Language file, length : 684 lines : 29, Ln : 12 Col : 26 Sel : 0 | 0, Windows (CR LF), UTF-8, and 8:32 PM 10/30/2021.

26:06



A paragraph is a self-contained unit of discourse in writing dealing with a particular point or idea. A paragraph consists of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose.

VideoProc - Recorder



26:08

C:\Users\user\Desktop\html\box model in css.html - Notepad++

```
<title>css box model</title>
<style>
h2{
background:pink;
padding:25px 70px 40px 60px;
width:550px;
border:double 30px blue;
border-left:dashed 10px black;
margin-left:20px
}

p{
margin-left :50px}
</style>
</head>
<body>
```

Hyper Text Markup Language file length : 684 lines : 29 Ln : 12 Col : 26 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

26:11


C:\Users\user\Desktop\html\box model in css.html - Notepad++

```
<title>css box model</title>
<style>
h2{
background:pink;
padding:25px 70px 40px 60px;
width:550px;
border:double 30px blue;
border-left:dashed 10px black;
margin-left:50px
}

p{
margin-left :50px}
</style>
</head>
<body>
```

```
15  
16     margin-left :50px}  
17   </style>  
18 </head>  
19 <body>  
  
Hyper Text Markup Language file Length : 684 lines : 29 Ln : 12 Col : 23 Sel : 0 | 0 Windows (CR LF) UTF-8 INS  
Type here to search 8:32 PM ENG 10/30/2021
```

26:16



28:22

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
box model in css.html  
4 <title>css box model</title>  
5 <style>  
6 h2{  
7 background:pink;  
8 padding:25px 70px 40px 60px;  
9 width:550px;  
10 border:double 30px blue;
```

```
11 border-left:dashed 10px black;
12 margin-left:50px
13
14 }
15 p{
16 margin-left :50px;
17 margin-top:100px;
18 background:
19 }
```

Hyper Text Markup Language file

length : 728 lines : 32

Ln : 18 Col : 21 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:35 PM  
10/30/2021

28:24

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html
5 <style>
6 h2{
7 background:pink;
8 padding:25px 70px 40px 60px;
9 width:550px;
10 border:double 30px blue;
11 border-left:dashed 10px black;
12 margin-left:50px
13
14 }
15 p{
16 margin-left :50px;
17 margin-top:100px;
18 background:green;
19 }
20 }
```

Hyper Text Markup Language file

length : 739 lines : 33

Ln : 19 Col : 10 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

28:31

```
*C:\Users\user\Desktop\html\box model in css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
box model in css.html
5 <style>
6 h2{
7 background:pink;
8 padding:25px 70px 40px 60px;
9 width:550px;
10 border:double 30px blue;
11 border-left:dashed 10px black;
12 margin-left:50px
13
14 }
15 p{
16 margin-left :50px;
17 margin-top:100px;
18 background:green;
19 }
20 }
```

Hyper Text Markup Language file

length : 739 lines : 33

Ln : 19 Col : 10 Sel : 0 | 0

Windows (CR LF) UTF-8

INS

Type here to search



8:35 PM  
10/30/2021

```
9      width:550px;  
10     border:double 30px blue;  
11     border-left:dashed 10px black;  
12     margin-left:50px  
13  
14   }  
15   p{  
16     margin-left :50px;  
17     margin-top:100px;  
18     background:green;  
19     padding :40px  
20   }  
        40px
```

Hyper Text Markup Language file length : 752 lines : 33 Ln : 19 Col : 23 Sel : 0 | 0 Windows (CR LF) UTF-8 INS  
Type here to search O ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ENG 8:35 PM 10/30/2021

28:51

The screenshot shows a Notepad++ window with the following CSS code:

```
6 h2{  
7 background:pink;  
8 padding:25px 70px 40px 60px;  
9 width:550px;  
10 border:double 30px blue;  
11 border-left:dashed 10px black;  
12 margin-left:50px  
13  
14 }  
15 p{  
16 margin-left :50px;  
17 margin-top:100px;  
18 background:green;  
19 padding :40px;  
20 border:solid black 10px  
21 }
```

The code is syntax-highlighted, with 'background' in pink, 'padding' in blue, 'width' in green, 'border' in orange, 'margin-left' in purple, and 'border:solid black 10px' in light blue. The Notepad++ interface includes a toolbar at the top, a status bar at the bottom, and a taskbar at the very bottom.

28:57

A screenshot of a web browser window. The address bar shows the URL: "File | C:/Users/user/Desktop/html/box%20model%20in%20css.html". The main content area displays a large blue rectangular box. Inside this box, there is a smaller red rectangular box. The text "This is h2 element" is centered within the red box. The browser interface includes standard navigation buttons (back, forward, search) and a toolbar with various icons.

This is n2 element

# VideoProc - Recorder

A paragraph is a self-contained unit of discourse, dealing with a particular point or idea. A paragraph may consist of one or more sentences. Though not required by the syntax of any language, paragraphs are usually an expected part of formal writing, used to organize longer prose.



29:07

C:\Users\user\Desktop\html\box model in css.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

box model in css.html

```
7 background: pink;
8 padding: 25px 70px 40px 60px;
9 width: 550px;
10 border: double 30px blue;
11 border-left: dashed 10px black;
12 margin: w-resize;
13 wait;
14 wbr;
15 p{ white;
16 margin: white-space;
17 margin: wider;
18 backgr: widows;
19 paddin: width;
20 border: with;
21 color: white;
22 }
```

Hyper Text Markup Language file length : 798 lines : 35 Ln : 21 Col : 21 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Windows taskbar icons and system status are visible at the bottom.

29:07



```
7 background:pink;  
8 padding:25px 70px 40px 60px;  
9 width:550px;  
10 border:double 30px blue;  
11 border-left:dashed 10px black;  
12 margin-left:50px  
13  
14 }  
15 p{  
16 margin-left :50px;  
17 margin-top:100px;  
18 background:green;  
19 padding :40px;  
20 border:solid 1px red;  
21 color:white  
22 }
```

Hyper Text Markup Language file


Windows (CR LF) UTF-8 INS

Type here to search

Ln : 21 Col : 21 Sel : 0 | 0

8:35 PM 10/30/2021

29:10




29:31

The screenshot shows a Notepad++ window with the following CSS code:

```
7 background:pink;
8 padding:25px 70px 40px 60px;
9 width:550px;
10 border:double 30px blue;
11 border-left:dashed 10px black;
12 margin-left:50px
13
14 }
15 p{
16 margin-left :50px;
17 margin-top:100px;
18 background:green;
19
20 border:solid black 10px;
21 color:white
22 }
```

The code defines a CSS style for an element with a pink background, double blue border, dashed left border, and a margin-left of 50px. It also defines a style for the **p** element with a green background, solid black border, white color, and a margin-top of 100px.

29:39



can't give padding margin to inline elements ,they overrides other elements.

31:54

The screenshot shows a Notepad++ window displaying an HTML file named "box model in css.html". The code includes a CSS style block and several inline elements. The inline elements are highlighted with different colors: "italic 1" is yellow, and "italic2" is red. A horizontal selection bar highlights the text between the two italicized spans. The status bar at the bottom provides information about the file: "Hyper Text Markup Language file", "length : 849 lines : 36", "Ln : 33 Col : 14 Sel : 0 | 0", "Windows (CR LF)", "UTF-8", and "INS". The system tray shows the date and time as "10/30/2021 8:38 PM".

```
20 border:solid black 10px;
21 color:white
22 }
23 </style>
24 </head>
25 <body>
26 <h2>This is h2 element</h2>
27 <p>A paragraph is a self-contained
28 unit of discourse in writing dealing with a
29 particular point or idea. A paragraph consists of one or more
30 sentences. Though not required by the syntax of any language,
31 paragraphs are usually an expected part of formal writing,
32 used to organize longer prose</p>
33 <i class="italic 1">italic 1</i> <i class="italic2">italic2</i>
34 </body>
35 </html>
```























































