

```

-- MySQL dump 10.13  Distrib 8.0.34, for Win64 (x86_64)
--
-- Host: localhost    Database: soccer
--
-- Server version 8.0.34

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `games`
--

DROP TABLE IF EXISTS `games`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `games` (
  `gameid` int NOT NULL,
  `Date` date DEFAULT NULL,
  `time` time DEFAULT NULL,
  `hometeam` int DEFAULT NULL,
  `awayteam` int DEFAULT NULL,
  `result` varchar(45) DEFAULT NULL,
  `stadium` int DEFAULT NULL,
  `referee` int DEFAULT NULL,
  `role` int DEFAULT NULL,
  PRIMARY KEY (`gameid`),
  KEY `hometeam_idx` (`hometeam`),
  KEY `awayteam_idx` (`awayteam`),
  KEY `referee_idx` (`referee`),
  KEY `role_idx` (`role`),
  KEY `stadium_idx` (`stadium`),
  CONSTRAINT `awayteam` FOREIGN KEY (`awayteam`) REFERENCES `teams` (`TeamID`),
  CONSTRAINT `hometeam` FOREIGN KEY (`hometeam`) REFERENCES `teams` (`TeamID`),
  CONSTRAINT `referee` FOREIGN KEY (`referee`) REFERENCES `referees` (`refereeid`),
  CONSTRAINT `role` FOREIGN KEY (`role`) REFERENCES `roles` (`roleid`),
  CONSTRAINT `stadium` FOREIGN KEY (`stadium`) REFERENCES `stadiums` (`StadiumID`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `games`
--

LOCK TABLES `games` WRITE;
/*!40000 ALTER TABLE `games` DISABLE KEYS */;
/*!40000 ALTER TABLE `games` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `referees`

```

--

```
DROP TABLE IF EXISTS `referees`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `referees` (
  `refereeid` int NOT NULL,
  `name` varchar(200) DEFAULT NULL,
  `country` varchar(100) DEFAULT NULL,
  `Sex` varchar(45) DEFAULT NULL,
  `years_of_experience` int DEFAULT NULL,
  PRIMARY KEY (`refereeid`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

--

-- Dumping data for table `referees`

--

```
LOCK TABLES `referees` WRITE;
/*!40000 ALTER TABLE `referees` DISABLE KEYS */;
INSERT INTO `referees` VALUES (1,'Alekssei Kulbakov','Belarus','Man',17),(2,'Ali Palabiyik','Turkey','Man',10),(3,'Andreas Ekberg','Sweden','Man',5),(4,'Andris Treimanis','Latvia','Man',5),(5,'Anthony Taylor','Cheshire','Man',15),(6,'Antonio Miguel Mateu Lahoz','Spain','Man',16),(7,'Artur Dias Soares','Portugal','Man',34),(8,'Bartosz Frankowski','Poland','Man',27),(9,'Benoit Bastien','France','Man',28),(10,'Bjorn Kuipers','Netherlands','Man',14),(11,'Bobby Madden','Scotland','Man',33),(12,'Carlos del Cerro Grande','Spain','Man',24),(13,'Clement Turpin','France','Man',6),(14,'Cuneyt Cakir','Turkey','Man',28),(15,'Damir Skomina','Slovenia','Man',24),(16,'Daniel Siebert','Germany','Man',22),(17,'Daniele Orsato','Italy','Man',27),(18,'Danny Makkelie','Netherlands','Man',22),(19,'Davide Massa','Italy','Man',26),(20,'Felix Brych','Germany','Man',30),(21,'Felix Zwayer','Germany','Man',31),(22,'Francois Letexier','France','Man',20),(23,'Georgi Kabakov','Bulgaria','Man',34),(24,'Halil Meler','Turkey','Man',12),(25,'Istvan Kovacs','Romania','Man',19),(26,'Ivan Kruzliak','Slovakia','Man',15),(27,'Jesus Gil Manzano','Spain','Man',21),(28,'Marco Guida','Italy','Man',10),(29,'Matej Jug','Slovenia','Man',12),(30,'Michael Oliver','Northumberland','Man',24),(31,'Orel Grinfeld','Israel','Man',33),(32,'Ovidiu Alin Hategan','Romania','Man',24),(33,'Pavel Kralovec','Czech Republic','Man',35),(34,'Pawel Raczkowski','Poland','Man',17),(35,'Sandro Scharer','Switzerland','Man',18),(36,'Serdar Gozubukuk','Netherlands','Man',16),(37,'Sergey Karasev','Russia','Man',26),(38,'Slavko Vincic','Slovenia','Man',24),(39,'Srdjan Jovanovic','Serbia','Man',13),(40,'Stephanie Frappart','France','Female',8),(41,'Szymon Marciniak','Poland','Man',34),(42,'Tasos Sidiropoulos','Greece','Man',5),(43,'Tobias Stieler','Germany','Man',24),(44,'William Collum','Scotland','Man',14);
/*!40000 ALTER TABLE `referees` ENABLE KEYS */;
UNLOCK TABLES;
```

--

-- Table structure for table `roles`

--

```
DROP TABLE IF EXISTS `roles`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `roles` (
  `roleid` int NOT NULL,
  `role` varchar(100) DEFAULT NULL,
```

```

PRIMARY KEY (`roleid`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `roles`
--

```

```

LOCK TABLES `roles` WRITE;
/*!40000 ALTER TABLE `roles` DISABLE KEYS */;
INSERT INTO `roles` VALUES (1,'Main referee'),(2,'Assistant');
/*!40000 ALTER TABLE `roles` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `stadiums`
--

```

```

DROP TABLE IF EXISTS `stadiums`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `stadiums` (
  `StadiumID` int NOT NULL,
  `Stadium` varchar(150) DEFAULT NULL,
  `City` varchar(150) DEFAULT NULL,
  `Country` varchar(100) DEFAULT NULL,
  `capacity` int DEFAULT NULL,
  PRIMARY KEY (`StadiumID`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `stadiums`
--

```

```

LOCK TABLES `stadiums` WRITE;
/*!40000 ALTER TABLE `stadiums` DISABLE KEYS */;
INSERT INTO `stadiums` VALUES (1,'Allianz Arena','Munchen','Germany',112),
(2,'Amsterdam Arena','Amsterdam','Netherland',66),
(3,'Anfield','Liverpool','England',91),(4,'BayArena','Leverkusen','Germany',49),
(5,'City of Manchester','Manchester','England',102),(6,'Donbass
Arena','Donetsk','Ukraine',71),(7,'Estádio da Luz','Lissabon','Portugal',66),
(8,'Gazprom Arena','St Petersburg','Russia',62),(9,'Groupama
Stadium','Lyon','France',69),(10,'Jan Breydel','Brugge','Belgium',27),(11,'Juventus
Stadium','Turijn','Italy',106),(12,'Luminus Arena','Genk','Belgium',30),
(13,'Mestalla','Valencia','Spain',46),(14,'Nou Camp','Barcelona','Spain',114),
(15,'Parc des Princes','Parijs','France',94),(16,'Rajko Mitić
Stadium','Belgrado','Serbia',23),(17,'Red Bull Arena','Salzburg','Austria',51),
(18,'Red Bull Arena Leipzig','Leipzig','Germany',32),(19,'RZD
Arena','Moskou','Russia',33),(20,'San Paolo','Napels','Italy',68),(21,'San Siro
Stadium','Milaan','Italy',26),(22,'Santiago Bernabeu','Madrid','Spain',126),
(23,'Signal Iduna Park','Dortmund','Germany',76),(24,'Stadion Atleti
Azzurri','Bergamo','Italy',19),(25,'Stadion Karaiskakis','Athene','Greece',38),
(26,'Stadion Maksimir','Zagreb','Croatia',34),(27,'Stadion Pierre-
Mauroy','Rijssel','France',6),(28,'Stamford Bridge','London','England',75),
(29,'Synot Tip Arena','Praag','Czech',28),(30,'Türk Telekom
Arena','Istanbul','Turkey',23),(31,'Vicente Calderon','Madrid','Spain',114),
(32,'White Hart Lane','London','England',78);
/*!40000 ALTER TABLE `stadiums` ENABLE KEYS */;

```

```
UNLOCK TABLES;
```

```
--
```

```
-- Table structure for table `teams`
```

```
--
```

```
DROP TABLE IF EXISTS `teams`;
```

```
/*!40101 SET @saved_cs_client      = @@character_set_client */;
```

```
/*!50503 SET character_set_client = utf8mb4 */;
```

```
CREATE TABLE `teams` (
```

```
  `TeamID` int NOT NULL,
```

```
  `Team` varchar(150) DEFAULT NULL,
```

```
  PRIMARY KEY (`TeamID`)
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
```

```
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
```

```
-- Dumping data for table `teams`
```

```
--
```

```
LOCK TABLES `teams` WRITE;
```

```
/*!40000 ALTER TABLE `teams` DISABLE KEYS */;
```

```
INSERT INTO `teams` VALUES (1,'Ajax'),(2,'Atalanta'),(3,'Atletico Madrid'),  
(4,'Barcelona'),(5,'Bayer Leverkusen'),(6,'Bayern Munich'),(7,'Benfica'),  
(8,'Borussia Dortmund'),(9,'Chelsea'),(10,'Club Brugge'),(11,'Crvena Zvezda'),  
(12,'Dinamo Zagreb'),(13,'Galatasaray'),(14,'Genk'),(15,'Internazionale'),  
(16,'Juventus'),(17,'Lille'),(18,'Liverpool'),(19,'Lokomotiv Moscow'),(20,'Lyon'),  
(21,'Manchester City'),(22,'Napoli'),(23,'Olympiakos'),(24,'Paris Saint-Germain'),  
(25,'RB Leipzig'),(26,'RB Salzburg'),(27,'Real Madrid'),(28,'Shakhtar Donetsk'),  
(29,'Slavia Praha'),(30,'Tottenham Hotspur'),(31,'Valencia'),(32,'Zenit St.  
Petersburg');
```

```
/*!40000 ALTER TABLE `teams` ENABLE KEYS */;
```

```
UNLOCK TABLES;
```

```
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;
```

```
/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
```

```
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
```

```
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

```
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
```

```
-- Dump completed on 2024-01-17 11:17:17
```