

```

-- MySQL dump 10.13  Distrib 8.0.34, for Win64 (x86_64)
--
-- Host: localhost    Database: tomorrowland_start
--
-- Server version 8.0.34

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `artists`
--

DROP TABLE IF EXISTS `artists`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `artists` (
  `id_artist` int NOT NULL,
  `artist` varchar(100) DEFAULT NULL,
  `id_recordlabel` int DEFAULT NULL,
  PRIMARY KEY (`id_artist`),
  KEY `id_recordlabel_idx` (`id_recordlabel`),
  CONSTRAINT `id_recordlabel` FOREIGN KEY (`id_recordlabel`) REFERENCES
`record_labels` (`id_recordlabel`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `artists`
--

LOCK TABLES `artists` WRITE;
/*!40000 ALTER TABLE `artists` DISABLE KEYS */;
INSERT INTO `artists` VALUES (1,'Cham',1),(2,'Charlotte de Witte',4),(3,'Charly
Lownoise & Mental Theo',3),(4,'Cheat Codes',3),(5,'Cherry Moon Traxx',2),
(6,'Chicola',3),(7,'Chocolate Puma',4),(8,'Chris Bekker',1),(9,'Chris Lake',4),
(10,'Chris Liebing',3),(11,'Chuckie',4),(12,'Chus & Ceballos',3),(13,'Ciaran
McAuley',2),(14,'CID',4),(15,'Cirez D',2),(16,'Claptone',2),(17,'Claude
VonStroke',1),(18,'Cleric',4),(19,'Clockartz',4),(20,'CMC$',2),(21,'Coco Cole',2),
(22,'Code Black',4),(23,'Codeko',4),(24,'Coely',NULL),(25,'Coexist',4),(26,'Cold
Blue',1),(27,'Compuphonic',4),(28,'Conro',4),(29,'Coone',NULL),(30,'Coone vs Hard
Driver',NULL),(31,'CORSAK',4),(32,'Cosmic Gate',3),(33,'Crack-T',1),(34,'Craig
David presents TS5',1),(35,'Crazy Sir-G',1),(36,'Crazy Sirkus b2b2b2b2b',4),
(37,'Crisis Era',4),(38,'Cristoph',1),(39,'Curbi',4),(40,'Curtis Alto',2),(41,'CYRK
(Live)',2),(42,'D.O.D',4),(43,'Da Tweekaz',3),(44,'Daddy K',4),(45,'Damian
Lazarus',2),(46,'Dana Ruh',2),(47,'D\Angello & Francis',2),(48,'D\Angello &
Francis b2b MAD M.A.C',2),(49,'Danko',2),(50,'Dannic',1),(51,'Dannic b2b Sem
Vox',2),(52,'Danny Avila',2),(53,'Danny Howard',4),(54,'Dany Neville',4),
(55,'Daoud',1),(56,'Dark-E',2),(57,'Darren Styles',3),(58,'Dauw & Schemering',3),
(59,'Dave Brody',1),(60,'Dave Clarke',1),(61,'Dave Lambert',1),(62,'David
Gravell',2),(63,'David Guetta',1),(64,'Davis',4),(65,'Dax J',2),(66,'Day Din',1),

```

```

(67, 'D-Block & S-te-Fan',1),(68, 'DC Salas',1),(69, 'De Romeo\'s',1),(70, 'Deadly
Guns',1),(71, 'Deecoy x Jerrycore',2),(72, 'Deepack',2),(73, 'Deepend',2),(74, 'Deer
Jade',4),(75, 'Deetox',2),(76, 'Delta Heavy & MC Mota',2),(77, 'Deltano',1),(78, 'Demi
Kanon',4),(79, 'Deniro',4),(80, 'Denis Horvat',1),(81, 'Dennis Cruz',1),(82, 'Dense &
Pika',2),(83, 'Deorro',3),(84, 'Deterrent Man vs Blaster',4),(85, 'Detest',3),
(86, 'Detest vs eDUB',1),(87, 'Detlef',2),(88, 'Deuxfwa',2),(89, 'Deve & Matizz',1),
(90, 'Devin Wild & JNXD',4),(91, 'D-Fence',4),(92, 'Die Freddies',2),(93, 'Diego
Miranda',2),(94, 'DiMaro & Violinvasion',2),(95, 'Dimitri Delava',4),(96, 'Dimitri
Vegas & Like Mike',4),(97, 'Dimitri Vegas & Like Mike - Steve Aoki',3),(98, 'Dimitri
Wouters',1),(99, 'Dino Lenny',4),(100, 'Dion Timmer',1),(101, 'Disciples',3),
(102, 'Disco Dasco',1),(103, 'Discobaar A Moeder',1);
/*!40000 ALTER TABLE `artists` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `editions`
--

```

```

DROP TABLE IF EXISTS `editions`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client  = utf8mb4 */;
CREATE TABLE `editions` (
  `id_edition` int NOT NULL,
  `name` varchar(64) DEFAULT NULL,
  `location` varchar(45) DEFAULT NULL,
  `year` year DEFAULT NULL,
  PRIMARY KEY (`id_edition`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client  = @saved_cs_client */;

```

```

--
-- Dumping data for table `editions`
--

```

```

LOCK TABLES `editions` WRITE;
/*!40000 ALTER TABLE `editions` DISABLE KEYS */;
INSERT INTO `editions` VALUES (1,'Tomorrowland 2019','Boom, Belgium',2019),
(2,'Tomorrowland 2018','Boom, Belgium',2018),(3,'Tomorrowland Winter 2023','Alpe
D\'huez, France',2023);
/*!40000 ALTER TABLE `editions` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `hosts`
--

```

```

DROP TABLE IF EXISTS `hosts`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client  = utf8mb4 */;
CREATE TABLE `hosts` (
  `id_host` int NOT NULL,
  `hostname` varchar(100) DEFAULT NULL,
  PRIMARY KEY (`id_host`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client  = @saved_cs_client */;

```

```

--
-- Dumping data for table `hosts`
--

```

```

LOCK TABLES `hosts` WRITE;
/*!40000 ALTER TABLE `hosts` DISABLE KEYS */;
INSERT INTO `hosts` VALUES (1,'A State of Trance'),(2,'Abracadabra'),(3,'Alteza'),
(4,'AnjunaDeep'),(5,'Axtone'),(6,'Barong Family'),(7,'Cafe Mambo Ibiza'),
(8,'Cafeina'),(9,'Cocoon x CDA'),(10,'Coone & The Gang'),(11,'Crosstownrebels
Present Get Lost'),(12,'Crystal'),(13,'Crystal Eventss'),(14,'Cycle Four'),
(15,'Dirtybird'),(16,'Drumcode'),(17,'ELLUM'),(18,'Eric Prydz presents
Holosphere'),(19,'Floorfiller'),(20,'Footworxx'),(21,'Forma.T x Ed Banger'),
(22,'Fuse & Dave Clarke'),(23,'Fuse & Dave Clarke Present'),(24,'Future Sound'),
(25,'Generation Smash'),(26,'GV & Friends'),(27,'Harmony Live'),(28,'Heldeep'),
(29,'High on House'),(30,'I Love The 90s'),(31,'KNTXT'),(32,'Kozzmozz'),(33,'Lost &
Found'),(34,'Loudness'),(35,'Mainstage'),(36,'Martin Solveig & Friends'),
(37,'Masquerade'),(38,'Monstercat'),(39,'Moose Bar'),(40,'Mosaic'),(41,'My House'),
(42,'Nervo Nation'),(43,'Nervonation'),(44,'Netsky & Friends'),(45,'Nico Morano &
Friends'),(46,'Nina Kraviz'),(47,'Onraad'),(48,'Organ of Harmony'),(49,'Oscar and
The Wolf Presents Infinity'),(50,'Paradise'),(51,'Potion'),(52,'PRYDA'),(53,'Pussy
Lounge'),(54,'Q-Dance'),(55,'Q-Dance Invites: Get Wack!'),(56,'Q-Dance Presents:
Sunday Funday'),(57,'Radio Ultra Modern'),(58,'Radio Ultra Modern (Fri)'),
(59,'Radio Ultra Modern (Sat)'),(60,'Radio Ultra Modern (Sun)'),(61,'Rampage'),
(62,'Robin Schulz & Friends'),(63,'Sexy By Nature'),(64,'Shaq's Fun House'),
(65,'Shine'),(66,'Sirkus'),(67,'Smash The House'),(68,'Spinnin\'),(69,'STMPD
RCRDS'),(70,'The Book of Wisdom'),(71,'The Gathering'),(72,'The Masquerade by
Claptone'),(73,'Trance Energy'),(74,'Trybe'),(75,'V Sessions'),(76,'V Sessions vs
Freak show'),(77,'Winterclubbing');
/*!40000 ALTER TABLE `hosts` ENABLE KEYS */;
UNLOCK TABLES;

```

```
--
```

```
-- Table structure for table `performances`
```

```
--
```

```

DROP TABLE IF EXISTS `performances`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `performances` (
  `id_performances` int NOT NULL,
  `artist` int DEFAULT NULL,
  `stage` int DEFAULT NULL,
  `host` int DEFAULT NULL,
  `details` int DEFAULT NULL,
  `date` date DEFAULT NULL,
  `timeslot` time DEFAULT NULL,
  PRIMARY KEY (`id_performances`),
  KEY `id_artist_idx` (`artist`),
  KEY `id_stage_idx` (`stage`),
  KEY `id_host_idx` (`host`),
  KEY `id_details_idx` (`details`),
  CONSTRAINT `id_artist` FOREIGN KEY (`artist`) REFERENCES `artists` (`id_artist`),
  CONSTRAINT `id_details` FOREIGN KEY (`details`) REFERENCES `tl_details`
(`id_details`),
  CONSTRAINT `id_host` FOREIGN KEY (`host`) REFERENCES `hosts` (`id_host`),
  CONSTRAINT `id_stage` FOREIGN KEY (`stage`) REFERENCES `stages` (`id_stage`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```
--
```

```
-- Dumping data for table `performances`
```

```
--
```

```

LOCK TABLES `performances` WRITE;
/*!40000 ALTER TABLE `performances` DISABLE KEYS */;
/*!40000 ALTER TABLE `performances` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `record_labels`
--

DROP TABLE IF EXISTS `record_labels`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `record_labels` (
  `id_recordlabel` int NOT NULL,
  `recordlabel` varchar(100) DEFAULT NULL,
  PRIMARY KEY (`id_recordlabel`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `record_labels`
--

LOCK TABLES `record_labels` WRITE;
/*!40000 ALTER TABLE `record_labels` DISABLE KEYS */;
INSERT INTO `record_labels` VALUES (1,'Bonzai Records'),(2,'Sony Music'),
(3,'Universal Music Group'),(4,'Warner Music Group');
/*!40000 ALTER TABLE `record_labels` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `stages`
--

DROP TABLE IF EXISTS `stages`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `stages` (
  `id_stage` int NOT NULL,
  `stage_name` varchar(100) DEFAULT NULL,
  `capacity` int DEFAULT NULL,
  PRIMARY KEY (`id_stage`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `stages`
--

LOCK TABLES `stages` WRITE;
/*!40000 ALTER TABLE `stages` DISABLE KEYS */;
INSERT INTO `stages` VALUES (1,'Arch',13092),(2,'Atmosphere',26353),
(3,'Cage',22308),(4,'Casa Corona',22482),(5,'Core',10485),(6,'Freedom',12595),
(7,'Freedom Stage by Budweiser',24982),(8,'Harbour House',20717),(9,'House of Mask
by Cubanisto',27485),(10,'Kara Savi',33453),(11,'Leaf',15276),(12,'Leaf by
JBL',32322),(13,'L\'Orangerie',26252),(14,'Lotus',24295),(15,'Mainstage',100000),
(16,'Moose Bar',30701),(17,'Organ of Harmony',33926),(18,'Q-Dance Stage',20355),
(19,'Rave Cave',13803),(20,'Rose Garden',32236),(21,'The Garden of Madness',13700),

```

```

(22,'The Gathering',27306),(23,'The Harbor House',27507),(24,'The Rave
Cave',20616),(25,'The Rose Garden',10560),(26,'Theatre Formidable',34771),
(27,'Tulip',17148),(28,'Youphoria',30954);
/*!40000 ALTER TABLE `stages` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `tl_details`
--

DROP TABLE IF EXISTS `tl_details`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `tl_details` (
  `id_details` int NOT NULL,
  `id_edition` int DEFAULT NULL,
  `weekend` varchar(45) DEFAULT NULL,
  `startday` date DEFAULT NULL,
  `endday` date DEFAULT NULL,
  `available_tickets` int DEFAULT NULL,
  PRIMARY KEY (`id_details`),
  KEY `id_edition_idx` (`id_edition`),
  CONSTRAINT `id_edition` FOREIGN KEY (`id_edition`) REFERENCES `editions`
(`id_edition`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `tl_details`
--

LOCK TABLES `tl_details` WRITE;
/*!40000 ALTER TABLE `tl_details` DISABLE KEYS */;
INSERT INTO `tl_details` VALUES (1,1,'Weekend 2','2019-07-26','2019-07-28',160000),
(2,2,'Weekend 2','2019-07-27','2019-07-29',170001),(3,3,'Weekend 1','2019-07-
28','2019-07-30',140000),(4,1,'Weekend 1','2019-07-29','2019-07-31',200000);
/*!40000 ALTER TABLE `tl_details` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2023-12-12 22:10:45

```