ED Helpdesk Data Analysis

Race, Age, and Gender Patient Distributions test




Patient Language Distribution
88.61% (140)
3.8% (6)
7.59% (12)
Percent
0
25
50
75
English
Spanish
Unknown
Language


Patient Gender Distribution
34% (57)
52% (87)
13% (22)
Percent
0
10
20
30
40
50
Man
Woman
NA
Gender


Patient Age Distribution
Percent
20
15
10
5
0
10% (16)
17% (29)
19% (32)
10% (17)
16% (26)
21% (35)
15−25
25−35
35−45
45−55
55−65
65+
Age

QR Code Distributions






Age of Patients Using QR Code
Count
7.5
5.0
2.5
0.0
7
7
9
5
4
2
2
15–25
25–35
35–45
45–55
55–65
65+
NA
Age

Needs Information






Gender of Patients Based on Needs
Multiple needs
One need
Gender
NA
Woman
Non−conforming
Man
7
53
1
32
5
19
12
0
20
40
Count


Age of Patients Based on Needs
Multiple needs
One need
Age
NA
65+
55−65
45−55
35−45
25−35
15−25
5
12
17
10
21
17
11
1
12
6
5
4
7
1
0
5
10
15
20
Count

NCCARE 360 Information

Enrolled in NCCARE360	Count	Percent
No	52	0.31
Yes	22	0.13
NA	93	0.56




Gender of Patients Based On NCCARE360
NCCARE360 Not Enrolled
NCCARE360 Enrolled
Gender
NA
Woman
Non−conforming
Man
3
30
19
1
13
1
7
0
10
20
30
Count


Age of Patients Based On NCCARE360
NCCARE360 Not Enrolled
NCCARE360 Enrolled
Age
NA
65+
55−65
45−55
35−45
25−35
15−25
4
12
11
7
5
8
5
2
4
2
6
6
2
0.0
2.5
5.0
7.5
10.0
12.5
Count

Referral Information



Race	Number that attempted referral	Percent
Asian	9	0.13
American Indian/Alaskan Native	1	0.01
White, Hispanic	2	0.03
White, Not Hispanic	15	0.22
Black, Not Hispanic	30	0.43
NA	12	0.17

Gender	Number that attempted referral	Percent
Man	27	0.39
Woman	37	0.54
NA	5	0.07

Age	Number that attempted referral	Percent
15-25	5	0.07
25-35	10	0.14
35-45	13	0.19

Age	Number that attempted referral	Percent
45-55	12	0.17
55-65	8	0.12
65+	17	0.25
NA	4	0.06

Race	Number with Completed Referral	Percent
Asian	6	0.13
American Indian/Alaskan Native	1	0.02
White, Hispanic	2	0.04
White, Not Hispanic	10	0.22
Black, Not Hispanic	23	0.50
NA	4	0.09

Gender	Number with Completed Referral	Percent
Man	16	0.35
Woman	29	0.63
NA	1	0.02

Age	Number with Completed Referral	Percent
15-25	4	0.09
25-35	7	0.15
35-45	10	0.22
45-55	10	0.22
55-65	3	0.07
65+	9	0.20
NA	3	0.07

Followup Information

2 Week Followup Complete	Count	Percent
Complete	19	0.11
Incomplete	148	0.89

Race	Number with Completed Follow-up	Percent
Asian	4	0.21
American Indian/Alaskan Native	1	0.05
White, Hispanic	1	0.05
White, Not Hispanic	6	0.32
Black, Not Hispanic	7	0.37

Gender	Number with Completed Follow-up	Percent
Man	8	0.42
Woman	10	0.53
NA	1	0.05

Age	Number with Completed Follow-up	Percent
15-25	2	0.11
25-35	4	0.21
35-45	3	0.16
45-55	5	0.26
55-65	2	0.11
65+	1	0.05
NA	2	0.11

Screening Information

Screening	Gender	Count
negative	Man	5
negative	Woman	6
negative	NA	1
positive	Man	52
positive	Non-conforming	1
positive	Woman	81
positive	NA	21

Screening	Age	Count
negative	15-25	2
negative	25-35	3
negative	45-55	1
negative	65+	3
negative	NA	3
positive	15-25	14
positive	25-35	26
positive	35-45	32
positive	45-55	16
positive	55-65	26
positive	65+	32
positive	NA	9

Race	Number positive + wants assistance
Asian	17
American Indian/Alaskan Native	3
White, Hispanic	1
White, Not Hispanic	22
Black, Hispanic	2
Black, Not Hispanic	65
NA	14

Gender	Number positive + wants assistance
Man	43

Gender	Number positive + wants assistance
Non-conforming	1
Woman	76
NA	4

Age	Number positive + wants assistance
15-25	15
25-35	23
35-45	22
45-55	15
55-65	19
65+	22
NA	8

```r
data |>
  count(helpful) |>
  mutate(helpful_txt = if_else(helpful == 0, "No", "Yes"), .before = n) |>
  select(helpful_txt, n)
```

```
# A tibble: 3 x 2
  helpful_txt     n
  <chr>       <int>
1 No              2
2 Yes             2
3 <NA>          163
```

```r
data |>
  count(overallhealth) |>
  mutate(overallhealth_txt = if_else(overallhealth == 0, "No", "Yes"), .before = n) |>
  select(overallhealth_txt, n)
```

```
# A tibble: 2 x 2
  overallhealth_txt     n
  <chr>             <int>
1 Yes                   1
2 <NA>                166
```

```r
data |>
  count(followup_2_weeks_complete_txt)
```

```
# A tibble: 2 x 2
  followup_2_weeks_complete_txt     n
  <chr>                         <int>
1 Complete                         19
2 Incomplete                      148
```

Number of Patients at Each Step

There were 167 total screenings.

There were 166 distinct patients screened.

There were 155 patients who screened positive for at least one need.

There were 115 patients who wanted assistance with their needs.

There were 69 referrals given.

There were 19 2 week followups complete.

There are 22 patients enrolled in NCCARE360.

2 Week Followup Complete	Count	Percent
Complete	19	0.11
Incomplete	148	0.89

Enrolled in NCCARE360	Count	Percent
No	52	0.31
Yes	22	0.13
NA	93	0.56

NC Zipcodes map



The most common zipcodes are:

zipcode	Number of Patients	Percent
27703	21	0.15
27701	19	0.13
27707	18	0.13
27713	10	0.07
27705	9	0.06
27704	7	0.05
27565	4	0.03
27510	3	0.02
27610	3	0.02
27537	2	0.01
27549	2	0.01
27573	2	0.01
28306	2	0.01
27003	1	0.01
27217	1	0.01
27253	1	0.01
27278	1	0.01

zipcode	Number of Patients	Percent
27298	1	0.01
27302	1	0.01
27358	1	0.01

Testing

```
firstSecond |>
  nrow()
```

```
[1] 166
```

```
thirdFourth |>
  nrow()
```

```
[1] 604
```

```
firstSecond |>
  distinct(duplicate_ck) |>
  nrow()
```

```
[1] 165
```

```
thirdFourth |>
  distinct(duplicate_ck) |>
  nrow()
```

```
[1] 596
```

```
firstSecond |>
  filter(!is.na(attempt1_ref)) |>
  nrow()
```

```
[1] 69
```

```r
thirdFourth |>
  filter(!is.na(attempt1_ref)) |>
  nrow()
```

```
[1] 324
```