User Task

User Task

- A User Task is used to model work that needs to be done by a human actor.
- When the process execution arrives at such a User Task, a new task is created in the task list of the user(s) or group(s) assigned to that task.

User Task

User Task Properties:

General:

- **Id:** Id of task
- **Name:** Name of task
- **Assignee:** This custom extension allows direct assignment of a User Task to a given user.
- **Candidate Users:** This custom extension allows you to make a user a candidate for a task.



User Task

User Task Properties:

General:

- **Candidate Groups:** This custom extension allows you to make a group a candidate for a task.
- **Due Date:** Each task has a field indicating the due date of that task. The Query API can be used to query for tasks that are due on, before or after a certain date. The due date of a task can also be altered using the TaskService or in TaskListeners using the passed DelegateTask.
- **Follow Up Date:** Each task has a field indicating the follow up date of that task. The Query API can be used to query for tasks that need to be followed up on, before or after a certain date.
- **Priority:** The attribute specifies the initial priority of a User Task when it is created. Default value is valid java long value : 50

User Task

User Task Properties:

General:

- **Asynchronous Before:** Specifies an asynchronous continuation after an activity
- **Asynchronous After:** Specifies an asynchronous continuation before an activity
- **Element Documentation:** A User Task can also have a description. In fact, any BPMN 2.0 element can have a description. A description is defined by adding the documentation element.