

---

**Question: 1**

---

What happens if the GCD is not available upon startup of the Content Platform Engine?

- A. The Content Platform Engine will use a cached in memory copy of the GCD and is fully functional.
- B. The Content Platform Engine does not need the GCD, cached in memory or local file based copy.
- C. The Content Platform Engine will use a local file based copy and can process requests that do not update the GCD.
- D. The Content Platform Engine will use a local file based copy and is fully functional.

---

**Answer: C**

---

Explanation:

---

**Question: 2**

---

In a Kerberos-configured environment, the Service Principal Name (SPN) is used to identify the Content Platform Engine service. In this environment, the SPN is configured as follows:

FNCEWS/myce01. MYDOM. COM

What is the hostname of the server where Content Platform Engine resides?

- A. MYDOM.DOM
- B. myce01
- C. FNCEWS
- D. MYDOM

---

**Answer: D**

---

Explanation:

---

**Question: 3**

---

Within a FileNet P8 environment, what is an essential high availability building block?

- A. Preventing single points of failure
- B. Use of LTPA keys for intra-cell communications
- C. One instance of Content Platform Engine
- D. A group of servers where there is only one instance of each ECM component

---

**Answer: A**

---

Explanation:

---

**Question: 4**

---

Which of the following is used by the Content Platform Engine to connect to a database?

- A. JDBC driver
- B. LTPA key
- C. System Administrator access
- D. ODBC driver

---

**Answer: A**

---

Explanation:

---

**Question: 5**

---

Which Directory Server Account, now known as the System User, was stored in the EAR until Content Platform Engine v5.5.0, and as of Content Platform Engine v5.5.1 is now stored in the GCD?

- A. Content Platform Engine Service User
- B. GCD Administrator
- C. Content Platform Engine application server installation administrator
- D. Content Platform Engine bootstrap account

---

**Answer: D**

---

Explanation:

---

**Question: 6**

---

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for deploying the Content Platform Engine application on the application server?

- A. applicationdeployment.xml
- B. configureinstallation.xml
- C. deployapplication.xml
- D. installapplication.xml

---

**Answer: A**

---

Explanation:

---

**Question: 7**

---

To install the Legacy Component Manager on a server upgraded from 5.2.x, which Content Platform Engine installer option needs to be selected?

- A. Process Engine Client
- B. Content Engine Client
- C. Content Platform Engine Client
- D. Tools

---

**Answer: C**

---

Explanation:

---

**Question: 8**

---

When deploying Content Platform Engine into a WebSphere cluster, which deployment option should be selected in Configuration Manager?

- A. Cluster
- B. Standard
- C. DMGR
- D. Server

---

**Answer: B**

---

Explanation:

---

**Question: 9**

---

What can be said about configuring existing IBM Content Manager OnDemand application groups to work with FileNet P8?

- A. By default, application groups do not work with FileNet P8.
- B. The "Federate documents automatically" option in the OnDemand Administrator tool must be disabled.
- C. Selecting the Enable Records Manager to declare records automatically can increase consumption of system resources.
- D. By default, application groups work with FileNet P8.

---

**Answer: A**

---

Explanation:

---

**Question: 10**

---

In a geographically distributed environment, how does the administrator ensure that data requests are serviced at a site that is local to the database?

- A. Configure Synchronous forwarding.

- B. Configure server communication.
- C. Configure Asynchronous communication.
- D. Configure request forwarding.

---

**Answer: C**

---

Explanation:

---

**Question: 11**

---

When installing an environment, which role is necessary to complete the required preparation tasks for the Installation and Upgrade Worksheet?

- A. Network System Administrator
- B. Application Server Administrator
- C. Records Administrator
- D. Workflow Administrator

---

**Answer: B**

---

Explanation:

---

**Question: 12**

---

What are the minimum recommended values for the Content Platform Engine JVM minimum and maximum heap sizes?

- A. 1024 MB/2048 MB
- B. 512 MB/1024 MB
- C. 256 MB/512 MB
- D. 512 MB/512 MB

---

**Answer: A**

---

Explanation:

---

**Question: 13**

---

When enabling SSL between Content Platform Engine and a Directory Services server, a server certificate is added to the Directory Services server, the WebSphere Application Server's keystore, and the JDK keystore.

What IBM command line tool can be used to import the certificate into the JDK keystore?

- A. keytool
- B. keypass
- C. keymatcher
- D. iKeyman

---

**Answer: A**

---

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.1?topic=security-enabling-ssl-content-platform-engine>

---

**Question: 14**

Initially, which is necessary to create a DB2 object store?

- A. Indexes
- B. Tablespace
- C. Workflow system
- D. XA Transactions

---

**Answer: B**

---

Explanation:

[https://www.ibm.com/docs/SSNW2F\\_5.2.1/com.ibm.p8.planprepare.doc/p8ppi168.htm](https://www.ibm.com/docs/SSNW2F_5.2.1/com.ibm.p8.planprepare.doc/p8ppi168.htm)

---

**Question: 15**

While performing a new Content Platform Engine deployment, one of the Configuration Manager tasks did not complete successfully.

Which file provides details why the Deploy Application task did not complete successfully?

- A. deployapplication.failed
- B. deployapplication.bad
- C. deployapplication.error
- D. deployapplication.unsuccessful

---

**Answer: C**

---

Explanation:

---

**Question: 16**

What does the IBM Content Search Services operating system account (css\_os\_user) do?

- A. Installs the software.
- B. Configures the CSS database.
- C. Starts and stops the software.
- D. Configures the software through ACCE.

---

**Answer: B**

---

Explanation:

---

**Question: 17**

What Java component needs to be installed prior to running the FileNet P8 Content Platform Engine

installer?

- A. OpenJava JDK
- B. IBM Java JRE
- C. IBM Java SDK
- D. No additional JDK/JRE is required.

---

**Answer: A**

---

Explanation:

---

**Question: 18**

---

Which Directory Service unique identifier acts as a bind user specified by the application server?

- A. cpe\_system\_user
- B. gcd\_admin\_user
- C. cpe\_service\_user
- D. cpe\_bootstrap\_admin

---

**Answer: D**

---

Explanation:

---

**Question: 19**

---

While performing a Content Platform Engine upgrade where a Bootstrap task is required, which file indicates that the Configure Bootstrap task completed successfully?

- A. configurebootstrap.done
- B. configurebootstrap.success
- C. configurebootstrap.good
- D. configurebootstrap.ok

---

**Answer: C**

---

Explanation:

---

**Question: 20**

---

Which step can be skipped when configuring Content Platform Engine on WebSphere as an SSL server?

- A. Enabling SSL support on the application server
- B. Specifying the identity keystore and server truststore
- C. Configuring the server to use the default self-signed certificate
- D. Creating or importing the server's certificate into the identity keystore and server truststore

---

**Answer: C**

---

Explanation:

---

**Question: 21**

---

Which option would be provided to vwtool to display all the queues configured in the isolated region?

- A. queue \*
- B. queueinfo \*
- C. configqueue \*
- D. queueconfig \*

---

**Answer: A**

---

Explanation:

---

**Question: 22**

---

What type of storage area is an external (non-FileNet P8) content system that provides storage and data retention?

- A. Fixed storage area
- B. Enhanced storage area
- C. Database storage area
- D. File storage area

---

**Answer: A**

---

Explanation:

---

**Question: 23**

---

As a best practice, how should the Content Platform Engine be configured to protect user credentials when using the EJB transport?

- A. To enable Transport Security Layer (TSL) and Secure Socket Layers (SSL)
- B. To enable Single-Sign On (SSO) and Secure Socket Layers (SSL)
- C. To enable Transport Layer Security (TLS) and Single Sign-On (SSO)
- D. To enable Transport Layer Security (TLS) and Secure Socket Layers (SSL)

---

**Answer: C**

---

Explanation:

---

**Question: 24**

---

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of

XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the Content Platform Engine text extraction settings?

- A. deployapplication.xml
- B. configurebootstrap.xml
- C. configurejdbcos.xml
- D. configurejdbcgcd.xml

---

**Answer: B**

---

Explanation:

---

**Question: 25**

---

In a zLinux environment, the Configuration Manager tool is installed by selecting which Content Platform Engine installer option?

- A. Content Platform Engine
- B. Tools
- C. Content Platform Engine Client
- D. .NET Clients

---

**Answer: B**

---

Explanation:

---

**Question: 26**

---

Which file is used to determine if there were any issues with the data upgrade of a Content Platform Engine?

- A. cpe\_upgrade.log
- B. filenet\_data\_upgrade.log
- C. p8\_upgrade\_status.log
- D. p8\_server\_error.log

---

**Answer: C**

---

Explanation:

---

**Question: 27**

---

While performing a new Content Platform Engine deployment, one of the Configuration Manager tasks did not complete successfully.

What is the default location for the scripts and log file generated by the Configure LDAP task?

- A. Content Platform Engine /nsfa/Atools\configure\profiles\Protf/e A/ame\status
- B. Content Platform Engine /nsfa/Atools\configure\tmp



- C. Content Platform Engine /nsfa/Atools\configure\logs
- D. Content Platform Engine /nsfa/Atools\configure\profiles\Proff/e NameWogs

---

**Answer: D**

---

Explanation:

---

**Question: 28**

---

Which URL can be used to check the progress on the FileNet P8 domain upgrade?

- A. [https://cpe/\\_oad\\_ba/ancer:port/P8CE/DataUpgrade](https://cpe/_oad_ba/ancer:port/P8CE/DataUpgrade)
- B. [https://cpe/\\_oad\\_ba/ancer;port/CPE/Status](https://cpe/_oad_ba/ancer;port/CPE/Status)
- C. [https://cpe/\\_oad\\_ba/ancer;po/\\*/P8CE/UpgradeStatus](https://cpe/_oad_ba/ancer;po/*/P8CE/UpgradeStatus)
- D. [https://cpe/\\_oad\\_ba/ancer:port/FileNet/AutomaticUpgradeStatus](https://cpe/_oad_ba/ancer:port/FileNet/AutomaticUpgradeStatus)

---

**Answer: D**

---

Explanation:

[https://www.ibm.com/docs/SSYHZ8\\_20.0.x/com.ibm.dba.upgrading/topics/tsk\\_postupgrade\\_fncm.html#:~:text=Enter%20the%20URL%20for%20the,P8%20domain%20and%20object%20stores.](https://www.ibm.com/docs/SSYHZ8_20.0.x/com.ibm.dba.upgrading/topics/tsk_postupgrade_fncm.html#:~:text=Enter%20the%20URL%20for%20the,P8%20domain%20and%20object%20stores.)

---

**Question: 29**

---

What tool can be used to print an authentication token or generate a new authentication token for an installed IBM Content Search Services server?

- A. Administrative Console for Content Platform Engine
- B. adminTool
- C. FileNet Configuration Manager
- D. configTool

---

**Answer: D**

---

Explanation:

[https://www.ibm.com/docs/SSGLW6\\_5.5.0/com.ibm.p8.install.doc/p8pin289.htm#:~:text=To%20generate%20a%20new%20authentication,%2Fconfig%22%20%2Dseed%20token\\_name%20.](https://www.ibm.com/docs/SSGLW6_5.5.0/com.ibm.p8.install.doc/p8pin289.htm#:~:text=To%20generate%20a%20new%20authentication,%2Fconfig%22%20%2Dseed%20token_name%20.)

---

**Question: 30**

---

A Content Platform Engine is installed and configured in a highly available environment using WebSphere Application Server on application servers named myserver1.com and myserver2.com in a cluster named mycluster. The typical URI used to connect to the Content Platform Engine environment using the EJB protocol is:

corbaloc::myserver1. com: <portnumber>, :myserver2. com:  
<portnumber>/cell/clusters/mycluster/FileNet/Engine

What is the default bootstrap port number that would be used in this URI?

- A. 9810

- B. 9180
- C. 2908
- D. 2809

---

**Answer: A**

---

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.0?topic=chacpe-content-platform-engine-in-application-server-cluster-by-using-ejb-transport>

---

**Question: 31**

---

Which of the following best describes a Database Connection?

- A. Object that defines the repository connection for client applications like Content Navigator
- B. Reusable object defined in the GCD that defines the underlying connection to the database
- C. Used in legacy workflow systems only and are no longer needed in Content Platform Engine v5.5.x
- D. Defined in Process Configuration Console to configure external database connections

---

**Answer: A**

---

Explanation:

---

**Question: 32**

---

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for configuring the connections to the global configuration database used by Content Platform Engine?

- A. configuregcd.xml
- B. gcdconnection.xml
- C. configurejdbcgcd.xml
- D. configuredatabases.xml

---

**Answer: D**

---

Explanation:

---

**Question: 33**

---

Which component is started by using the RunTaskman command?

- A. Content Platform Engine
- B. IBM FileNet Content Federation Services for Content Integrator
- C. IBM Content Search Services
- D. Rules Listener

---

**Answer: D**

---

Explanation:

<https://www.ibm.com/docs/sv/filenet-p8-platform/5.2.1?topic=manager-starting-process-task>

---

**Question: 34**

---

In a Content Platform Engine stovepipe configuration, how can failover be achieved?

- A. Using the Content Platform Engine failover capabilities
- B. Restarting the failed stack
- C. Using a hardware or software load balancer
- D. Using the application server failover capabilities

---

**Answer: A**

---

Explanation:

---

**Question: 35**

---

The Workflow System administration tool - vwtool - can be installed by selecting which Content Platform Engine installer option?

- A. Process Engine Client
- B. Tools
- C. .NET Clients
- D. Content Engine Client

---

**Answer: D**

---

Explanation:

---

**Question: 36**

---

To encrypt the data sent between Content Platform Engine and IBM Content Search Services, what must be configured on the IBM Content Search Services?

- A. Set the "Validate Certificate Host field" option to True.
- B. Set the "Validate Server Certificate" option to True.
- C. Set the secure port.
- D. Set "Is SSL Enabled" option to True.

---

**Answer: C**

---

Explanation:

[https://www.ibm.com/docs/SSNW2F\\_5.5.0/com.ibm.p8.install.doc/p8pin314.htm#:~:text=To%20encrypt%20the%20data%20that,port%20number%20and%20enable%20SSL](https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.install.doc/p8pin314.htm#:~:text=To%20encrypt%20the%20data%20that,port%20number%20and%20enable%20SSL).

---

**Question: 37**

---

A FileNet Deployment Professional wants to configure the settings that will be used by the Configuration Manager tool to install a new Content Platform Engine based on a previously configured environment. The security policies that apply to the Linux environment prohibit the use of XWindows-based GUIs, so the settings files must be reviewed directly.

What is the name of the file within the Configuration Manager profile that contains the settings for configuring the connections to an object store database used by Content Platform Engine?

- A. configuredatabases.xml
- B. configurejdbcos.xml
- C. configureosdb.xml
- D. osdbconnection.xml

---

**Answer: A**

---

Explanation:

---

**Question: 38**

---

What should be done immediately after a Content Platform Engine base install?

- A. Install any fix packs, then check the logs.
- B. Do a full offline backup of the filesystem.
- C. Check the installation logs for any errors, resolve any errors before moving on.
- D. Start the server and make sure it works as expected.

---

**Answer: C**

---

Explanation:

---

**Question: 39**

---

Which tool is used to change the port on which the IBM Content Search Services server listens for requests?

- A. dumpIndex
- B. checkIndex
- C. adminTool
- D. configTool

---

**Answer: D**

---

Explanation:

---

**Question: 40**

---

Which account can create, modify, and delete Content Platform Engine P8 domain-level resources?

- A. Workflow system administrator
- B. Content Platform Engine application server installation administrator
- C. GCD Administrator
- D. Content Platform Engine Service User

---

**Answer: B**

---

Explanation:

---

**Question: 41**

---

When configuring Content Platform Engine, which file indicates that the Configure GCD JDBC Data Sources task completed successfully?

- A. configurejdbcgcd.done
- B. configurejdbcgcd.success
- C. configurejdbcgcd.good
- D. configurejdbcgcd.ok

---

**Answer: C**

---

Explanation:

---

**Question: 42**

---

A Content Platform Engine environment is installed and configured in a highly available environment using WebSphere Application Server on application servers named myserver1 .com and myserver2.com in a cluster named mycluster using the default HTTP transport port. The environment also includes a load balancer with the virtual server name myloadbalancer.

What is the typical URL used to connect to the Content Platform Engine environment using Content Engine Web Services?

- A. http://myserver2/wsi/FNCEWS40MTOM/
- B. http://myloadbalancer/wsi/FNCEWS40MTOM/
- C. http://myserver1 /wsi/FNCEWS40MTOIW
- D. http://mycluster/wsi/FNCEWS40MTOM/

---

**Answer: C**

---

Explanation:

---

**Question: 43**

---

To verify the deployed build and version displayed on the Content Platform Engine Context Startup Page, which file in the installation directory should be checked?

- A. ce\_version.txt
- B. ce\_startup.txt

- C. ce\_release.txt
- D. ce\_build.txt

---

**Answer: A**

---

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.2.1?topic=engine-verifying-content-platform-deployment>

---

**Question: 44**

---

Prior to creating a connection to the Fixed Content Device in ACCE, which tool(s) is (are) used to create and configure the fixed content device?

- A. FileNet Deployment Manager
- B. Content Navigator
- C. FileNet Configuration Manager
- D. Tools supplied by the vendor of the fixed content provider

---

**Answer: D**

---

Explanation:

---

**Question: 45**

---

After deploying Content Platform Engine, the GCD section on the FileNet P8 System Health page displays a red icon.

What might this be an indication of?

- A. The bootstrap username and password are defined correctly.
- B. The GCD XA and non-XA data sources are undefined.
- C. The GCD XA and non-XA data sources have unique names.
- D. The GCD contains a domain object.

---

**Answer: A**

---

Explanation:

---

**Question: 46**

---

What happens when the Content Platform Engine JVM heap runs out of memory?

- A. All processing in the JVM stops.
- B. The JVM restarts to clear its memory.
- C. The JVM borrows memory from other clusters members.
- D. The Content Platform Engine restarts to clear its memory.

---

**Answer: A**

---

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.5.x?topic=components-tuning-jvm-heap-size>

---

**Question: 47**

---

Which role is typically responsible for configuring the directory servers required by FileNet P8 components?

- A. Application server administrator
- B. Security administrator
- C. Installation administrator
- D. Database administrator

---

**Answer: A**

---

Explanation:

---

**Question: 48**

---

A Content Platform Engine is deployed within an IBM WebSphere Application Server environment. To enable Kerberos, what additional application login module needs to be created and configured within WebSphere Application Server?

- A. KerberosServiceFileNetP8
- B. IBMFileNetP8KerberosService
- C. FileNetP8KerberosService
- D. KerberosServiceIBMFileNetP8

---

**Answer: C**

---

Explanation:

---

**Question: 49**

---

A FileNet Deployment Professional has been using the Configuration Manager tool to install a new Content Platform Engine environment. The status of several of the tasks that have already been run in this environment needs to be checked.

What command is passed to the Configuration Manager to check the status of the configuration tasks?

- A. checkstatus
- B. installstatus
- C. systemstatus
- D. configstatus

---

**Answer: C**

---

Explanation:

---

**Question: 50**

---

Which tool can be used to add a folder to an object store in order to verify that the Content Platform Engine is deployed successfully?

- A. PCC
- B. CMUI
- C. ACCE
- D. Configuration Console

---

**Answer: A**

---

Explanation:

---

**Question: 51**

---

A customer wants to implement Single Sign-On (SSO) using Kerberos for the Content Platform Engine. In what state should the non-SSO Content Platform Engine be in before starting?

- A. Be able to start the non-SSO IBM Enterprise Records administration desktop and log in with a username and password.
- B. Be able to start the non-SSO IBM Content Search Services administration desktop and log in with a username and password.
- C. Be able to start the non-SSO IBM Content Navigator administration desktop and log in with a username and password.
- D. Be able to start the non-SSO Administration Console for Content Platform Engine (ACCE) and log in with a username and password.

---

**Answer: A**

---

Explanation:

---

**Question: 52**

---

Which is a true statement regarding Content Platform Engine client files?

- A. Client files are always backward compatible, so the version is not important.
- B. Clients automatically download the Content Platform Engine client files from the Content Platform Engine. No manual steps are needed.
- C. Clients can use any major version of the Content Platform Engine client files.
- D. The client file version should match the server version to prevent issues.

---

**Answer: A**

---

Explanation:

---

**Question: 53**

---

Which storage area supports content replication to heterogeneous storage devices?



- A. Advanced Storage Area
- B. Fixed Storage Area
- C. Database Storage Area
- D. File Storage Area

---

**Answer: A**

---

Explanation:

---

**Question: 54**

---

Which is true about LTPA keys in a stand-alone WebSphere (not ND) environment?

- A. Required for SSL configuration
- B. Are stored in the node's default key store
- C. Are used for cross cell authentication
- D. Must be copied to a shared location so all nodes have access

---

**Answer: B**

---

Explanation:

---

**Question: 55**

---

Which URL is used to verify the Content Platform Engine server status by using the FileNet P&S System Health page?

- A. [https://cpe\\_server.port/CPE/Status](https://cpe_server.port/CPE/Status)
- B. [https://cpe\\_server.port/FileNet/Engine](https://cpe_server.port/FileNet/Engine)
- C. [https://cpe\\_server.port/FileNet/P8Health](https://cpe_server.port/FileNet/P8Health)
- D. [https://cpe\\_server.port/P8CE/Health](https://cpe_server.port/P8CE/Health)

---

**Answer: D**

---

Explanation:

---

**Question: 56**

---

Which command line utility is used to view information about a configured workflow system in a Content Platform Engine environment?

- A. wftool
- B. petool
- C. vwtool
- D. cpetool

---

**Answer: C**

---

Explanation:

---

**Question: 57**

---

The Content Platform Engine uses ODWEK to access which Fixed Content Device?

- A. IBM Content Manager OnDemand
- B. IBM Content Manager
- C. Documentum Content Server
- D. IBM FileNet Content Services

---

**Answer: A**

---

Explanation:

[https://www.ibm.com/docs/he/SSNW2F\\_5.2.1/com.ibm.p8.cfs.admin.doc/cfsod004.htm#:~:text=Content%20Platform%20Engine%20uses%20ODWEK%20to%20access%20the%20Content%20Manager%20OnDemand%20repositories](https://www.ibm.com/docs/he/SSNW2F_5.2.1/com.ibm.p8.cfs.admin.doc/cfsod004.htm#:~:text=Content%20Platform%20Engine%20uses%20ODWEK%20to%20access%20the%20Content%20Manager%20OnDemand%20repositories).

---

**Question: 58**

---

Which is the most appropriate tool to move object store taxonomy from one environment to another?

- A. FileNet Deployment Manager (FDM)
- B. Administrative Console for Content Platform Engine (ACCE)
- C. FileNet Configuration Manager (FCM)
- D. FileNet Enterprise Manager (FEM)

---

**Answer: D**

---

Explanation:

---

**Question: 59**

---

Which unique identifier has Full Control access rights to the P8 domain, and has also been granted rights through its membership in the workflow administrators group?

- A. workflow\_system\_admin
- B. cpe\_system\_user
- C. object\_store\_admin
- D. cpe\_bootstrap\_admin

---

**Answer: B**

---

Explanation:

[https://www.ibm.com/docs/SSNW2F\\_5.5.0/com.ibm.p8.planprepare.doc/p8ppi282.htm#:~:text=The%20cpe\\_system\\_user%20is%20a%20user,membership%20in%20the%20object%20store](https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.planprepare.doc/p8ppi282.htm#:~:text=The%20cpe_system_user%20is%20a%20user,membership%20in%20the%20object%20store).

---

**Question: 60**

---

Which storage area consists of a file storage staging area on the FileNet P8 system and a separate

content device?

- A. File Storage Area
- B. Database Storage Area
- C. Fixed Storage Area
- D. Operating System Storage Area

---

**Answer: C**

---

Explanation:

[https://www.ibm.com/docs/SSNW2F\\_5.5.0/com.ibm.p8.ce.admin.tasks.doc/p8pcc090.htm#:~:text=A%20fixed%20storage%20area%20consists,or%20a%20federated%20content%20system.](https://www.ibm.com/docs/SSNW2F_5.5.0/com.ibm.p8.ce.admin.tasks.doc/p8pcc090.htm#:~:text=A%20fixed%20storage%20area%20consists,or%20a%20federated%20content%20system.)

### **Question: 61**

---

Which type of user is required to install Content Platform Engine on AIX?

- A. LDAP user with UNIX rights
- B. Any user account that has the ability to log onto the server
- C. root user or user with su access to root
- D. Operating system user with appropriate file system permissions

---

**Answer: D**

---

Explanation:

<https://www.ibm.com/docs/en/filenet-p8-platform/5.5.x?topic=accounts-content-platform-engine-installer-account>

### **Question: 62**

---

What should be done immediately after a Content Platform Engine base install?

- ☐ A Install any fix packs, then check the logs.
- ☐ B Do a full offline backup of the filesystem.
- ☐ C Check the installation logs for any errors, resolve any errors before moving on.
- ☐ D Start the server and make sure it works as expected.

---

**Answer: C**

---

### **Question: 63**

---

What Java component needs to be installed prior to running the FileNet P8 Content Platform

Engine installer?

- ☐ A OpenJava JDK
- ☐ B IBM Java JRE
- ☐ C IBM Java SDK
- ☐ D No additional JDK/JRE is required.

**Answer: A**

---

**Question: 64**

---

What are the minimum recommended values for the Content Platform Engine JVM minimum and maximum heap sizes?

- ☐ A 1024 MB/2048 MB
- ☐ B 512 MB/1024 MB
- ☐ C 256 MB/512 MB
- ☐ D 512 MB/512 MB

**Answer: A**

---

**Question: 65**

---

To verify the deployed build and version displayed on the Content Platform Engine Context Startup Page, which file in the installation directory should be checked?

- ☐ A ce\_version.txt
- ☐ B ce\_startup.txt
- ☐ C ce\_release.txt
- ☐ D ce\_build.txt

**Answer: A**

---

### **Question: 66**

---

Which Directory Server Account, now known as the System User, was stored in the EAR until Content Platform Engine v5.5.0, and as of Content Platform Engine v5.5.1 is now stored in the GCD?

- ☐ **A** Content Platform Engine Service User
- ☐ **B** GCD Administrator
- ☐ **C** Content Platform Engine application server installation administrator
- ☐ **D** Content Platform Engine bootstrap account

**Answer: D**

---

### **Question: 67**

---

A large government agency will be upgrading and migrating from IBM FileNet P8 V5.1x to P8 V5.2.1 with a Microsoft SQL database. P8 V5.2.1 will be installed in a new environment. Which of the following operating system accounts will need to be created in the new P8 V5.2.1 environment?

- A.** The Content Platform Engine installer account (cpe\_install\_user), Content Platform Engine operating system user (cpe\_os\_user) and the Configuration Manager user (config\_mgr\_user).
- B.** The Content Platform Engine application server installation administrator (cpe\_appserver\_install\_user), Content Platform Engine installer account (cpe\_install\_user) and the Configuration Manager user (config\_mgr\_user).
- C.** The Content Platform Engine application server installation administrator (cpe\_appserver\_install\_user), Content Platform Engine installer account (cpe\_install\_user), Content Platform Engine operating system user (cpe\_os\_user) and the Configuration Manager user (config\_mgr\_user).
- D.** The Content Platform Engine application server installation administrator (cpe\_appserver\_install\_user), Content Platform Engine installer account (cpe\_install\_user), Content Platform Engine operating system user (cpe\_os\_user), Database User account (p8\_db\_user) and the Configuration Manager user (config\_mgr\_user).

**Answer: C**

---

### **Question: 68**

---

A FileNet P8 administrator just installed the IBM FileNet P8 Content Engine. The administrator will start the Configuration Manager User Interface (CMUI) and start to configure the install by selecting the New

Installation Profile.

Which task requires entry of the data source names and database port numbers?

- A.** Configure Bootstrap and Data Sources.
- B.** Configure Database Store Data Sources.
- C.** Configure Object Store XA Data Sources.
- D.** Configure Object Store JDBC Data Sources.

**Answer: B**

---

### **Question: 69**

---

In the Web Applications tab of a workflow system, a P8 administrator defined and selected Workplace XT as the default web application.

For what purpose(s) does the workflow system use the above information?

- A.** To get the server base URL to provide Process Engine Web Service.
- B.** To launch the Process Engine applets (e.g. Process Configuration Console).
- C.** To determine the email notification template and the server base URL to provide Process Engine web service.
- D.** To determine the email notification template and the locations of launch and step processors for the workflows that are processed in the workflow system.

**Answer: C**

---

### **Question: 70**

---

A P8 administrator has been using Workspace XT to perform the content and process related features of the IBM FileNet Content Platform Engine (CPE), e. g. update SitePreferences and launch the Process Configuration Console (PCC). Workplace XT is running on a different server from the CPE server. After a recent Interim Fix Pack upgrade on the CPE server, the administrator received a java.io.InvalidClassException error when launching the PCC from Workplace XT. Which one of the following actions must be done to resolve the problem?

- A.** Install the latest Workspace XT Interim Fix Pack to work with the CPE system.
- B.** Run the CPE client installer from the Interim Fix Pack on WorkplaceXT server and redeploy.
- C.** Re-run the DeployWorkplace XT task in the installation profile in CPE Configuration Manager.
- D.** Run the CPE client installer from the Interim Fix Pack on the Workplace XT server, redeploy

Workplace XT and run the Deploy Workplace XT task again in the installation profile in the CPE Configuration Manager.

**Answer: C**

---

**Question: 71**

After upgrading the IBM FileNet Content Platform Engine (CPE) to V5.2.1, users receive an error when logging into Workplace XT. After troubleshooting the issue the CPE Client Files need to be updated on the Workplace XT application server. The installation file was executed and ran successfully with no errors. After updating the client files the issue still persists. What further step needs to be taken to resolve the issue?

- A.** Clear the Temp directory on the deployed Workplace XT directory and restart Workplace XT.
- B.** it is possible the client install file was corrupted during the download. Download and reinstall.
- C.** Stop and start the Workplace XT instance(s) and CPE instance(s) on the application server(s).
- D.** Redeploy Workplace XT after installing the CPE client files on the associated Workplace XT application server(s).

**Answer: A**

---

**Question: 72**

By default what log file will be generated in IBM FileNet Content Manager V.5.2.1 when an administrator enables tracing for process clients to troubleshooting a problem were workflows will not manually launch when content is added to the object store?

- A.** pe\_api\_trace.log
- B.** p8\_server\_trace.log
- C.** File name configured in the fnlog4j.properties file.
- D.** File name configured in the application server administration console.

**Answer: B**

---

**Question: 73**

A customer would like to implement a highly available environment for IBM FileNet Content Platform Engine (CPE) and IBM Content Navigator (ICN) without using an application server cluster. How can the customer achieve high availability with this configuration?

- A.** A stovepipe configuration would be implemented on only the ICN servers. IBM only supports the stovepipe topology for ICN server.
- B.** A stovepipe configuration would be implemented on only the CPE servers. IBM only supports the stovepipe topology for CPE servers.
- C.** A stovepipe configuration would be implemented which uses the application servers in such a manner that high availability is achieved at the stovepipe level via a hardware load balancer.
- D.** A highly available environment is not possible in this scenario. Only the use of this application server clustering solution such as WebSphereApplication Server Network Deployment (WASND) can achieve high availability.

**Answer: B**

---

**Question: 74**

---

A consultant for an aircraft engine manufacture is migrating their IBM Case Foundation system to a new set of hardware in order to handle an increased load in engineering drawings and their associated approval processes. Company policy does not allow the use of a graphical interface for application installations on their AIX servers.

When the installation completes, what file should the consultant check for errors?

- A.** user\_home/ce\_install\_log\_5.2.1.txt
- B.** os\_temp\_path/ce\_install\_log\_5.2.1.txt
- C.** ce\_install\_path/ce\_install\_log\_5.2.1.txt
- D.** os\_temp\_path/ce\_logs/ce\_install\_log\_5.2.1.txt

**Answer: B**

---

**Question: 75**

---

To meet the criterion Minimum required permissions, which three operating system users need to be added to the operating system groupcpe\_appserver\_install\_group? (Select three.)

- A.** cpe\_db\_user
- B.** ae\_install\_user
- C.** cpe\_install\_user
- D.** config\_mgr\_user



E. wpxt\_install\_user

F. cpe\_app\_server\_install\_user

**Answer: A,C,D**

---

**Question: 76**

---

Which of the following is true about IBM FileNet P8 Content Platform Engine V5.2.1 support for IBM Content Navigator (ICN)?

A. It supports ICN-2.0.x.

B. It supports ICN-2.0.2 only.

C. It supports ICN-2.0.1 only.

D. It supports ICN-2.0.3 only.

**Answer: C**

---

**Question: 77**

---

A large government agency has just implemented SSL on one their IBM FileNet Content Manger V5.2.1 systems.

What type of encryption is used when generating a shared secret key?

A. In-place

B. Hashing

C. Symmetric

D. Asymmetric

**Answer: C**

---

**Question: 78**

---

By default Content Search Services logs are stored in the \IBM\ Content Search Services\CSS Server\logs directory.

What file in this directory would you review for information, warning, and error messages that are logged during server activity?

- A. default\*.log
- B. monitor\*.csv
- C. adminAudit.csv
- D. p8\_css\_trace\*.log

**Answer: B**

---

### **Question: 79**

---

IBM has released a new fix pack for IBM FileNet Content Platform Engine V5.2.1 and IBM FileNet Configuration Manager for Content Platform Engine will be used for its installation. Which of the following steps must be done to successfully deploy the new patch?

- A. In the "Deploy Application" task, choose the option "Upgrade".
- B. In the "Deploy Application" task, choose the option "Modify Existing".
- C. In the "Configure Bootstrap and Text Extraction" task, choose the option "Upgrade".
- D. In the "Configure Bootstrap and Text Extraction" task, choose the option "Modify Existing".

**Answer: B**

---

### **Question: 80**

---

The P8 administrator of a company has been asked to determine how they can configure their file storage area to increase throughput.

Which of the following options would allow them to achieve this requirement?

- A. Assign multiple file storage areas to a document class.
- B. Create a storage policy with multiple database storage areas.
- C. Create a storage policy with multiple online storage areas and each on a separate disk spindle or SAN LUN.
- D. Create a storage policy with multiple storage areas setting all but one storage area online and the rest on standby.

**Answer: A**

---

**Question: 81**

---

A deployment specialist running configPE.bat(CPIT) in an IBM WebSphere Application Server (WAS) environment installs IBM FileNet Content Platform Engine V5.2 in a Microsoft Windows environment. It fails giving an out-of-memory error. The java.lang.OutOfMemoryError: Java heap space error message in the SystemOut.log file for WAS indicates that the Java VirtualMachine ran out of heap space. As a deployment specialist, which two following steps need be taken to address this issue?(Select two.)

- A.** Do not replace or change the cpit.properties file.
- B.** Run 5.2.1-CPIT-WIN.exe after emptying the recycle bin.
- C.** In WebSphere Admin console enable Verbose Garbage collection.
- D.** Do not delete the Tivoli Directory Services, CE, WAS and Workspace XT subfolders from decompressed folder.
- E.** Increase the maximum and minimum heap sizes for the Java Virtual Machine on the system where the Composite Platform Installation Tool ran.

**Answer: B,E**

---

**Question: 82**

---

An insurance company has finished configuring a new IBM FileNet P8 Content Manager system and needs to validate the object store and the storage area created are functional. Which of the following tests would indicate a success?

- A.** Log onto the Workplace XT, manually launch a subscription workflow.
- B.** Log onto the FileNet Enterprise Manager and create a file storage area.
- C.** Log onto the Administration Console for Content Engine and initialize a region.
- D.** Log onto the Administration Console for Content Engine and add a document to the file storage area.

**Answer: B**

---

### **Question: 83**

The administrators for a large manufacturing organization are planning the installation of IBM's FileNet Content Manager V5.2.1 in an environment where Microsoft SQL will be the hosting database platform. Along with the Content Manager system, there is a legacy IBM FileNet Image Services V4.2 system that they would like to serve as a repository via content Federated Services-Image Services (CFS-IS). They are currently in the planning and MSSQL installation phase. What database collation settings must they choose?

- A.** Binary-code point sort order. Case sensitive, for use with 1252 Character Set.
- B.** Dictionary order, case sensitive, for use with 1252 Character Set (or any case-sensitive SQL Server collation).
- C.** Dictionary order, case-intensive, for use with 1252 Character Set (or any case-intensive SQL Server collation)
- D.** Dictionary order, case-intensive, accent-intensive, kana-intensive, width-sensitive (or any case-intensive SQL Server collation).

**Answer: C**

### **Question: 84**

A consulting firm for a tire manufacture is building a new IBM Case Foundation system to handle engineering drawings and their associated approval processes. They have selected IBM WebSphere for their J2EE application server. When installing a WebSphere Application Server, which two of the following features need to be selected? (Select two.)

- A.** Modern Batch.
- B.** Dynamic Scripting.
- C.** EJBDeploy tool for pre-EJB 3.0 modules.
- D.** Communications Enabled Applications (CEA).
- E.** Stand-alone thin clients and resource adapters.

**Answer: B,D**

### **Question: 85**

A software vendor is implementing the IBM Content Management Interoperability Services (CMIS) for IBM FileNet Content Manager.

The administrator will set which two of the following for this configuration?

- A.** IBM CMIS supports only Federated Repositories.
- B.** IBM CMIS and FileNet Content Engine can have the same LDAP server.
- C.** The IBM FileNet P8 and IBM CMIS Platform uses LDAP-based security and also supports Java 2 security.
- D.** Use the IBM WebSphere Application Server administrative console for the Content Engine server to ensure that the following settings match on both (CMIS and P8 Content Engine) application servers. 1) User filter 2) Group Filter 3) User ID map 4) Group member ID map 5) Certificate map mode 6) Certificate filter
- E.** Use the IBM WebSphere Application Server administrative console for the Content Engine server to ensure that only the following settings match on both CMIS and FileNet Content Engine application servers. 1) Primary administrative user name. 2) Automatically generated server identity.

**Answer: D**

---

### **Question: 86**

A company has two sites in an IBM FileNet P8 domain: site A and site B. Both sites have one or more FileNet Content Engine servers separated by a WAN with users in both sites.

A storage area is created at site A so that content can be stored permanently at site A.

Users in site B retrieve the content from the site A storage area. Each time they access a document, however, the performance is not acceptable.

Which of the following will have the most impact in increasing performance for users at site B when accessing documents from the storage area at site A?

- A.** Enable Content Encryption.
- B.** Suppress Duplicate Content.
- C.** Enable Content Compression.
- D.** Create a Content Cache Area.

**Answer: C**

---

### **Question: 87**

The customer environment is highly available with two IBM FileNet Content Platform Engine (CPE) servers (node 1 and node 2) and Workplace XT. Both node 1 and node 2 are fronted by a hardware load balancer.

Which of the following steps BEST describes how to test the CPEs high availability?

- A.** While nodes 1 and 2 are running, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- B.** While node is running, create a document via Workplace XT, verify document exists, shutdown node 1, start node 2, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- C.** While nodes 1 and 2 are running, disable the hardware load balancer, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- D.** While nodes 1 and 2 are running, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, disable the hardware load balancer, bring node 1 back up, shutdown node 2, check-in the document with new content, bring node 2 back up and enable hardware load balancer.

**Answer: D**

---

### **Question: 88**

---

A business partner is preparing to deploy multiple IBM FileNet Content Platform Engine (CPE) instances on the same system by using the Configuration Manager command line. What xml file would the business partner need to generate and which command would the business partner use to run the xml file to deploy the CPE application on the web server?

- C. deploymentapplication.xml; configmgr\_cl deploy task DeployApplication profile
- D. deploymentapplication.xml; configmgr\_cl exe task DeploymentApplication profile

**Answer: C**

---

Question: 89

A customer is preparing to install and deploy IBM FileNet P8 Content Platform Engine (CPE) V5.2.1. Prior to the installation, which two of the following entities must already exist?

- A.** IBM Case Foundation
- B.** IBM CPE V5.2.1 Client

- C. J2EE application server
- D. Database for object stores
- E. IBM Content Search Services

**Answer: A,C**

---

**Question: 90**

---

A consultant for an airline needs to federate some content from their IBM Content Manager OnDemand (CMOD) system into their IBM Content Platform Engine system. Which of the following web based user interfaces only supports downloading the federated content from CMOD but not viewing it?

- A. IBM WEBi
- B. Workplace
- C. Workplace XT
- D. IBM Content Navigator

**Answer: C**

---

**Question: 91**

---

A P8 system administrator is preparing to upgrade the Process Engine in an IBM FileNetP8 V5.1 environment to V5.2.1.

What instructions need to be issued to stop the Process Engine before the upgrade?

- A. Logon to the Process Engine server as fnsw and issue an 'initfnsw -y stop' command.
- B. Logon to the WebSphere Administration Console and stop the IBM Content Platform Engine.
- C. Logon to the Process Engine and issue a Process\_Engine\_installation\_dir\stoppemgr command.
- D. Logon to the Process Engine server as fnsw, open Process Task Manager, select the Process Services node and click stop.

**Answer: C**

---

### **Question: 92**

A customer would like to improve overall response time and CPU utilization in their IBM FileNet P8 V5.2.1 system by changing their garbage collection policy.

What is the suggested garbage collection policy for any FileNet P8 JVM to accomplish this improvement?

- A.** Balanced (balanced)
- B.** Optimum throughput (optthruput)
- C.** Generational Concurrent (gencon)
- D.** Optimum Average Pause (optavgpause)

**Answer: C**

### **Question: 93**

A company is planning to deploy IBM Content Navigator (ICN) to be used with an IBM FileNet Content Manager (FCM) V5.2.1 repository.

To configure ICN with the correct FCM client connector files, what steps should be followed?(Select two)

- A.** No additional steps are needed to connect to a FCM repository.
- B.** Run the FileNet Deployment manager to update the ICN client connector files. task.
- D.** Copy the JACE.jar file from the FCM Server to the ICN servers and place in the ECMClient plugins folder.
- E.** The CPEClient installer matching the FCM server version should be run on the ICN server to update the P8 Client Connector Files.

**Answer: A,C**

### **Question: 94**

A FileNet administrator is adding a new IBM FileNet Content Manager V5.2.1 (FCM) repository to IBM Content Navigator (ICN).

What URL structure is needed to connect to a non-HA FCM object store via EJB?

- A.** t3://FCM\_hostname:port\_number/FileNet/Engine
- B.** iiop://FCM\_hostname:port\_number/FileNet/Engine



- C. http://FCM\_hostname:port\_number/wsi/FNCEWS40SOAP/wsdl
- D. http://FCM\_hostname:port\_number/wsi/FNCEWS40MTOM/wsdl

**Answer: A**

---

**Question: 95**

---

Using the Administration Console for Content Platform Engine, a P8 administrator may need to enable the P8 tracing subsystem component logging to gather additional details.

When enabling the subsystems Database, EJB and Search, what is the default name of the file that is the debug information will be output to?

- A. p8svr.trace.out
- B. p8\_server\_out.log
- C. p8\_server\_error.log
- D. p8\_server\_trace.log

**Answer: C**

---

**Question: 96**

---

A system specialist is using Configuration Manager to configure and deploy the Content Platform Engine on an IBM WebSphere Application Server (WAS). There is an error during the creation of the GCD data sources that states No jar or zip files found in /sqljdbc.jar.

Which two of the following actions can be used to find the causes of the error?

- A. Check the configuration of the GCD database.
- B. Execute the database script xa\_install.sql on the SQL Server.
- C. Check that the database driver is present in the correct folder.
- D. Verify the WAS environment variable is set correctly for the database server.
- E. Copy the sqljdbc\_xa.dll from the JDBC installation directory to the binn folder of the database instance.

**Answer: B,C**

---