IBM FileNet P8 V5.5.8

Step-by-Step Hands-On Implementation Guide

Day 10 – Deployment, Migration & Certification Preparation

FDM Export & Import | Environment Promotion | Performance Tuning | Certification Drill

Author	Course Day	Labs	Duration
Rajesh Pasham	**Day 10 of 10**	**4 Labs**	**~3 Hours**

LAB-10-01	LAB-10-02	LAB-10-03	LAB-10-04
FDM Export from TrainingOS *45 min | Export full configuration package*	**FDM Import & Validate** *40 min | Import to target, verify all components*	**Performance Tuning & Monitoring** *40 min | JVM, DB pool, logging configuration*	**Certification Exam Drill** *55 min | Timed practice with answer review*

Prerequisites & Environment State

Environment State for Day 10 Labs

All Day 10 labs assume the following environment is fully operational on IBM FileNet P8 V5.5.8:

CE / WAS Status	Content Platform Engine V5.5.8 is running on WAS. Accessible at http://localhost:9080/acce
Object Store	TrainingOS is configured with at least one storage area (FS_TrainingStore_01)
Data Model	At least 2 document classes exist (e.g., Document, HR_Document or custom class from Day 4)
Workflow	TrainingWorkflow is deployed in Process Engine from Day 7 labs
Event Subscriptions	At least one subscription exists from Day 9 (API_Lab_OnCreate_Subscription)
Storage Policies	STD_Policy_TrainingOS is configured from Day 5
FDM	FileNet Deployment Manager is available via ACCE > Tools > Deployment Manager
DB2	DB2 V11.5 is running. GCDDB, OSDB (TrainingOS), PEDB databases exist
Working Directory	C:\Day10Labs\ directory will be created in Lab-10-01

LAB-10-01 | FileNet Deployment Manager – Export Configuration

Duration: 45 Minutes | Export TrainingOS configuration to a deployment package

NOTE: This lab uses the FDM capability built into ACCE V5.5.8. FDM will export document classes, property templates, storage policies, event subscriptions, and the workflow definition from TrainingOS into a portable ZIP package.

Objective

In this lab you will:

- Create the working directory structure for Day 10 labs
- Access FileNet Deployment Manager from ACCE
- Configure and run a full object store export of TrainingOS
- Verify the generated deployment package and review the export manifest
- Review the export log for any warnings and understand how to address them

STEP 1 | Create Working Directories | 3 min

1. Open a Command Prompt as Administrator and create the Day 10 working directories:

```
mkdir C:\Day10Labs
mkdir C:\Day10Labs\fdm_packages
mkdir C:\Day10Labs\fdm_rollback
mkdir C:\Day10Labs\fdm_logs
echo Directories created successfully
```

	VERIFICATION CHECKLIST
[ ]	C:\Day10Labs\fdm_packages directory exists
[ ]	C:\Day10Labs\fdm_rollback directory exists

STEP 2 | Verify FDM Service is Running | 5 min

2. Open a browser and check the FDM endpoint:

FDM Service URL	`http://localhost:9080/fdm/`

3. You should see an FDM service information page or an IBM XML response
4. If you get a 404, check WAS Admin Console: Applications > WebSphere Enterprise Applications > verify 'fdm' application is Started

TIP: In FileNet P8 V5.5.8, FDM is integrated into ACCE. If the standalone FDM URL is not available, use ACCE > Tools > Deployment Manager directly. Both methods access the same FDM engine.

	VERIFICATION CHECKLIST
[ ]	http://localhost:9080/fdm/ returns a valid response (not 404)

[ ]	OR: ACCE > Tools > Deployment Manager is accessible

STEP 3 — Open FDM in ACCE and Create New Export (10 min)

5. Open ACCE: http://localhost:9080/acce and log in as ceadmin / ceadmin
6. In the left navigation tree, expand P8Domain
7. Click Tools > Deployment Manager (in the top menu bar)
8. The FileNet Deployment Manager interface opens
9. Click the Packages tab
10. Click New Package
11. Fill in the Package details:

Package Name	`TrainingOS_Full_Export_v1.0`
Package Description	`Day 10 Lab - Full export of TrainingOS configuration`
Package Version	`1.0`
Source Object Store	`TrainingOS`
Package Location	`C:\Day10Labs\fdm_packages\`

12. Click Next

[SCREENSHOT]
FDM Package creation wizard showing Package Name and Source Object Store fields

STEP 4 — Configure Export Scope – Select Components (12 min)

13. On the 'Select Items to Export' screen, choose: 'Entire Object Store' for a complete migration package
14. Alternatively, for selective export click 'Select Items' and add:

For selective export, add the following items individually using the Add button:

Component Type	Item Name	Why Include
Document Classes	`Document, HR_Document (or your custom class)`	Core data model
Property Templates	`All custom properties created in Day 4`	Required by document classes
Choice Lists	`Any choice lists from Day 4`	Dependencies of property templates
Storage Policies	`STD_Policy_TrainingOS`	Storage routing rules
Event Subscriptions	`API_Lab_OnCreate_Subscription`	Automation configuration
Workflow Definitions	`TrainingWorkflow`	PE workflow template
Entry Templates	`Any configured entry templates`	Document add forms

15. Click Next to proceed to the export options

STEP 5 Run the Export and Review Log (10 min)

16. On the final screen, click Export Now
17. FDM will process the export. A progress indicator shows the number of objects being processed
18. When complete, click View Log to see the Export Summary

Review the log for the following statuses:

Exported Successfully	Objects included in the package with no issues
Warning: External Reference	Normal for content. Binary content not included. Safe to proceed.
Warning: Dependency Added	FDM added a dependent object automatically. Review but generally safe.
Error: Access Denied	Run FDM as ceadmin. Verify object permissions in ACCE.

19. Navigate to C:\Day10Labs\fdm_packages\ in Windows Explorer
20. Verify the package file exists: TrainingOS_Full_Export_v1.0.zip
21. Note the file size — a typical training environment export is 50KB-500KB

[SCREENSHOT]
Windows Explorer showing TrainingOS_Full_Export_v1.0.zip in C:\Day10Labs\fdm_packages

	VERIFICATION CHECKLIST
[ ]	FDM export completes without ERROR status entries
[ ]	TrainingOS_Full_Export_v1.0.zip exists at C:\Day10Labs\fdm_packages\
[ ]	Package file size is non-zero (> 10 KB)
[ ]	Export log shows: 'Export completed' message

STEP 6 Inspect the Deployment Package Contents (5 min)

22. Copy the ZIP file to C:\Day10Labs\ and extract it:

```
cd C:\Day10Labs
copy fdm_packages\TrainingOS_Full_Export_v1.0.zip .
# Extract using Windows Explorer > Right-click > Extract All
# Or use PowerShell:
Expand-Archive -Path TrainingOS_Full_Export_v1.0.zip -DestinationPath
.\extracted_package
```

23. In the extracted folder, look for:

manifest.xml	`Lists all exported objects with GUIDs and types. Main index of the package.`
***.xml files**	`One XML file per exported configuration object (document class, workflow, etc.)`
dependencies.xml	`Lists all dependency relationships between exported objects.`

24. Open manifest.xml in Notepad and review the object list

	VERIFICATION CHECKLIST
[ ]	manifest.xml exists in the extracted package folder
[ ]	manifest.xml contains entries for at least 2 document classes
[ ]	Workflow definition XML file is present if TrainingWorkflow was included

LAB-10-02 | FileNet Deployment Manager – Import & Validate

Duration: 40 Minutes | Import the deployment package and validate all migrated components

NOTE: In this lab we import back into the same TrainingOS object store to simulate a migration. In a real scenario, the target would be a different object store or server. We use 'Create or Update' mode to handle existing objects gracefully.

Objective

In this lab you will:

- Create a rollback export of the current state before importing
- Import the Day 10 export package into TrainingOS using Create or Update mode
- Validate every migrated component in ACCE against the post-import checklist
- Identify and resolve any post-import issues (storage area paths, LDAP group re-assignment)

STEP 1 | Create a Pre-Import Rollback Package | 8 min

WARNING: Always export the target environment BEFORE importing. This creates a rollback snapshot. If the import fails or causes issues, re-import the rollback package to restore the original state.

1. In ACCE > Tools > Deployment Manager, create a new package:

Package Name	`TrainingOS_ROLLBACK_before_v1.0`
Description	`Pre-import rollback snapshot - Day 10 Lab`
Source Object Store	`TrainingOS`
Package Location	`C:\Day10Labs\fdm_rollback\`

2. Select 'Entire Object Store' scope and click Export Now
3. Verify TrainingOS_ROLLBACK_before_v1.0.zip exists in C:\Day10Labs\fdm_rollback\

	VERIFICATION CHECKLIST
[ ]	Rollback package exists at C:\Day10Labs\fdm_rollback\TrainingOS_ROLLBACK_before_v1.0.zip

STEP 2 | Run the FDM Import | 15 min

4. In ACCE > Tools > Deployment Manager, click the Import tab
5. Click New Import
6. Configure the import settings:

Package File	`C:\Day10Labs\fdm_packages\TrainingOS_Full_Export_v1.0.zip`
Target Object Store	`TrainingOS`
Import Mode	`Create or Update (recommended for lab)`

On Error	`Continue (to see all issues before stopping)`

7. Click Preview Import first — FDM shows a list of all objects and their planned action (Create / Update / Skip)
8. Review the preview list. Verify your key objects appear:

Expected in Preview	`Document (Update), HR_Document or custom class (Update)`
Expected in Preview	`STD_Policy_TrainingOS (Update)`
Expected in Preview	`TrainingWorkflow (Update if workflow was exported)`
Expected in Preview	`API_Lab_OnCreate_Subscription (Update)`

9. Click Import to proceed
10. Monitor the progress bar and wait for completion
11. Click View Import Log when complete

[SCREENSHOT]
FDM Import progress screen showing objects processed and status indicators

STEP 3 — Review Import Log and Resolve Issues (7 min)

Review the import log for these common issues and their resolutions:

Status in Log	Meaning	Action
`Created`	New object added to target	No action needed
`Updated`	Existing object refreshed	No action needed
`Skipped - already current`	Object unchanged since export	No action needed
`Warning - storage area path`	Physical path not found on target	Create directory and re-set storage area path in ACCE
`Warning - LDAP group not found`	Group GUID differs in target LDAP	Re-assign LDAP groups to class security in ACCE
`Error - constraint violation`	Unique name conflict	Use Replace mode or manually resolve in ACCE

	VERIFICATION CHECKLIST
[ ]	Import log shows no ERROR status entries (warnings are acceptable)
[ ]	All key objects show Created or Updated or Skipped-already-current

STEP 4	Validate Migrated Components in ACCE	10 min

Navigate each of the following in ACCE to confirm successful migration:

12. Document Classes: ACCE > TrainingOS > Data Design > Document Classes — verify all exported classes present
13. Property Templates: ACCE > TrainingOS > Data Design > Property Templates — verify custom properties present
14. Storage Policies: ACCE > TrainingOS > Storage > Storage Policies — verify STD_Policy_TrainingOS present
15. Event Subscriptions: ACCE > TrainingOS > Events, Actions, Processes > Subscriptions — verify subscriptions Enabled
16. Workflow Definitions: ACCE > TrainingOS > Process Configuration Console > Workflow Definitions — verify TrainingWorkflow

[SCREENSHOT]
ACCE showing Data Design > Document Classes with all expected classes present after import

	VERIFICATION CHECKLIST
[ ]	All expected document classes present in ACCE after import
[ ]	All custom property templates present in ACCE
[ ]	STD_Policy_TrainingOS present and assigned correctly
[ ]	API_Lab_OnCreate_Subscription present with Enabled status
[ ]	TrainingWorkflow visible in Process Configuration Console

LAB-10-03 | Performance Tuning & Monitoring

Duration: 40 Minutes | Configure JVM heap, DB connection pool, and log levels for FileNet P8 V5.5.8

NOTE: This lab requires access to the WAS Admin Console (https://localhost:9043/ibm/console) as wasadmin. Changes to JVM settings require a WAS server restart to take effect. Plan for a ~3 minute restart during this lab.

Objective

In this lab you will:

- Review and update WAS JVM heap settings for the FileNetServer profile
- Review and tune the DB2 JDBC connection pool for the CE data source
- Enable targeted trace logging for CE API debugging and interpret log output
- Monitor storage cache statistics in ACCE
- Simulate a slow query and use the CE log to identify the SQL being executed

STEP 1 — Review Current WAS JVM Heap Settings (8 min)

1. Open WAS Admin Console: https://localhost:9043/ibm/console
2. Log in as wasadmin / wasadmin
3. Navigate to: Servers > Server Types > WebSphere Application Servers > server1
4. Under Server Infrastructure, click: Java and Process Management > Process Definition
5. Click: Java Virtual Machine
6. Record the current settings:

Initial Heap Size (-Xms)	`Current value: _____ MB	Recommended: 512 MB`
Maximum Heap Size (-Xmx)	`Current value: _____ MB	Recommended: 2048 MB`
Generic JVM Arguments	`Current value: _____	Check for -Xgcpolicy`

7. Update the values to the recommended settings:

Initial Heap Size	`512`
Maximum Heap Size	`2048`
Generic JVM Arguments	`-Xgcpolicy:gencon -Xmn256m`

8. Click OK then Save to Master Configuration
9. Do NOT restart yet — continue to Step 2 first to batch all changes

[SCREENSHOT]
WAS Admin Console Java Virtual Machine settings page showing heap size fields

	VERIFICATION CHECKLIST
[ ]	Initial Heap Size set to 512

[ ]	Maximum Heap Size set to 2048
[ ]	Generic JVM Arguments contains -Xgcpolicy:gencon
[ ]	Settings saved to master configuration (Save button clicked)

STEP 2 — Review and Tune DB2 Connection Pool (8 min)

10. In WAS Admin Console, navigate to: Resources > JDBC > Data Sources
11. Click on the CE data source (name contains 'ceadmin' or 'TrainingOS' — typically named 'TrainingOS - XA Data Source')
12. Click: Connection Pool Properties
13. Record and update the following:

Minimum Connections	`Change to: 10 (keeps 10 connections warm at all times)`
Maximum Connections	`Change to: 50 (max concurrent DB connections from this server)`
Connection Timeout	`Change to: 30 seconds (fail fast if pool exhausted)`
Reap Time	`Leave at default: 180 seconds`
Unused Timeout	`Change to: 600 seconds (close idle connections after 10 min)`

14. Click OK and Save to Master Configuration

> **TIP:** For the training lab with one user, these values are higher than needed but simulate production settings. In production, tune based on concurrent user count: approximately 3-5 DB connections per concurrent user is a common starting point.

	VERIFICATION CHECKLIST
[ ]	Min Connections set to 10
[ ]	Max Connections set to 50
[ ]	Connection Timeout set to 30
[ ]	Changes saved to master configuration

STEP 3 — Restart WAS and Verify FileNet Restarts (5 min)

15. In WAS Admin Console, navigate to: Servers > Server Types > WebSphere Application Servers > server1
16. Click Restart (wait approximately 2-3 minutes for WAS to complete the restart)
17. After restart, verify CE is running by opening ACCE:

ACCE URL	`http://localhost:9080/acce`

18. Log in as ceadmin and verify TrainingOS is accessible

	VERIFICATION CHECKLIST

[ ]	WAS server1 restarted successfully
[ ]	ACCE loads at http://localhost:9080/acce after restart
[ ]	TrainingOS is visible and accessible in ACCE

STEP 4 — Enable CE API Trace Logging for Debugging (8 min)

19. In WAS Admin Console, navigate to: Troubleshooting > Logs and Trace > server1 > Diagnostic Trace
20. Click Change Log Detail Levels
21. In the text field, add the following trace specification (append after *=INFO):

```
*=INFO:com.filenet.api.*=FINE

# This enables FINE level logging for all FileNet CE API classes
# Output goes to: <WAS_HOME>\profiles\FileNetServer\logs\server1\trace.log
```

22. Click OK and Save
23. Now trigger some CE activity to generate log entries:

- Browse a document in ACCE
- Run a search query from ACCE > TrainingOS > Search

24. Open the trace log to see CE API entries:

```
# Navigate to and open the trace log:
notepad "C:\IBM\WAS\profiles\FileNetServer\logs\server1\trace.log"

# Look for entries like:
# [CEI] fetchInstance called for Document class...
# [CEI] SearchSQL executed: SELECT * FROM Document...
```

WARNING: FINE trace logging is very verbose and will impact performance. Always reset log levels to *=INFO after debugging. In production, enable trace for only 5-10 minutes during active debugging, then disable.

25. Reset log level after reviewing:

```
# In WAS Diagnostic Trace, reset to:
*=INFO
```

	VERIFICATION CHECKLIST
[ ]	Trace specification set to *=INFO:com.filenet.api.*=FINE
[ ]	trace.log shows CE API entries after triggering ACCE activity
[ ]	Log level reset to *=INFO after review

STEP 5 — Monitor Cache Statistics in ACCE (4 min)

26. In ACCE, navigate to: Object Stores > TrainingOS > Storage
27. Click Storage Areas, then select your cache area (if configured) or the primary storage area
28. Click Properties > Statistics tab

29. Record the following statistics:

Cache Hit Count	`Number of times content was served from cache`
Cache Miss Count	`Number of times content had to be read from primary storage`
Hit Ratio	`Hit Count / (Hit + Miss) * 100. Target: > 80%`
Current Cache Size	`Amount of disk space used by the cache`

> **TIP:** In the training lab, the cache hit ratio may be low (0-50%) because we have not been accessing documents repeatedly. In production with regular user access, a well-sized cache achieves 80-95% hit ratio.

	VERIFICATION CHECKLIST
[ ]	ACCE Storage Statistics tab accessible
[ ]	Cache Hit Count and Miss Count values recorded
[ ]	Hit Ratio calculated and noted

STEP 6 — Check WAS SystemOut.log for CE Errors (7 min)

30. Open the WAS SystemOut.log file:

```
notepad "C:\IBM\WAS\profiles\FileNetServer\logs\server1\SystemOut.log"
```

31. Search for the following keywords to identify any issues (Ctrl+F in Notepad):

Search: ERROR	`Find all ERROR-level log entries — these require investigation`
Search: OutOfMemory	`JVM heap exhaustion — increase -Xmx if found`
Search: SQLSTATE	`DB2 SQL errors — connection or query problems`
Search: FNCR	`FileNet Content Engine error codes`
Search: FNRCA	`FileNet CE API operation codes — normal in trace mode`

32. For each ERROR found, record the message and look up the resolution in ACCE documentation or IBM TechNote

	VERIFICATION CHECKLIST
[ ]	SystemOut.log reviewed for ERROR entries
[ ]	No OutOfMemoryError present in log (if found, JVM heap was increased in Step 1)
[ ]	No DB2 SQLSTATE errors present (if found, verify DB2 is running and pool settings are correct)

LAB-10-04 | Certification Exam Drill | IBM C1000-074

Duration: 55 Minutes | Timed practice exam simulation with domain review and answer explanation

NOTE: This lab simulates the IBM C1000-074 exam format. You have 55 minutes to answer 20 questions (matching the exam's ~90 min / 63 question pace). Do not refer to notes during the timed section. Review answers after the timer ends.

Exam Domain Weightings – C1000-074

#	Domain	Weight	Questions (of 63)
1	FileNet Architecture	**20%**	~13
2	Content Engine Administration	**26%**	~16
3	Workflow Management	**20%**	~13
4	Security Configuration	**18%**	~11
5	Deployment Tools	**16%**	~10

STEP 1 — Timed Drill – 20 Questions (40 min) — 40 min

NOTE: Set a 40-minute timer. Answer the questions below without referring to notes. Circle your answer. Review answers in Step 2 after the timer ends.

INSTRUCTIONS: For each question, circle the letter (A/B/C/D) of the best answer. Each question has exactly one correct answer.

Q1. Which three databases are required for a standard IBM FileNet P8 V5.5 deployment?

- A) GCDDB, APPDB, USERDB
- B) GCDDB, OSDB, PEDB
- C) OSDB, PEDB, CMISDB
- D) CEDB, WFDB, OSDB

Q2. In ACCE, where do you configure the connection between the Content Engine domain and the Process Engine?

- A) P8Domain > Object Stores > Connections
- B) P8Domain > Process Engine > Connection Points
- C) P8Domain > Security > Process Connections
- D) TrainingOS > Process Engine > Connection Points

Q3. A user has Deny:Delete from Group_A and Allow:Delete from Group_B. What is their effective Delete permission?

- A) Allow — the most permissive wins
- B) Depends on which group was created first
- C) Deny — Deny always overrides Allow
- D) No access — conflicting ACEs cancel

Q4. Which CMIS endpoint supports JSON responses in FileNet P8 V5.5.8?

- A) /fncmis/resources/

- B) /CE_API/
- C) /fncmis/browser/
- D) /wsi/FNCEWS40MTOM/

Q5. What is the purpose of a PropertyFilter in the Java CEI API?

- A) Filter which documents are returned from a search
- B) Control which properties are fetched from the server per operation
- C) Define allowed values for a property
- D) Filter event subscriptions by property change

Q6. Which FDM import mode creates new objects AND updates existing ones?

- A) Create Only
- B) Replace
- C) Update Only
- D) Create or Update

Q7. What file extension does Process Designer use for exported workflow definitions?

- A) .xml
- B) .wf
- C) .pep
- D) .bpmn

Q8. In WAS, the -Xmx JVM argument controls which memory setting?

- A) Initial heap size
- B) Maximum heap size
- C) Nursery space size
- D) Permanent generation size

Q9. Which special identity represents ALL authenticated users in a FileNet P8 ACL?

- A) #EVERYONE
- B) #CREATOR-OWNER
- C) #ALL-USERS
- D) #AUTHENTICATED-USERS

Q10. What must exist in the target environment BEFORE an FDM import can be run?

- A) Nothing — FDM creates everything
- B) The target object store must already exist
- C) Only the WAS server needs to be running
- D) The FDM package must be on a shared network drive

Q11. What is the default LTPA token timeout in WAS?

- A) 15 minutes
- B) 60 minutes
- C) 30 minutes
- D) 120 minutes

Q12. Which CE SQL clause restricts a search to documents within a specific folder hierarchy?

- A) WHERE FolderPath =
- B) INFOLDER
- C) UNDER FOLDER
- D) WHERE This INFOLDER

Q13. What type of storage area is required for SEC Rule 17a-4 compliance?

- A) Database Storage Area

- B) Advanced Storage Area
- C) File System Storage Area
- D) Fixed Content Device (FCD)

Q14. FDM exports which of the following? (Choose best answer)

- A) Document binary content and metadata
- B) Configuration metadata only (classes, workflows, policies)
- C) LDAP user accounts and configuration metadata
- D) WAS configuration and CE metadata

Q15. What is an Isolated Region in Process Engine used for?

- A) Isolating dev workflows from prod
- B) Preventing users from accessing certain queues
- C) Grouping workflows for performance isolation on a PE server
- D) Creating separate databases per workflow type

Q16. Which WAS log file is the primary source for FileNet P8 authentication errors?

- A) CE_trace.log
- B) SystemOut.log
- C) audit.log
- D) security.log

Q17. Which property cardinality allows storing multiple ordered values of the same type?

- A) SINGLE
- B) ENUM
- C) LIST
- D) MULTI

Q18. In FileNet P8, what is the role of the #CREATOR-OWNER special identity?

- A) The currently logged-in user
- B) The WAS administrator
- C) The domain administrator (ceadmin)
- D) The user who created a specific document instance

Q19. Which tool in WAS is used to configure the LDAP repository for FileNet authentication?

- A) ACCE > Security > LDAP
- B) WAS Admin Console > Security > Global Security > Federated Repositories
- C) WAS Admin Console > Resources > LDAP
- D) FileNet Security Manager

Q20. After an FDM import, which step is needed because LDAP group GUIDs differ between environments?

- A) Re-run the FDM import with Replace mode
- B) Re-assign LDAP groups to document class security roles in ACCE
- C) Rebuild the LDAP repository in WAS
- D) Delete and recreate all document classes

STEP 2 Answer Key and Domain Mapping Review (15 min)

Score your answers and review explanations for any you missed. Each question is mapped to a C1000-074 exam domain.

Q#	Ans	Domain	Key Concept
1	B	Architecture	Three required DBs: GCDDB, OSDB, PEDB
2	B	Architecture	Connection Points under P8Domain > Process Engine
3	C	Security	Deny always overrides Allow — no exceptions
4	C	CE Admin	CMIS Browser Binding at /fncmis/browser/ returns JSON
5	B	CE Admin	PropertyFilter controls property retrieval — improves performance
6	D	Deployment	Create or Update handles both new and existing objects
7	C	Workflow	Process Designer exports workflow as .pep file
8	B	CE Admin	-Xmx sets maximum JVM heap size
9	D	Security	#AUTHENTICATED-USERS = all logged-in users
10	B	Deployment	Target object store must exist before FDM import
11	C	Security	LTPA default timeout = 30 minutes
12	D	CE Admin	WHERE This INFOLDER '/path' restricts to folder scope
13	D	CE Admin	FCD (Fixed Content Device) for WORM/SEC 17a-4
14	B	Deployment	FDM exports config metadata ONLY, not binary content
15	C	Workflow	Isolated Region = performance isolation for workflow groups
16	B	Troubleshooting	SystemOut.log = primary WAS/CE diagnostic log
17	C	CE Admin	LIST cardinality = multiple ordered values
18	D	Security	#CREATOR-OWNER resolves to the creator of each specific object
19	B	Security	VMM LDAP config: WAS Admin Console > Global Security > Federated Repositories
20	B	Deployment	Post-import: re-assign LDAP groups because GUIDs differ

Scoring Guide:

18-20 correct	15-17 correct	12-14 correct	< 12 correct
Excellent — exam ready!	Good — review missed domains	Fair — re-study weak domains	Needs more study — review study material

Course Complete | Day 10 of 10 | IBM FileNet P8 V5.5.8 Administration & Development