

---

# 10

## *Typing Map*

### Contents

---

|                                                                         |       |
|-------------------------------------------------------------------------|-------|
| ■ <a href="#">Background</a> .....                                      | 10-2  |
| ■ <a href="#">Typing Map</a> .....                                      | 10-3  |
| ■ <a href="#">Exercise 10–1: Creating a Typing Map</a> .....            | 10-4  |
| ■ <a href="#">Exercise 10–2: Create Output Side of Typing Map</a> ..... | 10-6  |
| ■ <a href="#">Exercise 10–3: Creating Simple Links</a> .....            | 10-8  |
| ■ <a href="#">Exercise 10–4: Creating the Extended Rule</a> .....       | 10-9  |
| ■ <a href="#">Exercise 10–5: Checking in the Typing Test Map</a> .....  | 10-10 |
| ■ <a href="#">Lesson Review</a> .....                                   | 10-13 |

---

## Background

---

---

### Introduction

This lesson explains how to create and check in a typing map to pass values in Process Data to Sterling B2B Integrator to translate documents.

---

### Lesson objectives

This lesson is designed to help you to:

- State the purpose of the typing map and the typing Service
  - Create a typing map
-

## Typing Map

---

### Overview

A business process is capable of handling more than one input format. A typing (Type of Data) map for Sterling B2B Integrator can be used to identify the data and process it correctly.

A typing map can also place specific values from the input file into Process Data. It works with the Typing Service to load these values into the business process context. The Typing Service can be used with a **list** of typing maps. The service will work through the different maps till it finds a match in the limited data set used in the typing map.

The typing map specifies certain values on the input side that are to be placed into Process Data. The output side of the typing map defines only the elements that are created in Process Data. You define the output side of the map as XML. The element names you list will be the tag names in Process Data, while the data that passes from the input side via simple links will be the content of those elements. Commonly these values are used to locate document envelopes for EDI but can be used for other business processing needs.

The values that you pass into Process Data can also be hard-coded, if appropriate. You can do this using either standard or extended rules.

---

## Exercise 10–1 Creating a Typing Map

---

**Instructions**

You can create a typing map by following the steps that are listed:

1. Select **File > New**.
2. Complete the fields listed in the following table in the New Map Wizard dialog box, using the parameters given:

| Field                              | Parameter                                                                                         |
|------------------------------------|---------------------------------------------------------------------------------------------------|
| What kind of map are you creating? | Sterling B2B Integrator                                                                           |
| What is the name of the map?       | Typing_Test<br><b>Note:</b> The name can have no spaces. The service map list is space delimited. |
| What is your name?                 | Type your name if it differs from the user name that is prompted by the system                    |

3. Click **Next**.
4. Select **Create new data format using this syntax** (bottom drop-down box) in the New Map Wizard – Input format dialog box.
5. Select **XML**.

---

(Continued on next page)

## Exercise 10–1 Creating a Typing Map (Continued)

---

### Instructions (Continued)

6. Click **Customize**.
7. Select **schema** in the New XML Wizard dialog box for the Customization File Type section.
8. Click **Browse** and go to C:\Data Files\Class Labfiles\Invoice.xsd.
9. Click **Next**.
10. Select **INVOICE** from the Root Element list.
11. Click **Next**.
12. Verify that all the elements are selected in the **Choose sub-elements to be included in the map** dialog box, and click **Next**.
13. Click **Finish**.
14. Click **Next**.
15. Select **Create new data format using this syntax** (bottom drop-down box) in the New Map Wizard – Output format dialog box.
16. Select **XML** (Extensible Markup Language).
17. Click **Next**.
18. Click **Finish**. The Map Editor displays the new map.
19. Select **File > Save As** to save the map.
20. Name the map **Typing\_Test.xml**.

---

(Continued on next page)

## Exercise 10–2 Create Output Side of Typing Map

---

**Instructions** You can create the output side of the typing map in the following manner.

1. Right-click **OUTPUT** and select **Create Sub > Content Particle**.
2. Name the content particle **part**.
3. Click the **Type** tab, and select **Sequence**.
4. Click **OK**.
5. Right-click **part** and select **Create Sub > Element**.
6. Name the element **partnerinfo**.
7. Click **OK**.
8. Right-click **partnerinfo** and select **Create Sub > Content Particle**.
9. Name the content particle **part2**.
10. Click the **Type** tab and select **Sequence**.
11. Right-click **part2** and select **Create Sub > Element**.
12. Name the element **SENDER**.
13. Right-click **SENDER** and select **Insert > Element**.
14. Name the element **RECEIVER**.
15. Right-click **RECEIVER** and select **Insert > Element**.
16. Name the element **ALIAS**.
17. Right-click **SENDER** and select **Create Sub > PCDATA**.
18. Set the maximum length to **256**.

---

(Continued on next page)

## Exercise 10–2 Create Output Side of Typing Map(Continued)

---

**Instructions  
(Continued)**

- 
19. Right-click **RECEIVER** and select **Create Sub > Pcddata**.
  20. Set the maximum length to **256**.
  21. Right-click **ALIAS** and select **Create Sub > Pcddata**.
  22. Set the maximum length to **256**.
  23. Click **Save**.
-

# Exercise 10–3 Creating Simple Links

---

**Instructions** In the following exercise, link the Pcddata for the Content Particle, Particle\_2 on the input side with the XML elements on the output side of the map. To link input elements to output elements, follow the steps that are listed.

- 1. Click **View > Expand Entire Map** on the menu bar.
- 2. Click the **Toggle Link Mode** icon .
- 3. Select the input side particle and drag and click the output side element to which it needs to be linked.
- 4. Create the simple links between the following EDI elements to the XML Elements:

| Input Side<br>Content Particle > XML Element > Pcddata | Link to Output Side<br>XML Element > Composite |
|--------------------------------------------------------|------------------------------------------------|
| Particle_2 > Partner > C - String 256                  | SENDER > C -String 256                         |
| Particle_2 > Partner > C - String 256                  | RECEIVER > C -String 256                       |
| Particle_2 > Transaction > C - String 256              | ALIAS > C -String 256                          |

- 5. Click **Save**.
-

## Exercise 10–4 Creating the Extended Rule

---

### Instructions

You can create the extended rule in the following manner.

1. Right-click under SENDER, Pcddata, and select **Extended Rule**.
2. Type the extended rule: **SENDER = "PETBLING";**
3. Compile and click **OK**.
4. Save and click the **Compile** icon  to compile your map.

## Exercise 10–5 Checking in the Typing\_Test Map

---

### Instructions

In this exercise, check in the Typing map to make it available to Sterling B2B Integrator. You can check in the Typing.map in the following manner.

1. In the Map Editor save, compile, and save your map again.
2. Click **Deployment > Maps** in Sterling B2B Integrator.
3. Click **Go!** in the Check in section.
4. To check in a source map (.map/.mxl):
  - Click **Browse** (next to the Map filename (.map or .mxl) field).
  - Locate **Typing\_Test.mxl**.
  - Click **Open**.
5. To check in a compiled map (.txo) at the same time you are checking in the source map:
  - Click **Browse** (next to the Compiled Map filename (.txo or .ltx) field).
  - Locate **Typing\_Test.txo**.
  - Click **Open**.
6. Type **Typing map for class** in the Check in comments field and click **Next**. The Confirm window appears.
7. Select **Enable for Business Processes**. This field is mandatory.
8. Click **Finish** to apply your changes. The Sterling B2B Integrator displays the message: Update completed successfully. **Note:** Keep track of the name you used for your map. Since this service uses multiple maps you have to type in the name.

---

(Continued on next page)


## Exercise 10–5 Checking in the Typing\_Test Map(Continued)

---

### Create a Business Process

You can create a business process in the following manner.

1. Open the GPM. If it is already Open, click **View > Refresh Services**.
2. Click **File> New**.
3. Drag a **Start**, **End**, a **Sequence Start**, **Sequence End**, and a **Typing Service** into the workspace and connect them as shown.



4. Double-click the **Typing Service** to open its properties editor.
5. Choose **TypingService** from the config drop-down box.
6. Specify the following values in the Properties editor:
  - required\_parmlist: SENDER RECEIVER ALIAS
  - Typing\_Maplist: Typing\_Test
  - Validate\_Input\_Against\_DTD: No Validation
7. Save as **Typing\_Test** and validate.

---

(Continued on next page)

## Exercise 10–5 Checking in the Typing\_Test Map(Continued)

---

### Check in and Test the Business Process

You can check in and test the business process in the following manner.

1. Open the admin console and choose **Business Process > Manager**.
2. Click **Go!** next to Create Process Definition.
3. Name the process **Typing\_Test**.
  - Make sure that the **Check-in Business Process created by the graphical modeling tool** radio button is selected.
  - Click **Next**.
4. Click **Browse** and go to your saved business process. Select it and click **Open**.
5. Give an appropriate description. Click **Next**.
6. Use the default settings for the remaining parameters. Make sure that the Business Process is enabled when you click **Finish**.
7. Search for your new business process from the Business Process Manager screen.
8. Click **Execution Manager** when you get the results screen.
9. Choose **execute** in the execution manager screen.
10. Click **Browse** and choose the **Outbound XML Invoice Data.xml**.
11. Click **Go!**
12. Monitor the progress of the business process.

---

(Continued on next page)

## Lesson Review

---

---

### Completed Objectives

This lesson was designed to help you to:

- State the purpose of the typing map and the Typing Service
  - Create a typing map
-

