

Unit 2: Implementation

Unit objectives

- Explain the Sterling File Gateway dynamic route.
- Discuss the Sterling File Gateway file layers.
- Generate Sterling File Gateway reports.
- Explain the extensibility of Sterling File Gateway.

Lesson 1


Dynamic Route

Lesson objectives

- Describe the major functionality of dynamic routing channel.
- Configure a dynamic routing channel template.
- Apply business process to determine consumers.
- Explain and configure broadcast messages using dynamic routing channel template.
- Explain mass replay and redeliver of processed transaction.

Routing Channels

- Routing channels match incoming producer files to the appropriate consumer and then transform the file and file name according to the policies of the consumer.
- Route Provisioners create routing channels. Before routing channels can be created, the Integration Architect should create a routing channel template and the Route Provisioner should create the producer and consumer Partners.
- For a dynamic routing channel, no consumer is explicitly specified.



Business process decides consumer

The consumer identification policy is the method Sterling File Gateway uses to identify the consumer to receive the file transfer.

The consumer identification policy is defined in the routing channel template.

To implement a specific policy:


1. Write a business process to implement the consumer identification policy. For example, your business process can contain a map to derive the consumer name. Note the element name in `ProcessData` that contains the consumer name.
2. When you create a routing channel template, select Dynamic for Template Type.
3. Under *What will determine the consumer?*, select *Business Process*.
4. Specify the business process name.
5. Specify the element name in `ProcessData` that contains the consumer name

Replay and ReDeliver

IBM Sterling File Gateway Welcome fg_sysadm

Routes		Participants		Tools	Profile
Search Criteria	Arrived File	Route	Delivery	Times shown in local time zone	

The number of search results found: 9


Reviewed	Status	Producer	Original File Name	Discovery Time	
☐	Routed	abcde	partner_NewFile.txt	10/22/2013 16:22:52	 ▶ Replay this Arrived File ✓ Mark as reviewed ☐ Mark as not reviewed
☐	Routed	partner	InventoryOf3.xml	10/22/2013	
☐	Routed	partner	Safety.GIF	10/22/2013	
☐	Routed	partner	Stupidity.GIF	10/21/2013	
☐	Routed	partner	Safety.GIF	10/21/2013 16:30:02	
☐	Routed	partner	file1.txt	10/21/2013 16:20:32	
☐	Routed	partner	Safety.GIF	10/21/2013 16:01:22	
☒	Routed	partner	Replaying_ReadMe	10/20/2013 10:11:55	
☒	Routed	partner	READINGME	10/19/2013 01:11:10	

To Redeliver, select the file in Arrived file tab and go for the Delivery tab, Right click and select the option to redeliver the file.

IBM Sterling File Gateway Welcome fg_sysadm

Routes		Participants		Tools	Profile
Search Criteria	Arrived File	Route	Delivery	Times shown in local time zone	

Status	Delivery Time
Complete	10/22/2013 16:22:52



- ▶ Redeliver this Arrived File

Broadcasting

- You can create dynamic routing channel templates to route copies of the same file to multiple consumers.
- The set of consumers receiving a copy of the payload file can be defined either through the system fact ConsumerBroadcastGroup or through a business process that returns multiple consumer partner names.
- You can configure multi-consumer broadcast message during Routing Channel Template, Routing Channel, and Shared Mailboxes.

Shared and linked mailboxes

- Linking trading partner mailboxes to shared mailboxes allows trading partners to view real-time data that is stored in the shared mailboxes.
- The linked mailbox has read-only copy of the shared mailbox and the trading partners cannot modify or delete data in it.
- To enable the shared and linked mailbox feature in Sterling B2B Integrator, set the following property in the `customer_overrides.properties` file as:

`mailbox.enableSharedLinkedMailboxes=true`

- By default, this property is set to false.
- This property change adds an additional field Mailbox Type to the mailbox configuration page.
- Sterling File Gateway creates new or reuses existing mailboxes as necessary to support producer drop of and consumer pickup of messages for a routing channel.



Exercise

1. Create dynamic outbound route.
2. Build mailbox add business process.
3. Create inbound dynamic route business process.
4. Broadcast message through dynamic routing.
5. Broadcast messages using shared mailboxes.

Completed lesson objectives

- Describe the major functionality of dynamic routing channel.
- Configure a dynamic routing channel template.
- Apply business process to determine consumers.
- Explain and configure broadcast messages using dynamic routing channel template.
- Explain mass replay and redeliver of processed transaction

Questions

