

# Unit 1: Overview of Sterling File Gateway

## Unit objectives

- Explain the Sterling File Gateway application terms and concepts.
- Discuss the Sterling File Gateway installation.
- Explain users, trading partners groups and communities.
- Create routing channel template and routing channel for static route.

# Lesson 1

## Introduction


## Lesson objectives

- Describe the major functions of Sterling File Gateway.
- Explain the terms and concepts of Sterling File Gateway.
- List the enhancements in Sterling File Gateway V2.2.6.
- Install and start the Sterling File Gateway application.

## Introduction to Sterling File Gateway

- SFG is an application for transferring files between partners using different protocols, file naming conventions, and file formats.
- SFG utilizes the Sterling B2B foundation, which includes Sterling Integrator, Sterling Standards, and the Sterling platform.
- SFG can be accessed using unique application URL, provides single sign-on access to the Sterling Integrator administrative console through menu selection.
- It helps in transfer of high volume payloads with end-to-end visibility of file movement.

# File Gateway is a Router



## Features

- **File name transformations:** It provides a flexible way to map input filenames to output with the use of regular expressions. It can extract fact names from filenames. common file processing tasks such as compression/decompression, PGP encryption/decryption, and signing
- **File Transfer Visibility:** Events are recorded for monitoring and reporting; Ability to view and filter Sterling File Gateway data flows for all users.
- **Replay/Redeliver:** One click replay/redeliver capability that allows users to reprocess a transmission from the beginning, to a specific delivery destination.
- **Notifications :** Partners and operators can subscribe to be notified about events by email.
- **Extensibility:** Custom event codes, custom protocols, custom file layer and consumer identification policies can be added to support unique scenarios.
- **File Format :** SFG can wrap and unwrap data for zip, gzip and pgp formats

## Features

(Contd..)

- **Broad Communications Protocol** Support FTP, FTP/S, SSH/SFTP, and Connect:Direct and (such as HTTP,AS2, AS3, or Odette FTP) can be setup by custom protocols.
- **Partner Interface (*myfilegateway*)** – Web browser-based interface that enables partners to upload/download files.
- **Role Based Access** – fg\_sysadmin, Integration Architect, Producer/Consumer (end user).
- **Partner On boarding** – Easy-to-use graphical user interface to onboard partners.

## Terms to Understand

| Term                          | Description                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Consumer                      | Partner who receives files directly or in a mailbox.                                                                                                                                                                                                                                                                                                |
| Consumer File Structure (CFS) | Description of consumer requirements for file naming and format structure.                                                                                                                                                                                                                                                                          |
| Producer                      | Partner who creates and sends files.                                                                                                                                                                                                                                                                                                                |
| Producer File Structure (PFS) | Description of producer requirements for file naming and structure                                                                                                                                                                                                                                                                                  |
| Event                         | Description of a distinct routing activity occurrence.                                                                                                                                                                                                                                                                                              |
| Fact                          | <p>A named fragment of information gleaned from a file as it is identified and matched against routing channels.</p> <p><u>Facts can be derived from:</u></p> <ul style="list-style-type: none"> <li>Part of a file name</li> <li>Time the message arrived from the producer</li> <li>Name of the producer</li> <li>Name of the consumer</li> </ul> |
| File Layer                    | Description of format. A file may encapsulate one or many other files. An example of this is a ZIP file that contains a JPEG file. In this example, the ZIP file is a container layer because it contains another file. The JPEG file is a non-container layer.                                                                                     |
| File Structure                | <p>Description of a file's basic content structure and naming conventions.</p> <p><u>There are two types:</u></p> <ul style="list-style-type: none"> <li>Consumer File Structure</li> <li>Producer File Structure</li> </ul>                                                                                                                        |
| Regular Expression            | An industry standard pattern-matching language. Used in Sterling File Gateway for matching file names and gathering facts related to file names.                                                                                                                                                                                                    |

# Terms to Understand

## (Contd..)

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Route                    | A route is a record of all the activities performed on a Routable Payload, once it known who the consumer is. Each Routable Payload is associated with a route. A replay of a route results in a new route and new file.                                                                                                                                                                                                                              |
| Routable Payload         | A file that is eligible to match a routing channel. The top-level file (exactly as sent by the producer) is always routable; if the top-level file is a ZIP file, then the files contained within that ZIP file are also routable. A single payload must not match multiple routing channels. However, because a ZIP file and its constituents are distinct routable payloads, each is independently routed and can match different routing channels. |
| Routing Channel          | Matches incoming producer files to consumers according to the requirements in the routing channel template, then transforms and sends them to the correct consumer in the format and name specified in the consumer file structure.                                                                                                                                                                                                                   |
| Routing Channel Template | The routing channel template (RCT) defines the structure through which routing occurs. The RCT specifies producer and consumer mailbox structures and file structures. It functions as a policy that mandates which partners can participate in various file transfer scenarios and which file formats they must use. An RCT is required to create a routing channel, which establishes the producer-consumer relationship for file transfers.        |
| Redeliver                | The operation that an Operator performs on a delivery, to reattempt that delivery. This can only be performed if a delivery has been attempted                                                                                                                                                                                                                                                                                                        |
| Replay                   | The operation that an Operator performs on a file, to cause the system to reprocess that file again, as if it were sent again by the Producer.                                                                                                                                                                                                                                                                                                        |

## EBICS

- Electronic Banking Internet Communications Standard (EBICS) is a secure transport protocol and a B2B specification for electronic financial transactions between corporate firms and banks, and between banks.
- EBICS continues to grow in acceptance across Europe, for many types of secure communication. EBICS communication has become Any-to-Any between participants, that include:
  - Bank to Bank
  - Corporate to Bank(s)
  - Financial Services to Banks (Clearing Center)
  - Insurance to Banks

## Enhancements

- Mass File Replay.
- Integration with IBM Partner Engagement Manager.
- Listening Producer API.
- EBICS operators.
- Access and protocol support for FTP, SFTP, Connect:Direct, myfilegateway for high availability and disaster recovery.
- Flexible integration with any partners, systems.
- Improved operation efficiency, business performance and empowered data movement.

## Completed lesson objectives

- Describe the major functions of Sterling File Gateway.
- Explain the terms and concepts of Sterling File Gateway.
- List the enhancements in Sterling File Gateway V2.2.6.
- Install and start the Sterling File Gateway application.

# Questions

