

Lesson 2

Monitoring and Diagnostic Tools

Lesson objectives

- Identify the most commonly used System Logs and their contents
- Identify the most commonly used System Reports
- Explain about Message Monitor to check messages

System Logs

Sterling B2B Integrator has many components, including software applications, Web servers, and database servers. To monitor the activities of each component, Sterling B2B Integrator generates log files.

Log files are created in the **install_dir/logs** directory.

Viewing Log File Contents

To view current log file contents in Sterling B2B Integrator:

1. From the Administration menu, select Operations > System > Logs.
2. Select the appropriate log file. The log opens.

Analyzing Log File Contents

The contents of a log file can provide information about system activities and problems.

The format for entries written to a log file is:
YYYY-MM-DD HH:MM:SS.ss loglevel 'message code'
Scope.Subsystem.Name 'information string'.

- YYYY-MM-DD is the date in year, month, day format.
- HH:MM:SS.ss is the time in hour, minutes, seconds format.

Analyzing Log File Contents

(contd..)

- Loglevel is the condition used to determine the type of information written to the log. The log level conditions are:
 - ERROR – Collects only error conditions.
 - INFO – Collects additional information.
 - TIMING – Collects timing information.
 - DEBUG – Collects detailed information about data flow.
 - ALL – Collects information for all of the above conditions.

Analyzing Log File Contents

(contd..)

- Message code describes the activity or problem, using the following format:
 - The first four digits specify the scope (like Workflow, Ops, Util). The next digit specifies the log severity level (default conventions use 1 for error/exception, 2 for Debug messages, 3 for Warnings, and 4 for info/All messages). The next three digits specify the subsystem (like Workflow Queue or Workflow Engine). The last four digits specify the error number.

Analyzing Log File Contents

(contd..)

- Scope.Subsystem.Name is a text description of the affected part of Sterling B2B Integrator (like Workflow, Ops, Util); the Sterling B2B Integrator subsystem (like Workflow Queue or Workflow Engine); and what occurred (Name)
- Information string is a brief description of the activity that occurred.

Example: Log File Contents

```
[2006-05-30 11:06:55.661] ALL 000440020297  
SERVICES.SERVICES_CONTROLLER.INFO_sdi_getName startup:  
loading HTTP_SEND_ADAPTER
```

Changing Log Settings for a Global Log:

- To change the settings for the global log properties, follow the following format for each property:

logService.Property=Value

- Example:

defaultlog.maxnumlogs=15

Sets the maximum number of the log type specified as the default log (systemlogger by default) to 15.

Changing Log Settings

(contd..)

Changing property file settings using the customer override property file:

1. In the `install_dir/properties` directory, locate (or create, if necessary) the `customer_overrides.properties` file.
2. Open the `customer_overrides.properties` file in a text editor.
3. Specify the settings for the global log properties using the following format: `logService.=Save` and close the `customer_overrides.properties` file.
4. Stop and restart Sterling B2B Integrator to use the new values.

Changing Log Settings for an Individual Log:

To change log settings for an individual log type:

1. From the Administration menu, select Operations > System > Logs.
2. Click the icon next to the type of log for which you want to change the log settings.
 - Location
 - Rollover Interval
 - Logging Level
3. On the Log Settings page, specify settings for the options.
4. Click Save.

System Reports

The Sterling B2B Integrator Internal System Reports can be accessed from the Administration window select Operations > Reports > List All.

The following are the Category of Reports:

- | | |
|-------------------------------------|-------------------------|
| 1. Admin Audit | 7. EDI Reports |
| 2. Authentication | 8. Map Lists |
| 3. Authorization | 9. Traffic |
| 4. Business Process Definition List | 10. Traffic Summary |
| 5. Business Process Detail | 11. Translation Service |
| 6. DB Stats | 12. WFFactModelDetail |

Message Monitor

- In Sterling B2B Integrator, business processes use messages to communicate with each other.
- Certain business processes create Produce and Consume messages (asynch communication hand off to the database).
- The Produce business processes produce messages to be consumed.
- The Consume business processes wait for messages from the Produce business processes.


Considerations - Message Monitor

- Messages that are successfully produced or consumed are not monitored.
- Messages are tied closely to business processes. But messages also have identities separate from business processes.
- Sometimes Produce and Consume business processes have to choose between messages with the same name.
- An unsuccessful message remains in Sterling B2B Integrator until an appropriate Produce or Consume business process step completes the message hand off and uses the message.

Searching for Unsuccessful Messages

User can search for unsuccessful message using the following search methods:

- Message Name – Display messages whose names contain the specified character or string.
- Start Date From and Start Date To – Display messages for which the related business process step invoked the Produce or Consume activity at the specified start date and time.
- Alphabetically or by message type (ALL, Producer, or Consumer) – Display messages initiated by business processes based on alphabetical list or the default is ALL.



Exercise

1. Reading the FTP Server Adapter
2. Accessing FTP Server Through Secured Layer
3. Check in the AT_produce and AT_consume business process
4. Run the AT_produce and AT_consume business process
5. Create an Unsuccessful Message

Completed lesson objectives

- Identify the most commonly used System Logs and their contents
- Identify the most commonly used System Reports
- Explain about Message Monitor to check messages

Questions

