

Tracking System Health

Contents

■ Background	11-2
■ Troubleshoot and Reconcile Business Processes	11-3
■ Exercise 11-1: Viewing a Troubleshooting Report	11-12
■ Archiving and Restoring Business Process Data	11-13
■ Exercise 11-2: Archiving	11-20
■ Viewing Archive Logs	11-22
■ Exercise 11-3: Restoring Archived Business Process Data	11-23
■ Viewing Restored Business Process Data	11-24
■ Managing Resources	11-25
■ Resource Tags	11-26
■ Exercise 11-4: Creating Resource Tags	11-28
■ Exporting Resources	11-29
■ Exercise 11-5: Exporting Resource Out of Sterling B2B Integrator ..	11-30
■ Importing Resources	11-32
■ Exercise 11-6: Importing Resource into Sterling B2B Integrator ...	11-35
■ Exercise 11-7: Importing and Exporting Using Resource Tags ...	11-36
■ Deleting a Business Process	11-38
■ Exercise 11-8: Deleting a Business Process	11-40
■ Quiz	11-41
■ Lesson Review	11-43

Background

Introduction

This lesson explains how to locate and correct potential problems in a business process. For instances that stopped running, you must troubleshoot the instance to identify the cause, reconcile the issue or error, and determine whether to restart, resume, or terminate the instance.

Lesson objectives

This lesson is designed to help you to:

- Troubleshoot and reconcile business processes
 - Archive business process data
 - Restore business process data archived offline
 - Manage Resources
 - Delete a Business Process
-

Troubleshoot and Reconcile Business Processes

Overview

Sterling B2B Integrator has a built-in system recovery business process that runs automatically every 45 minutes. The recovery business process monitors active business process instances and allows Sterling B2B Integrator to report any issues that occur: for example, a system or service associated with an instance shuts down or a compliance error results while an instance that implements standards is running.

When the recovery business process identifies issues or errors while an instance is running, Sterling B2B Integrator halts the instance, indicates an advance status message of error and a status message of interrupted, and generates reports, as appropriate.

When troubleshooting an instance that indicates a status error, remember that:

- The terminated activity and state activity override all other activities and states.
- When an instance is terminated, all subprocesses and any subprocesses waiting to be processed in the instance terminate.

Used in combination, the status indicator, advanced status and state messages, and reports can help to determine:

- Issues that result while an instance is running
- Errors or warnings that prevent an instance from running
- Actions to complete to reconcile errors or warnings

(Continued on next page)

Troubleshoot and Reconcile Business Processes(Continued)

Status Indicators and State Messages

The following table describes the status indicators and state messages and possible actions to take in response to them:

Status Indicator	State	Action
	Active	1. View details to identify whether errors or warnings justify stopping the business process instance. 2. Stop the instance if necessary. 3. Correct the errors. 4. Resume or restart the instance and run the same document.
	Halting	1. Wait for the business process instance to stop. 2. View details to identify errors or warnings. 3. Correct the errors. 4. Resume or restart the instance and run the same document. Sterling B2B Integrator does not archive data for halted instances. To archive an instance, you must terminate it.
	Halted	1. View details to identify errors or warnings. 2. Correct the errors. 3. Resume or restart the instance and run the same document.
	Terminated	1. View details to identify errors or warnings. 2. Correct the errors. 3. Restart the instance and run the same document.
Continued on next page		

Troubleshoot and Reconcile Business Processes(Continued)

Status Indicators and State Messages (Continued)

Status Indicator	State	Action
	Waiting	1. View details to identify whether errors or warnings justify stopping the business process instance. 2. Stop the instance if necessary. 3. Resume or restart the instance and run the same document. If you terminate this instance, the state can change in the following order as Sterling B2B Integrator terminates the instance: Waiting > Halting > Halted > Terminated.
	Interrupted	View details to identify any errors or warnings. Correct the errors if necessary. Restart the instance and run the same document.
Continued on next page		

Troubleshoot and Reconcile Business Processes(Continued)

Status Indicators and
State Messages
(Continued)

Status Indicator	State	Action
	Active	1. Wait for the business process instance to complete. 2. Check the accuracy of results, if appropriate. 3. If the results are inaccurate, modify the business process and run the same document with the new version. Determine whether the new results are accurate.
	Completed	1. Check the accuracy of results, if appropriate. 2. If the results are inaccurate, modify the instance and run the same document with the new version. 3. Determine whether the new results are accurate.
	Halting	1. Wait for the current step in the instance to finish. 2. Resume or restart when appropriate.
	Waiting	1. Wait for the current step in the instance to finish. 2. Resume or restart when appropriate.

(Continued on next page)

Troubleshoot and Reconcile Business Processes(Continued)

Advanced Status Messages

In the Business Process Detail page, check the message in the Advanced Status column of the business process instance to determine whether further action for the business process is required.

The following table describes advanced status messages and possible actions:

Message	Description	Action
None	No advanced status is available for the current stage.	No action is required
Invalid Business Process	Business process does not exist.	1. Locate the instance in the Monitor page. 2. Select the ID of the instance. 3. Select Restart from the Action field.
Business Process Disabled	Disabled feature that is selected for the business process.	1. Find the instance by performing an advanced search. 2. Select Manager from the Business Process menu, and then locate the instance. 3. Click Enable for the selected instance. 4. Click Execution Manager for the instance. The business process resumes automatically.
Continued on next page		

Troubleshoot and Reconcile Business Processes(Continued)

Advanced Status Messages (Continued)

Message	Description	Action
Service Disabled	Disabled feature that is selected for this service in the business process.	1. Select Services > Configuration from the Deployment menu. 2. Search and find the service. 3. Click Enable for the selected service. The business process resumes automatically.
Service Error	Error occurred with the service processing the data at this point in the business process.	1. Select System > Troubleshooter from the Operations menu. 2. Is the service active? ■ If Yes, go to step 3. ■ If No, contact your system administrator and restart the service. 3. Select System > Logs from the Operations menu. 4. View the log associated with the service that encountered the error. The log may show that where the error occurred or what caused the error. 5. Correct the error where possible and select Resume from the Business Process Detail page. If the log does not contain information about the error, resume the instance and verify your results.
Continued on next page		

Troubleshoot and Reconcile Business Processes(Continued)

Advanced Status Messages (Continued)

Message	Description	Action
Business Process Instance Stopped	Business process discontinued execution.	1. Locate the instance in the Monitor page. 2. Click the number that identifies the instance to view the related Business Process Detail page in the ID column. 3. Review the advanced message to determine why the instance stopped and correct the problem. 4. Return to the Monitor page and select Resume, Restart, or Advanced Restart in the Action field.
System Shutdown	Sterling B2B Integrator was shut down.	Restart Sterling B2B Integrator. The instance restarts automatically.
Service Stopped	Service in the business process stopped.	1. Locate the instance in the Monitor page. 2. Click the number that identifies the instance to view the related Business Process Detail page in the ID column. 3. Identify which service stopped. 4. Select Resume from the Action field.
Continued on next page		

Troubleshoot and Reconcile Business Processes(Continued)

Advanced Status Messages (Continued)

Message	Description	Action
Invalid Service	Service does not exist.	1. Install and configure the service. 2. Restart Sterling B2B Integrator.
Mandatory parameter for service missing	Service is missing a required parameter	1. Determine which parameter is missing. 2. Modify the service properties of the instance in the business process document, if possible. 3. Restart Sterling B2B Integrator if necessary.
Invalid value for mandatory parameter	Value for required parameter is incorrect.	1. Fix the incorrect parameter. 2. Restart Sterling B2B Integrator.

(Continued on next page)

Troubleshoot and Reconcile Business Processes(Continued)

Viewing Troubleshooting Reports

Sterling B2B Integrator generates two reports to use for troubleshooting business processes. The reports are:

- Status Report
 - EDI Compliance
-

Exercise 11–1 Viewing a Troubleshooting Report

- | | |
|---------------------|---|
| Instructions | <p>You can view a troubleshooting report by following the steps that are listed:</p> <ol style="list-style-type: none">1. Select Monitor > Current Processes from the Sterling B2B Integrator Business Process menu.2. If you do not see the business process you want to monitor in the Current Process page, it is not active. Perform a search to find processes not listed in the Monitor page.3. Click the number that identifies the business process for which you want to check the troubleshooting report in the ID column. An Information icon in the Status Report column indicates that a report is available for a specific step.4. Does the Status Report column display one or more Information icons?<ol style="list-style-type: none">1. If Yes, click the Information icon to view the troubleshooting report for the step with which it is associated. The report then opens in a new window.2. If No, no troubleshooting report is available. |
|---------------------|---|
-

Archiving and Restoring Business Process Data

Introduction

Archiving your business process data not only protects your critical data but also conserves database disk space, improving the efficiency of Sterling B2B Integrator. Sterling B2B Integrator uses a set of components to move business process data out of the database and onto a persistence level of long-term storage.

The components include:

- Index Business Process service
- Archive system business process
- Purge system business process

Data that was removed by the Backup Business Process component can later be restored to the same version of Sterling B2B Integrator using the Restore Business Process component.

Important!	The level of detail that is written to the database as a business process runs is affected by the persistence level, which you specify with the Business Process Manager or in the noapp.properties file. Decreasing the persistence level increases the business process performance at the cost of full-tracking for each step of the business process.
-------------------	---

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Additional Information

Business processes are eligible for archiving as soon as their archive flag is set by the Index Business Process service. You do not have to wait until a business process exceeds its life span before archiving it. After the archive flag is set, the business process is then archived the next time the Backup Business Process service is run either by schedule (at 2 A.M. each morning) or manually. The data is still available in the system because it cannot be purged (with the Purge service) until it has exceeded its life span.

The Restore Business Process service restores archived business process data from physical media to a Sterling B2B Integrator restored data location where it can be searched and viewed.

After running a business process, when a business process terminates, and before archiving or purging business process data, the business process must first be indexed. That is, the Index Business Process service runs a process that looks for archiving parameters defined in the business process. When the process finds these parameters, the process creates summary information and writes the information to a table in the database.


For information written to the table, the Backup Business Process service runs, according to how you have configured your archiving settings. The Backup Business Process service retains the business process and its related data to a file system as Java™ serialized objects for later backup to tape, some other long-term storage medium, or purging. The Purge service then runs and removes any data from the database or file system, or both, specified in archive settings not to retain.

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Additional Information (Continued)

The following diagram shows the archiving process.



The Archive Flag is initially set by the Index Business Process service to 0 or 1. A value of 0 causes the data to be backed up. A value of 1 causes the data to be purged without being backed up. A data backup sets the flag to 2, which causes data to be purged.

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Additional Information (Continued)

Important!	■ You cannot archive active business process instances (for example, halting, halted or interrupted). Only data for completed or terminated business processes that have been indexed can be archived. ■ You cannot delete a workflow definition of a business process (using the Source Manager of the Business Process Manager) while an instance of that process is being either indexed, archived or purged. If you try to delete such a definition, an error message appears.
-------------------	--

In the same manner that you schedule business processes, you can schedule the intervals at which you want Sterling B2B Integrator to index, archive, and purge the contents of the database.

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Factors affecting the Amount of Database Table Space

There are two options that affect the amount of database table space used when you archive or purge business processes:

- Persistence level
- Life span

Persistence level

Full - Retain all data for this business process, including associated documents, activities, and all process data.

Step Status (Engine May Override) - This is the recommended persistence level for most process models because it helps optimize performance while providing a level of recovery suitable for most business needs. Persists process data and documents for service steps according to the persistence level supported by the service in the step.

BP Start Stop (Engine May Override) - Choose this level if you know that you do not need persisted status data for successful processing. Because service level settings override the selection, you can have additional data in a recovery scenario. Persists process data and documents for service steps according to the persistence level supported by the service in the step.

System Default - Assume that for the data, configuration is already defined in Sterling B2B Integrator to retain data.

Persists data according to the global persistence setting configured in the properties file.

Step Status Only - Choose this level if you need only status information for each step and your recovery needs do not depend on additional data that are being saved.

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Factors affecting the
Amount of Database
Table Space
(Continued)

BP Start Stop Only - Choose this level if your recovery needs do not depend on data that are being saved for the processing steps.

Zero - This level does not persist any business process data for recovery or process tracking. Choose this level only if you are certain you will not need the data.

Important!	Zero persistence is available only if the process is running in Synchronous start mode.
-------------------	---

Error Only - Choose this level if you do not need tracking data for your process when it is successful and your recovery does not depend on process step data being saved.

Life span

This option allows you to define the length of time, in days and hours, to retain the data in Sterling B2B Integrator ONLINE tables. This is the length of time after which the business process instance expires.

(Continued on next page)

Archiving and Restoring Business Process Data(Continued)

Configuring Archive Settings

You can configure Sterling B2B Integrator to automatically archive business process data as often as you need.

When archiving your business process data, consider that:

- You cannot archive active business process instances. Only data for completed or terminated business processes can be archived.
- You should indicate default values that apply to all business process instances that you run.
- How often you archive should depend on the volume of business processes that you run.
- Business level information should be archived for audit purposes, including:
 - Security information, such as certificates
 - Documents that support non-repudiation for AS1 and AS2 protocols
 - Correlations that provide searching ability
- Business processes are purged only when they exceed their life span.
- For any data that you may potentially want to view in the immediate future, maintaining the data in live tables provides faster retrieval.

Configuring Default Archive Settings

When configuring default archive settings, you can define whether Sterling B2B Integrator should archive data for business process instances inside or outside of Sterling B2B Integrator. After you configure and save the archive schedule, the archive process is automatic and runs based on the time parameters you provided during configuration.

Exercise 11–2 Archiving

Instructions To configure default archive settings:

Important!	Before you set up the offline archive, rerun the BasicInventory business process. This is the business process that you will archive/restore for this exercise.
-------------------	---

1. Go to **Operations > Archive Manager** from the Sterling B2B Integrator.
 2. Click **Go!** in the Archive Configuration section, against Configure Archive Settings. A pop up warning will appear that the UI lock is enabled and this lock can be released by clicking either Cancel or Finish in the wizard.
 3. Click **Ok**.
- Note:** If the configuration page is closed without clicking the Cancel or Finish, then the lock must be released using Lock Manager function.
4. Set the number of **Days** and **Hours**:
 1. Default values that business processes must remain in the system.
 2. Default values that trackable business process information remains in the system.
 5. Verify whether the **Backup directory** path where the archived data stored is **/opt/IBM/SterlingIntegrator/install/arc_data**.
 6. Choose **Archived** for the expired business processes.
 7. Click **Next**. The BackupService: Business Process Definitions screen displays.
 8. Select **BasicInventoryProcess** on the BP Definitions screen, and move with the right or left arrow to the **To be exported** list.
 9. Click **Next**. The **Schedule Type** screen displays.
 10. Choose **Run** based on timer and click **Next**. The **Schedule Settings** screen displays.

(Continued on next page)

Exercise 11–2 Archiving

(Continued)

Instructions (Continued)

11. Select the time as 1 hour and click **Next**.
12. Click **Next**. If required, the **time** for schedule exclusion can be entered.
13. Click **Next**. If required, the date exclusion details can also be entered here.
The Backup Service: Confirm screen displays.
14. Click **Finish**.
15. Go to the Backup directory
/opt/apps/SterlingIntegrator/install/arc_data/<date> in the Windows Explorer. The folder named with archive date and time is created.

Manually Archiving the Business Process

After configuring the archive settings, you can archive all completed or terminated business process instances at any time.

1. Go to **Operations > Archive Manager** from the Sterling B2B Integrator.
2. Click **Go!** in the Archive Execution section against Archive Business Process.
3. Click **Ok** in the confirmation popup message to continue the execution of archive process. On successful execution of archive process, the business process is archived to the specified location.

Viewing Archived Business Process Data

The only archived business process data that you can view from its archived location is data archived to archive tables within Sterling B2B Integrator. To view archived business process data that is archived to an offline location, you must first restore that data within Sterling B2B Integrator.

Viewing Archive Logs

Viewing the Archive Log

In Sterling B2B Integrator, you can view the archive log using either the:

- Archive Manager
- System logs

Using the Archive Manager

To view the archive log through the Archive Manager:

1. Select **Archive Manager** from the Sterling B2B Integrator Operations menu.
2. Click **Go!** to view the archive log in the Archive Log section.

Using the System Logs

To view the archive log through the system logs:

1. Select **System > Logs** from the Sterling B2B Integrator Operations menu.
2. Click the link **archive.log** to view the archive log in the environment section.

Restoring Archived Data

After you have archived business process data to an offline location, you can restore that data and view it in Sterling B2B Integrator.

Exercise 11–3 Restoring Archived Business Process Data

Instructions

You can restore an archived business process data from an offline location in the following manner.

1. Select **Archive Manager** from the Sterling B2B Integrator Operations menu.
2. Click **Go!** in the Restore Manager section.
3. Type the backup directory (**/opt/IBM/SterlingIntegrator/install/arc_data/<date_time>**) in the Restore panel. (Choose the folder that you want to restore. Pick the one that matches the <date_time> from your recent archive.)

Important!	View the archive directory to make sure you type the correct folder name. Also in the Restore folder path make sure to replace CHOOSE_DATE_DIR_HERE with your recent archive folder <date_time>.
-------------------	--

4. Click **Go!** to restore the data in Sterling B2B Integrator.
-

Viewing Restored Business Process Data

Procedure to View Restored Business Process Data

To view archived business process data that is restored in Sterling B2B Integrator, follow the steps listed:

1. Select **Monitor > Advanced Search > Business Processes** from the Sterling B2B Integrator Business Process menu.
2. Select **Restore Tables** under Search Location at the top of the page.
3. Complete one of the following steps in the Business Process Monitor Search (Restore) page:
 1. Click **Go!** to view all restored business process data. In the **Search Using Business Process Name** section.
 2. Search for specific restored business process data. Indicate any combination of the following criteria and click **Go!** to view the restored business process.

Criteria	Description
Process ID	Display data identified by the number assigned by Sterling B2B Integrator when the business process ran.
Business Process	Display data for business processes whose names contain the specified character or string.
System Business Processes	Display data for Sterling B2B Integrator system business processes whose names contain the specified character or string.
State	Display data for business processes whose final state corresponds to the specified state.
Status	Display data for business processes whose final status corresponds to the specified status.
Start date/time range	Display data for business processes that run within the specified start dates and times.

Managing Resources

Introduction

In Sterling B2B Integrator, resources are files, templates, and documents that are deployed in Sterling B2B Integrator to perform various actions.

Sterling B2B Integrator allows you to import and export resources, which can save time and increase the accuracy of duplicating resources on various Sterling B2B Integrator systems that are set up for unique purposes. Specifically, the Import and Export options allows you to:

- Import resources from a Sterling B2B Integrator test environment to a Sterling B2B Integrator production environment.
- Import resources from one Sterling B2B Integrator system to another.

To import and export resources from Sterling B2B Integrator environment to another Sterling B2B Integrator environment, both environments must be the same version.


(Continued on next page)

Resource Tags

Overview

A resource tag is a name that you use to identify a group of associated resources. A resource tag is much like a company name, with each department being a web resource associated with the resource tag. For example, XYZ company has Human Resources, Finance, and Legal departments. The company name, XYZ, is the resource tag, and the Human Resources, Finance, and Legal departments are web resources that are associated with the XYZ resource tag.

Sterling B2B Integrator allows you to associate a resource with more than one resource tag.



(Continued on next page)

Resource Tags

(Continued)

Additional Information on Resource Tags

Before you can create a resource tag, resources to associate with the tag must be saved in Sterling B2B Integrator.

Managing resource tags involves:

- Creating resource tags
- Editing a resource tag to add or delete resources from the tag
- Copying the resource tag to use as the basis for a new tag with a different name
- Deleting resource tags that have become obsolete.

You can create resource tags that are needed to define your resource groupings, and you can also create a tag during the import resources procedures, to assign a new tag on the fly to resources you are importing.

You cannot import resources (.xml or .jar files) greater than 10 MB through the Sterling B2B Integrator interface. Creating resource tags is a way to separate resources to keep the file size down.

Exercise 11–4 Creating Resource Tags

Instructions

You can create resource tags in the following manner.

1. Go to **Deployment > Resource Manager > Resource Tags**.
2. Click **Go!** under Create New Resource Tag.
3. Type **Train_#_BP** for the Resource Tag name, and use the same name for the description and click **Next**.
4. Place a check mark in the box next to **Business Processes** for the Resource Type and click **Next**.
5. Type the unique identifier that you used when creating your processes in the Filter Data by Name, and click the **filter** icon.

Resource Tag

BPs

Filter Data:

By Name: 

Select Names:

Available		To Be Associated
ACHDevelope	   	
ACHEnvelope		
ACHReturnGeneration		
AdvanceShipment		
AFTPurgeArchiveMailboxes		
AFTRoute		
AFTRouteAddMailboxMessage		
AFTRouteConsumerNameViaDocument		
AFTRouteEventEmailNotification		
AFTRouteExtractMailboxMessage		

6. Click the double arrow icon to associate all your business processes and click **Next**.
 7. Click **Finish**.
-

Exporting Resources

Overview

Before conversion, resources must be converted into the proper format for storage and transfer. The Export option converts a group of resources that you specify into one of the following formats:

- XML - Allows you to transfer data or resources between two existing systems.
- Install bundle - Optionally allows you to load during a Sterling B2B Integrator install on a new system.

Important!	You cannot use the Export option to export .war files.
-------------------	--

In the export process, after you defining the file format to use for the export, you select the version of the resources to export:

- The Standard export copies non-versioned resources and the default version of versioned resources.
- The Advanced export copies non-versioned resources and allows you to choose to export just default versions or all versions of versioned resources.

You can export resources that are associated with a particular resource tag or resources that are not associated with a resource tag.

Exercise 11–5 Exporting Resource Out of Sterling B2B Integrator

- | | |
|---------------------|---|
| Instructions | <p>You can export resources out of Sterling B2B Integrator by following the steps that are listed:</p> <ol style="list-style-type: none">1. Click Deployment > Resource Manager > Import/Export from the Administration Interface.2. Select Export Resources to take information out of Sterling B2B Integrator, and click Go!3. Select the radio button for XML Files on the Output Format Type screen, and click Next.4. Accept the default of No to export based on resource tag name on the Resource Group screen, and click Next.5. Accept the default of Standard - exports default version on the Export Type screen, and click Next.6. Select Business Processes on the Select Resources screen as the type of resources to export and click Next. |
|---------------------|---|
-

Exercise 11–5 Exporting Resource Out of Sterling B2B Integrator (Continued)

Instructions (Continued)

7. Select **BasicInventoryProcess** in the **Available** list on the **BP Definitions** screen, and move using the down arrow to the **To Be Exported** list. Click **Next**.

Note: when you select any confidential resources (such as; Trading Partner Data, envelops, Web Services, Security Tokens, etc) the **Security** screen prompts you to enter a pass phrase. Note down the pass phrase as you need to enter this again while importing these resources back to the Sterling B2B Integrator.

8. Click **Finish**.
 9. Click **Download Export data XML** when the system updates the successful completion.
 10. Click **Save** to download the file.
 11. Save with a unique name <filename>.xml in the desktop.
-

Importing Resources

Overview When you import resources, the Import option converts an XML file or install bundle to Sterling B2B Integrator resources format.

Important!	You cannot use the Import option to import .war files.
-------------------	--

Depending on the type of export you used (standard or advanced, default or all versions), the Import option performs the following functions:

- Creates new non-versioned resources
- Creates and checks in new versioned resources (assigns time/date of the import)
- Updates or preserves existing non-versioned resources
- Preserves or appends existing checked-in resources



Caution

To prevent the loss or corruption of existing records, preserve and download the backup file of all imports that you conduct.

The Standard Import

The standard import:

- Replaces non-versioned records
- Appends to existing versioned resources
- Sets the default according to imported records

(Continued on next page)

Importing Resources

(Continued)

Tips for Importing Resources

Here is some important information about importing resources:

You must manually update imported resources that contain hard-coded, computer-specific information. For example, system paths in scripts must be manually changed to use the new path after importing resources to their new location.

During import, Sterling B2B Integrator creates a backup file containing records as they existed before import. After you import the resources, you can download and preserve the backup file, which is named backup.xml by default. You can change the name of the backup file so that you do not overwrite an existing backup file.

Update and Preserve Existing Resources Options

For both non-versioned and versioned resources, the import process creates a new record where none exists. If you are importing resources to an environment that already contains the same resources, you have two options:

- Update
- Preserve Existing (default)

Important!	Each option handles versioned and non-versioned resources differently.
-------------------	--

(Continued on next page)

Instructor Note: Inform students that the exercise to import and export with and without resource tags are covered in this topic.

Importing Resources

(Continued)

Update and Preserve Existing Resources Options (Continued)

The Preserving Existing option is the default option. Depending on whether you are working with versioned or non-versioned resources, different actions occur.

- Non-versioned resources - If a record exists, nothing is imported. The import process does not change existing records.
- For versioned resources - The preserve existing option does not change any versions currently in the system, and adds only new versions.

You see the Update option only when you select Update during the import process. If you are importing non-versioned resources, the Update option replaces the existing records. If you are importing versioned resources, the Update option appends to the list when the versions exist, incrementing by one, according to the starting point of the import system.

Exercise 11–6 Importing Resource into Sterling B2B Integrator

- | | |
|---------------------|--|
| Instructions | <hr/> <p>You can add information into Sterling B2B Integrator by following the steps that are listed:</p> <ol style="list-style-type: none">1. Click Deployment > Resource Manager > Import/Export from the Administration Interface.2. Select Import Resources and click Go!3. Click Browse and locate the <filename>.xml (file that is saved in the export exercise) to import the file.4. Click Open.5. Click Next.6. Click Next, do not create a resource tag.7. Click Yes to update objects in database, click Next.8. Select the business process that you want to import in Available list.9. Click down arrow to list the selected business process in To Be Imported list.10. Click Next.11. Verify confirmation details and click Finish. <hr/> |
|---------------------|--|

Exercise 11–7 Importing and Exporting Using Resource Tags

Exporting Resources

You can export resources by following the steps that are listed.

1. Go to **Deployment > Resource Manager > Import/Export**.
2. Click **Go!** next to Export Resources.
3. Accept the default of XML file for the type of format you wish to export to and Click **Next**.
4. Click **Yes** when prompted: Do you wish to export resources that are based on a tag name and select your Resource Tag name from the drop-down.
5. Click **Finish**.
6. Click **Download**.
7. Click **Save**. For the file name type **MyBPs** and save the file to a directory of your choice.
8. Click **Save**.
9. Click **Return**.

(Continued on next page)

Exercise 11–7 Importing and Exporting Using Resource Tags (Continued)

Importing Resources

You can follow the steps that are listed to import resources.

1. Click **Go!** next to Import Resources.
2. Browse to where you save the .xml file and click **Open**.
3. Leave the passphrase blank and click **Next**.
4. Place the word **NEW** in front of the tag name that appears for the tag name, and leave the description as **defaulted**.
5. Click **Next**.
6. Select **Yes** when prompted: Some objects being imported may exist in the system. Do you wish to update them? Click **Next**.
7. Click the **double-arrow** to select all your processes and click **Next**.
8. Click **Finish** and **Return**.

You now know how to import resources using tags.

Deleting a Business Process

Overview

In Sterling B2B Integrator, you can delete individual business processes (except business processes used by Sterling B2B Integrator). Some reasons that you might delete a business process are:

- Business activities have changed and, as a result, a business process can no longer accomplish the activities.
- You need to remove versions of a business process to reduce the database size.

Before Deleting a Business Process

Before deleting a business process, consider that:

- Deleting a business process is permanent; it cannot be restored once deleted.
- If the business process runs on a schedule, the schedule is deleted with the business process.
- When a user account is required by a business process (for example, to perform a human interaction activity, such as approving a PO), and that user account is deleted, the business process does not run, and Sterling B2B Integrator generates an error message instead.
- After you confirm that you want to delete a business process, Sterling B2B Integrator deletes the business process and creates a log entry that contains the name of the business process, date, and time of deletion, and the user account who performed the deletion.
- After a service configuration has been deleted, you can reuse the name.
- Only user accounts that have DELETE and BPMANAGE permissions can delete business processes.

(Continued on next page)

Deleting a Business Process

(Continued)

Tasks Before Deleting a Business Process

Before you delete a business process, ensure that the following tasks are completed:

1. Use the Export Resources function to save a copy of the business process for offline storage.
 2. Identify any uses of the business process to ensure that the deletion does not prevent other business processes and ensuing services from running.
-

Exercise 11–8 Deleting a Business Process

Instructions

You can delete an individual version of a business process or all versions of a business process in the following manner.

1. Select **Manager** from the Sterling B2B Integrator Business Process menu.
2. Type #_BasicInventoryProcess1 (where # is the lab number assigned to you) in the Search section.
3. Click **source manager** next to the business process in the Business Process Manager search results page.
4. To delete a version of a business process:
5. Select the check box next to the version, under Delete.
6. Click **Go!** next to Delete Selected Versions.

Important!	To delete all versions of this business process, next to Delete All Versions, click Go!
-------------------	--

Quiz

- | | |
|------------------|---|
| Questions | <ol style="list-style-type: none">1. Archiving deletes expired process instance data whereas Purging moves it to disk for storage.<ol style="list-style-type: none">a. Trueb. False2. Restored data is moved to the restore tables within the Sterling B2B Integrator database.<ol style="list-style-type: none">a. Trueb. False3. At what intervals does the built-in system recovery business process run in Sterling B2B Integrator?<ol style="list-style-type: none">a. Every 15 minutesb. Every 45 minutesc. Every 30 minutesd. Every 60 minutes4. How do you troubleshoot the “Invalid Service Configuration” error?<ol style="list-style-type: none">a. Fix the incorrect parameter and restart Sterling B2B Integratorb. Install and configure the service and then finally restart Sterling B2B Integrator.c. Restart Sterling B2B Integrator.d. Determine the missing parameter and modify the service properties of the instance in the business process. |
|------------------|---|

(Continued on next page)

Quiz

(Continued)

Questions (Continued)

-
5. To what file types can you export Sterling B2B Integrator objects? Select the correct answers.
 - a. XML
 - b. JAR
 - c. Zip
 - d. RAR
 - e. bpm
 6. When can a business process be exported, but not deleted?
 - a. The unarchived or purged instance data remains in Sterling B2B Integrator.
 - b. The delete flag is set to "no" in the properties files.
 - c. The export and delete are the same thing.
 - d. The unarchived or purged instance data is already exported.
-

Lesson Review

Completed Objectives

This lesson was designed to help you to:

- Troubleshoot and reconcile business processes
 - Archive business process data
 - Restore business process data archived offline
 - Manage Resources
 - Delete a Business Process
-

