

Practical Exercise: Working with Rate Limiting Policies

Training Objective

Learn to add new rate limiting policies and define extra properties to rate limiting policies using the Admin Portal. Rate limiting allows you to limit the number of hits to an API during a given period of time.

Business Scenario

PizzaShack's popularity is overwhelming and the amount of requests is increasing so they have decided to allow up to 100 requests per minute. Other than that, in a recent analysis they found out that PizzaShack API is getting misused through an application called "Pizzaman" and they want to block all calls from that application.

High-Level Steps

- Add rate limiting policy
- Add conditions to rate limiting policy
- Add custom rules
- Block all calls from an application by denying an application.

Detailed Instructions

Add Rate Limiting Policy

1. Log in to the API Manager Admin Portal (<https://localhost:9443/admin>) (admin/admin).
2. Under **Rate Limiting Policies** from the left menu select **Subscription Policies** and then select **Add Policy** at the top.

Rate Limiting Policies / Subscription Policies

ADMIN

Subscription Rate Limiting Policies

Search by Subscription Policy name Add Policy

Name	Quota Policy	Quota	Unit Time	Rate Limit	Time Unit	Actions
Gold	Request Count	5000	1 min	NA	NA	Edit Delete
Silver	Request Count	2000	1 min	NA	NA	Edit Delete
Bronze	Request Count	1000	1 min	NA	NA	Edit Delete
Unlimited	Request Count	2147483647	1 min	NA	NA	Edit Delete
AsyncGold	Event Count	50000	1 days	NA	NA	Edit Delete
AsyncSilver	Event Count	25000	1 days	NA	NA	Edit Delete
AsyncBronze	Event Count	5000	1 days	NA	NA	Edit Delete
AsyncUnlimited	Event Count	2147483647	1 days	NA	NA	Edit Delete
AsyncWHGold	Event Count	10000	1 months	NA	NA	Edit Delete
AsyncWHSilver	Event Count	5000	1 months	NA	NA	Edit Delete

Rows per page: 10 1-10 of 12

3. Enter the following information and click **Save**.

General Details
Provide the name and description of the subscription policy.

Name *

Platinum

Name of the rate limiting policy

Description

25 requests per minute

Description of the rate limiting policy

Quota Limits
Request Count and Request Bandwidth are the two options for Quota Limit. You can use the option according to your requirement.

☒ Request Count ☐ Request Bandwidth ☐ Event Based (Async API)

Request Count *

25

Number of requests allowed

Unit Time *

1

Unit Time

Minute(s) ▼

Burst Control (Rate Limiting)
Define Burst Control Limits for the subscription policy. This is optional.

Request Rate

5

Number of requests for burst control

Requests/s ▼

GraphQL
Provide the Maximum Complexity and Maximum depth values for GraphQL APIs using this policy.

Max Complexity

Max Depth

Webhooks
Maximum number of webhooks allowed for a Webhooks API using this policy.

Max Subscriptions

Policy Flags
Define the billing plan for the subscription policy. Enable stop on quota reach to block invoking an API when the defined quota is reached.

Billing Plan

☒ Free ☐ Commercial

Stop On Quota Reach

☒

Custom Attributes
Define custom attributes for the subscription policy.

Add Custom Attribute


Permissions
Define the permissions for the subscription policy.

☒ None ☐ Allow ☐ Deny

Save


Cancel

In the API **Publisher**, edit the PizzaShack API and note that **Platinum** can now be selected as a Business Plan for the API. **Tick the checkbox of the Platinum tier** under **Business Plans** in the **Portal Configurations > Subscriptions** tab and save it. The API will be visible in the API Developer Portal whenever a person wants to subscribe to the PizzaShack API.



Add Conditions to Advanced Rate Limiting

1. Click **Advanced Policies** and select **Add New Policy** at the top.



2. Enter the following information and click **Add Conditional Group**. Expand to edit and select **Header Condition Policy** and add the details as shown in the images.

General Details
Provide name and description of the policy. The policy can be referred from the name.

Name*
30KPerMin

Name of the throttle policy

Description
Allow 30,000 requests per minute

Description of the throttle policy

Default Limits
Request Count and Request Bandwidth are the two options for default limit. You can use the option according to your requirement.

Default Limit Option ☒ Request Count ☐ Request Bandwidth

Request Count
30000

Number of requests allowed

Unit Time
1

Minute(s)

Time configuration

Conditional groups
To add throttling limits with different parameters based on IP, Header, Query Params, and JWT Claim conditions, click Add Conditional Group.

Add Conditional Group

Hide group ^

Warning
Publishing Query Params, Header Data and JWT token isn't configured. If a policy configured with any of these conditions, it won't be applied.

Condition Policies

IP Condition Policy
This configuration is used to throttle by IP address. Add

Header Condition Policy
This configuration is used to throttle based on Headers. Add

Query Param Condition Policy
This configuration is used to throttle based on query parameters. Add

JWT Condition Policy
This configuration is used to define JWT claims conditions. Add

Default Limit Option ☒ Request Count ☐ Request Bandwidth

Request Count
1000

Number of requests allowed

Unit Time
1

Minute(s)

Time configuration

Description
Sample description about condition group

Description of this group

Delete Condition Group

Add Cancel

- The conditional group is created to apply throttling to users who send the User-Agent header with the value 'Googlebot/2.1' and limits the number of API invocations to 1000 requests per minute.

Edit IP Condition PolicyHeader Condition Policy

This configuration is used to throttle based on Headers.

Header Name*
User-Agent

Provide Name

Header Value*
Googlebot/2.1

Provide Value

Cancel Save

4. Click **Add** to add the Header condition Policy and Click **Add**.

General Details

Provide name and description of the policy. The policy can be referred from the name.

Name*

30KPerMin

Name of the throttle policy.

Description

Allow 30,000 requests per minute

Description of the throttle policy.

Default Limits

Request Count and Request Bandwidth are the two options for default limit. You can use the option according to your requirement.

Default Limit Option

☒ Request Count ☐ Request Bandwidth

Request Count

30000

Number of requests allowed

Unit Time

1

Minute(s)

Time configuration

Conditional groups

To add throttling limits with different parameters base on IP, Header, Query Param, and JWT Claim conditions, click Add Conditional Group.

Add Conditional Group

Hide group ^

Warning

Publishing Query Params, Header Data and JWT token isn't configured. If a policy configured with any of these conditions, it won't be applied.

Condition Policies

IP Condition Policy

This configuration is used to throttle by IP address.

Add

Header Condition Policy

This configuration is used to throttle based on Headers.

☐ Invert Condition Add

Header Name	Header Value
User-Agent	Googlebot/2.1

Query Param Condition Policy

This configuration is used to throttle based on query parameters.

Add

JWT Condition Policy

This configuration is used to define JWT claims conditions

Add

Default Limit Option

☒ Request Count ☐ Request Bandwidth

Request Count

1000

Number of requests allowed

Unit Time

1

Minute(s)

Time configuration

Description

Sample description about condition group


Description of this group

Delete Condition Group

5. Note that you need to enable the header condition throttling specifically by adding the `enable_header_based_throttling` configuration below into the `deployment.toml` file available under `<API-M_HOME>/repository/conf/`.


```
[apim.throttling]
enable_header_based_throttling = true
```

The new advanced throttling policy will be available under the **Operations Configuration** for API in the **Resources** tab in the API Publisher: <https://localhost:9443/publisher>



Add Custom Rules

1. Click **Custom Policies** and select **Define Policy**.



2. Enter the following information

Name *

CustomRule

Name of the throttle policy

Description

Allow 5 requests per minute for the admin user


Description of the throttle policy

Key Template *

\$userId

The specific combination of attributes being checked in the policy need to be defined as the key template. Allowed values are : \$userId, \$apiContext, \$apiVersion, \$resourceKey, \$appTenant, \$apiTenant, \$appId, \$clientip
Eg: \$userId:\$apiContext:\$apiVersion

Siddhi Query:



The following sample query will allow 5 requests per minute for an Admin user.
Key Template : \$userId

```
1 FROM
2   RequestStream
3 SELECT
4   userId,
5   (userId == 'admin@carbon.super') AS isEligible,
6   str :concat('admin@carbon.super', '') as throttleKey
7 INSERT INTO
8   EligibilityStream;
9 FROM
10  EligibilityStream [isEligible==true] #throttler:timeBatch(1 min) SELECT throttleKey, (count(userId) >= 5) as :
```

Add

Cancel

Add the following details.

Name	CustomRule
Description	Allow 5 requests per minute for the admin user
Key Template	\$userId

3. Click **Add**.

Blocking/Denying an Application

1. Log in to API Publisher and go to the edit view of **PizzaShack** API.
2. Click the **Resources** tab and make sure the **Operation Level** is selected under the **Operations Configuration**.

The screenshot shows the API Publisher interface for the PizzaShackAPI. The top bar includes the API name 'PizzaShackAPI :1.0.0', its state 'PUBLISHED', and a 'Current API' dropdown. To the right are buttons for 'Go To', 'View in Dev Portal', 'Create New Version', 'Download API', and 'Delete'. Below this is the 'Resources' section, which is currently expanded to show the 'Operations Configuration'. Under 'Rate limiting level', the 'Operation Level' radio button is selected. A note on the right states: 'You may change the rate limiting policies per operation. Expand an operation below to select a rate limiting policy for an operation.'

3. Click **Save & Deploy** if you have made changes to the API.
4. Go to API Developer Portal (<https://localhost:9443/devportal/>) and click **Create Account** in the Login Screen.
5. Self Signup a user with adding details as follows. (Alternatively, you can use a user which you have already created before using the Sign Up option).

Create New Account

Fill in the form below to complete registration

First Name *

David

Last Name *

Robinson

Password *

.....

Confirm password *

.....

Email *

david.robinson@gmail.com

Organization

Telephone

IM

Country

Mobile

URL

When you sign in, we use a cookie in your browser to track your session.
You can read our [Cookie Policy](#) for more information.

☐ I hereby confirm that I have read and understood the [Privacy Policy](#) *

Cancel

Register

Already have an account? [Sign in](#)

6. Log in to the API Developer Portal with the last created user's credentials.
7. Select **carbon.super** tenant from the tenant list.
8. Go to **Applications** from the top menu and click **ADD NEW APPLICATION**.
9. Create an Application named **"Pizzaman"**.
10. Subscribe to the **"PizzaShack"** API through **"Pizzaman"** with the **"Platinum"** tier.

Subscribe APIs

✕

Displaying all APIs

Name	Version	Subscription Status
PizzaShackAPI	1.0.0	Platinum ▾ SUBSCRIBE

Rows per page: 10 ▾ 1-1 of 1 < >

Pizzaman 0 Subscriptions				EDIT	DELETE
Subscription Management SUBSCRIBE APIs					
API	Lifecycle State	Business Plan	Subscription Status	Action	
PizzaShackAPI - 1.0.0	PUBLISHED	Platinum	UNBLOCKED	EDIT	DELETE

11. Generate OAuth2 keys for the application under the Production keys tab.
12. Go to the API **Try Out** console of **PizzaShack** API. Send a GET request to the Resource **"menu"** using the tryout tool. It should now display the response.

[illegible]

Alternatively, you can use the following cURL/Rest API command

Replace the Authorization Bearer token with the access token retrieved when generating the Keys for **Pizzaman** Application.

```
curl -k -X GET --header 'Accept: application/json' --header 'Authorization: Bearer 31bdb476-6b28-360e-a61e-25845b4e4921' 'https://localhost:8243/pizzashack/1.0.0/menu'
```

Method: GET

URL: <http://localhost:8280/pizzashack/1.0.0/menu>

Authorization tab - Type: Bearer Token,

Token : “d919d61a-8ef4-3059-b28e-9f38023aa306”

Application Pizzaman can now successfully invoke the API.

13. Now login to the API Manager Admin Portal (<https://localhost:9443/admin/>) and click **Deny Policies** under **Rate Limiting Policies**.
14. Click on **Add Policy**, select **Application** and add the application name with the username which needs to be blocked/denied in the following format.
<username>:<applicationName>, which is "**david:Pizzaman**"

Select Item to Deny

Condition Type

☐ API Context ☒ Application ☐ IP Address ☐ IP Range ☐ User

Value *

Format : \${userName}:\${applicationName}
Eg : admin:DefaultApplication

☒ Enable Condition

Cancel

Denied Application will be listed as follows.

Rate Limiting Policies / Deny Policies ADMIN

Deny Policies


Condition Type	Conditional Value	Condition Status	Actions
Application	david:Pizzaman	<input checked="" type="checkbox"/>	<input type="button" value="Deny"/>

Rows per page: 10 1-1 of 1

15. Now go to the Developer Portal again and invoke the **PizzaShack** API same as in step 11 and 12 using the **Pizzaman** application.

You should receive the following response.

```
{
  "fault": {
    "code": 900805,
    "message": "Message blocked",
    "description": "You have been blocked from accessing the
resource"
  }
}
```



Expected Outcome

Your new subscription tier (Platinum) is now successfully saved as an execution plan used by WSO2 API Manager. You can view this new rate limiting policy available for selection when creating a new API through the API Publisher or when editing an existing API.

Your new advanced rate limiting policy 30KPerMin, with conditional rate limiting groups, is now successfully saved as a rate limiting policy. You can apply it to the whole API or selected resources.

Invoking the PizzaShack API by the specific user (a subscriber) through Pizzaman API is now blocked as the application Pizzaman is denied.