

# IBM FileNet P8 V5.5.8

## Step-by-Step Hands-On Implementation Guide

### Deployment, Migration & Certification Preparation

*FDM Export & Import | Environment Promotion | Performance Tuning | Certification Drill*

|                                                                                                     |                                                                                                          |                                                                                                                |                                                                                                   |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Author</b><br><b>Rajesh Pasham</b>                                                               | <b>Course Day</b>                                                                                        | <b>Labs</b><br><b>4 Labs</b>                                                                                   | <b>Duration</b><br><b>~3 Hours</b>                                                                |
| <b>LAB-10-01</b><br><b>FDM Export from TrainingOS</b><br>45 min   Export full configuration package | <b>LAB-10-02</b><br><b>FDM Import &amp; Validate</b><br>40 min   Import to target, verify all components | <b>LAB-10-03</b><br><b>Performance Tuning &amp; Monitoring</b><br>40 min   JVM, DB pool, logging configuration | <b>LAB-10-04</b><br><b>Certification Exam Drill</b><br>55 min   Timed practice with answer review |

## Prerequisites & Environment State

### Environment State for Labs

All labs assume the following environment is fully operational on IBM FileNet P8 V5.5.8:

|                            |                                                                                                                                     |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>CE / WAS Status</b>     | Content Platform Engine V5.5.8 is running on WAS. Accessible at <a href="http://localhost:9080/acce">http://localhost:9080/acce</a> |
| <b>Object Store</b>        | TrainingOS is configured with at least one storage area (FS_TrainingStore_01)                                                       |
| <b>Data Model</b>          | At least 2 document classes exist (e.g., Document, HR_Document or custom class from Day 4)                                          |
| <b>Workflow</b>            | TrainingWorkflow is deployed in Process Engine                                                                                      |
| <b>Event Subscriptions</b> | At least one subscription exists (API_Lab_OnCreate_Subscription)                                                                    |
| <b>Storage Policies</b>    | STD_Policy_TrainingOS is configured                                                                                                 |
| <b>FDM</b>                 | FileNet Deployment Manager is available via ACCE > Tools > Deployment Manager                                                       |
| <b>DB2</b>                 | DB2 V11.5 is running. GCDDb, OSDB (TrainingOS), PEDb databases exist                                                                |
| <b>Working Directory</b>   | C:\Day10Labs\ directory will be created in Lab-10-01                                                                                |

## LAB-10-01 | FileNet Deployment Manager – Export Configuration

Duration: 45 Minutes | Export TrainingOS configuration to a deployment package

**NOTE:** This lab uses the FDM capability built into ACCE V5.5.8. FDM will export document classes, property templates, storage policies, event subscriptions, and the workflow definition from TrainingOS into a portable ZIP package.

### Objective

In this lab you will:

- Create the working directory structure for labs
- Access FileNet Deployment Manager from ACCE
- Configure and run a full object store export of TrainingOS
- Verify the generated deployment package and review the export manifest
- Review the export log for any warnings and understand how to address them

STEP  
1

### Create Working Directories

3 min

1. Open a Command Prompt as Administrator and create the Day 10 working directories:

```
mkdir C:\Day10Labs
mkdir C:\Day10Labs\fdm_packages
mkdir C:\Day10Labs\fdm_rollback
mkdir C:\Day10Labs\fdm_logs
echo Directories created successfully
```

#### VERIFICATION CHECKLIST

- ☐ C:\Day10Labs\fdm\_packages directory exists
- ☐ C:\Day10Labs\fdm\_rollback directory exists

STEP  
2

### Verify FDM Service is Running

5 min

2. Open a browser and check the FDM endpoint:

| FDM Service URL | http://localhost:9080/fdm/ |
|-----------------|----------------------------|
|                 |                            |

3. You should see an FDM service information page or an IBM XML response
4. If you get a 404, check WAS Admin Console: Applications > WebSphere Enterprise Applications > verify 'fdm' application is Started

**TIP:** In FileNet P8 V5.5.8, FDM is integrated into ACCE. If the standalone FDM URL is not available, use ACCE > Tools > Deployment Manager directly. Both methods access the same FDM engine.

#### VERIFICATION CHECKLIST

- ☐ http://localhost:9080/fdm/ returns a valid response (not 404)

**[ ]** OR: ACCE > Tools > Deployment Manager is accessible

### STEP 3

## Open FDM in ACCE and Create New Export

10 min

5. Open ACCE: <http://localhost:9080/acce> and log in as ceadmin / ceadmin
6. In the left navigation tree, expand P8Domain
7. Click Tools > Deployment Manager (in the top menu bar)
8. The FileNet Deployment Manager interface opens
9. Click the Packages tab
10. Click New Package
11. Fill in the Package details:

|                     |                                                      |
|---------------------|------------------------------------------------------|
| Package Name        | TrainingOS_Full_Export_v1.0                          |
| Package Description | Day 10 Lab - Full export of TrainingOS configuration |
| Package Version     | 1.0                                                  |
| Source Object Store | TrainingOS                                           |
| Package Location    | C:\Day10Labs\fdm_packages\                           |

12. Click Next

### [ SCREENSHOT ]

*FDM Package creation wizard showing Package Name and Source Object Store fields*

### STEP 4

## Configure Export Scope – Select Components

12 min

13. On the 'Select Items to Export' screen, choose: 'Entire Object Store' for a complete migration package
14. Alternatively, for selective export click 'Select Items' and add:

For selective export, add the following items individually using the Add button:

| Component Type       | Item Name                                    | Why Include                        |
|----------------------|----------------------------------------------|------------------------------------|
| Document Classes     | Document, HR_Document (or your custom class) | Core data model                    |
| Property Templates   | All custom properties created in Day 4       | Required by document classes       |
| Choice Lists         | Any choice lists from Day 4                  | Dependencies of property templates |
| Storage Policies     | STD_Policy_TrainingOS                        | Storage routing rules              |
| Event Subscriptions  | API_Lab_OnCreate_Subscription                | Automation configuration           |
| Workflow Definitions | TrainingWorkflow                             | PE workflow template               |
| Entry Templates      | Any configured entry templates               | Document add forms                 |

15. Click Next to proceed to the export options

|                   |                                      |        |
|-------------------|--------------------------------------|--------|
| <b>STEP<br/>5</b> | <b>Run the Export and Review Log</b> | 10 min |
|-------------------|--------------------------------------|--------|

16. On the final screen, click Export Now

17. FDM will process the export. A progress indicator shows the number of objects being processed

18. When complete, click View Log to see the Export Summary

Review the log for the following statuses:

|                                    |                                                                        |
|------------------------------------|------------------------------------------------------------------------|
| <b>Exported Successfully</b>       | Objects included in the package with no issues                         |
| <b>Warning: External Reference</b> | Normal for content. Binary content not included. Safe to proceed.      |
| <b>Warning: Dependency Added</b>   | FDM added a dependent object automatically. Review but generally safe. |
| <b>Error: Access Denied</b>        | Run FDM as ceadmin. Verify object permissions in ACCE.                 |

19. Navigate to C:\Day10Labs\fdm\_packages\ in Windows Explorer

20. Verify the package file exists: TrainingOS\_Full\_Export\_v1.0.zip

21. Note the file size — a typical training environment export is 50KB-500KB

|                                                                                        |  |
|----------------------------------------------------------------------------------------|--|
| [ SCREENSHOT ]                                                                         |  |
| Windows Explorer showing TrainingOS_Full_Export_v1.0.zip in C:\Day10Labs\fdm_packages\ |  |

| VERIFICATION CHECKLIST |                                                                      |
|------------------------|----------------------------------------------------------------------|
| [ ]                    | FDM export completes without ERROR status entries                    |
| [ ]                    | TrainingOS_Full_Export_v1.0.zip exists at C:\Day10Labs\fdm_packages\ |
| [ ]                    | Package file size is non-zero (> 10 KB)                              |
| [ ]                    | Export log shows: 'Export completed' message                         |

|                   |                                                |       |
|-------------------|------------------------------------------------|-------|
| <b>STEP<br/>6</b> | <b>Inspect the Deployment Package Contents</b> | 5 min |
|-------------------|------------------------------------------------|-------|

22. Copy the ZIP file to C:\Day10Labs\ and extract it:

```
cd C:\Day10Labs
copy fdm_packages\TrainingOS_Full_Export_v1.0.zip .
# Extract using Windows Explorer > Right-click > Extract All
# Or use PowerShell:
Expand-Archive -Path TrainingOS_Full_Export_v1.0.zip -DestinationPath
.\extracted_package
```

23. In the extracted folder, look for:

|                         |                                                                                 |
|-------------------------|---------------------------------------------------------------------------------|
| <b>manifest.xml</b>     | Lists all exported objects with GUIDs and types. Main index of the package.     |
| <b>*.xml files</b>      | One XML file per exported configuration object (document class, workflow, etc.) |
| <b>dependencies.xml</b> | Lists all dependency relationships between exported objects.                    |

24. Open manifest.xml in Notepad and review the object list

| VERIFICATION CHECKLIST   |                                                                          |
|--------------------------|--------------------------------------------------------------------------|
| <input type="checkbox"/> | manifest.xml exists in the extracted package folder                      |
| <input type="checkbox"/> | manifest.xml contains entries for at least 2 document classes            |
| <input type="checkbox"/> | Workflow definition XML file is present if TrainingWorkflow was included |

## LAB-10-02 | FileNet Deployment Manager – Import & Validate

Duration: 40 Minutes | Import the deployment package and validate all migrated components

**NOTE:** In this lab we import back into the same TrainingOS object store to simulate a migration. In a real scenario, the target would be a different object store or server. We use 'Create or Update' mode to handle existing objects gracefully.

### Objective

In this lab you will:

- Create a rollback export of the current state before importing
- Import the Day 10 export package into TrainingOS using Create or Update mode
- Validate every migrated component in ACCE against the post-import checklist
- Identify and resolve any post-import issues (storage area paths, LDAP group re-assignment)

STEP  
1

### Create a Pre-Import Rollback Package

8 min

**WARNING:** Always export the target environment BEFORE importing. This creates a rollback snapshot. If the import fails or causes issues, re-import the rollback package to restore the original state.

1. In ACCE > Tools > Deployment Manager, create a new package:

|                     |                                           |
|---------------------|-------------------------------------------|
| Package Name        | TrainingOS_ROLLBACK_before_v1.0           |
| Description         | Pre-import rollback snapshot - Day 10 Lab |
| Source Object Store | TrainingOS                                |
| Package Location    | C:\Day10Labs\fdm_rollback\                |

2. Select 'Entire Object Store' scope and click Export Now
3. Verify TrainingOS\_ROLLBACK\_before\_v1.0.zip exists in C:\Day10Labs\fdm\_rollback\

### VERIFICATION CHECKLIST

[ ]

Rollback package exists at C:\Day10Labs\fdm\_rollback\TrainingOS\_ROLLBACK\_before\_v1.0.zip

STEP  
2

### Run the FDM Import

15 min

4. In ACCE > Tools > Deployment Manager, click the Import tab
5. Click New Import
6. Configure the import settings:

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| Package File        | C:\Day10Labs\fdm_packages\TrainingOS_Full_Export_v1.0.zip |
| Target Object Store | TrainingOS                                                |
| Import Mode         | Create or Update (recommended for lab)                    |

**On Error**

Continue (to see all issues before stopping)

7. Click Preview Import first — FDM shows a list of all objects and their planned action (Create / Update / Skip)
8. Review the preview list. Verify your key objects appear:

|                            |                                                         |
|----------------------------|---------------------------------------------------------|
| <b>Expected in Preview</b> | Document (Update), HR_Document or custom class (Update) |
| <b>Expected in Preview</b> | STD_Policy_TrainingOS (Update)                          |
| <b>Expected in Preview</b> | TrainingWorkflow (Update if workflow was exported)      |
| <b>Expected in Preview</b> | API_Lab_OnCreate_Subscription (Update)                  |

9. Click Import to proceed
10. Monitor the progress bar and wait for completion
11. Click View Import Log when complete

**[ SCREENSHOT ]***FDM Import progress screen showing objects processed and status indicators***STEP  
3****Review Import Log and Resolve Issues**

7 min

Review the import log for these common issues and their resolutions:

| Status in Log                  | Meaning                           | Action                                                |
|--------------------------------|-----------------------------------|-------------------------------------------------------|
| Created                        | New object added to target        | No action needed                                      |
| Updated                        | Existing object refreshed         | No action needed                                      |
| Skipped - already current      | Object unchanged since export     | No action needed                                      |
| Warning - storage area path    | Physical path not found on target | Create directory and re-set storage area path in ACCE |
| Warning - LDAP group not found | Group GUID differs in target LDAP | Re-assign LDAP groups to class security in ACCE       |
| Error - constraint violation   | Unique name conflict              | Use Replace mode or manually resolve in ACCE          |


**VERIFICATION CHECKLIST**

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| <b>[ ]</b> | Import log shows no ERROR status entries (warnings are acceptable) |
| <b>[ ]</b> | All key objects show Created or Updated or Skipped-already-current |

|           |                                      |        |
|-----------|--------------------------------------|--------|
| STEP<br>4 | Validate Migrated Components in ACCE | 10 min |
|-----------|--------------------------------------|--------|

Navigate each of the following in ACCE to confirm successful migration:

- 12. Document Classes: ACCE > TrainingOS > Data Design > Document Classes — verify all exported classes present
- 13. Property Templates: ACCE > TrainingOS > Data Design > Property Templates — verify custom properties present
- 14. Storage Policies: ACCE > TrainingOS > Storage > Storage Policies — verify STD\_Policy\_TrainingOS present
- 15. Event Subscriptions: ACCE > TrainingOS > Events, Actions, Processes > Subscriptions — verify subscriptions Enabled
- 16. Workflow Definitions: ACCE > TrainingOS > Process Configuration Console > Workflow Definitions — verify TrainingWorkflow



| VERIFICATION CHECKLIST |                                                            |
|------------------------|------------------------------------------------------------|
| [ ]                    | All expected document classes present in ACCE after import |
| [ ]                    | All custom property templates present in ACCE              |
| [ ]                    | STD_Policy_TrainingOS present and assigned correctly       |
| [ ]                    | API_Lab_OnCreate_Subscription present with Enabled status  |
| [ ]                    | TrainingWorkflow visible in Process Configuration Console  |

## LAB-10-03 | Performance Tuning & Monitoring

Duration: 40 Minutes | Configure JVM heap, DB connection pool, and log levels for FileNet P8 V5.5.8

**NOTE:** This lab requires access to the WAS Admin Console (<https://localhost:9043/ibm/console>) as wasadmin. Changes to JVM settings require a WAS server restart to take effect. Plan for a ~3 minute restart during this lab.

### Objective

In this lab you will:

- Review and update WAS JVM heap settings for the FileNetServer profile
- Review and tune the DB2 JDBC connection pool for the CE data source
- Enable targeted trace logging for CE API debugging and interpret log output
- Monitor storage cache statistics in ACCE
- Simulate a slow query and use the CE log to identify the SQL being executed

STEP  
1

### Review Current WAS JVM Heap Settings

8 min

1. Open WAS Admin Console: <https://localhost:9043/ibm/console>
2. Log in as wasadmin / wasadmin
3. Navigate to: Servers > Server Types > WebSphere Application Servers > server1
4. Under Server Infrastructure, click: Java and Process Management > Process Definition
5. Click: Java Virtual Machine
6. Record the current settings:

|                          |                                                |
|--------------------------|------------------------------------------------|
| Initial Heap Size (-Xms) | Current value: _____ MB   Recommended: 512 MB  |
| Maximum Heap Size (-Xmx) | Current value: _____ MB   Recommended: 2048 MB |
| Generic JVM Arguments    | Current value: _____   Check for -Xgcpolicy    |

7. Update the values to the recommended settings:

|                       |                            |
|-----------------------|----------------------------|
| Initial Heap Size     | 512                        |
| Maximum Heap Size     | 2048                       |
| Generic JVM Arguments | -Xgcpolicy:gencon -Xmn256m |

8. Click OK then Save to Master Configuration
9. Do NOT restart yet — continue to Step 2 first to batch all changes

#### [ SCREENSHOT ]

WAS Admin Console Java Virtual Machine settings page showing heap size fields

### VERIFICATION CHECKLIST

- [ ]** Initial Heap Size set to 512

- ☐ Maximum Heap Size set to 2048
- ☐ Generic JVM Arguments contains -Xgcpolicy:gencon
- ☐ Settings saved to master configuration (Save button clicked)

**STEP  
2****Review and Tune DB2 Connection Pool**

8 min

10. In WAS Admin Console, navigate to: Resources > JDBC > Data Sources
11. Click on the CE data source (name contains 'ceadmin' or 'TrainingOS' — typically named 'TrainingOS - XA Data Source')
12. Click: Connection Pool Properties
13. Record and update the following:

|                            |                                                                |
|----------------------------|----------------------------------------------------------------|
| <b>Minimum Connections</b> | Change to: 10 (keeps 10 connections warm at all times)         |
| <b>Maximum Connections</b> | Change to: 50 (max concurrent DB connections from this server) |
| <b>Connection Timeout</b>  | Change to: 30 seconds (fail fast if pool exhausted)            |
| <b>Reap Time</b>           | Leave at default: 180 seconds                                  |
| <b>Unused Timeout</b>      | Change to: 600 seconds (close idle connections after 10 min)   |

14. Click OK and Save to Master Configuration

**TIP:** For the training lab with one user, these values are higher than needed but simulate production settings. In production, tune based on concurrent user count: approximately 3-5 DB connections per concurrent user is a common starting point.

**VERIFICATION CHECKLIST**

- ☐ Min Connections set to 10
- ☐ Max Connections set to 50
- ☐ Connection Timeout set to 30
- ☐ Changes saved to master configuration

**STEP  
3****Restart WAS and Verify FileNet Restarts**

5 min

15. In WAS Admin Console, navigate to: Servers > Server Types > WebSphere Application Servers > server1
16. Click Restart (wait approximately 2-3 minutes for WAS to complete the restart)
17. After restart, verify CE is running by opening ACCE:

|                 |                                         |
|-----------------|-----------------------------------------|
| <b>ACCE URL</b> | <code>http://localhost:9080/acce</code> |
|-----------------|-----------------------------------------|

18. Log in as ceadmin and verify TrainingOS is accessible

**VERIFICATION CHECKLIST**

- [ ] WAS server1 restarted successfully
- [ ] ACCE loads at http://localhost:9080/acce after restart
- [ ] TrainingOS is visible and accessible in ACCE

#### STEP 4

### Enable CE API Trace Logging for Debugging

8 min

19. In WAS Admin Console, navigate to: Troubleshooting > Logs and Trace > server1 > Diagnostic Trace
20. Click Change Log Detail Levels
21. In the text field, add the following trace specification (append after \*=INFO):

```

*=INFO:com.filenet.api.*=FINE

# This enables FINE level logging for all FileNet CE API classes
# Output goes to: <WAS_HOME>\profiles\FileNetServer\logs\server1\trace.log

```

22. Click OK and Save
23. Now trigger some CE activity to generate log entries:
  - Browse a document in ACCE
  - Run a search query from ACCE > TrainingOS > Search
24. Open the trace log to see CE API entries:

```

# Navigate to and open the trace log:
notepad "C:\IBM\WAS\profiles\FileNetServer\logs\server1\trace.log"

# Look for entries like:
# [CEI] fetchInstance called for Document class...
# [CEI] SearchSQL executed: SELECT * FROM Document...

```

**WARNING:** FINE trace logging is very verbose and will impact performance. Always reset log levels to \*=INFO after debugging. In production, enable trace for only 5-10 minutes during active debugging, then disable.

25. Reset log level after reviewing:

```

# In WAS Diagnostic Trace, reset to:
*=INFO

```

#### VERIFICATION CHECKLIST

- [ ] Trace specification set to \*=INFO:com.filenet.api.\*=FINE
- [ ] trace.log shows CE API entries after triggering ACCE activity
- [ ] Log level reset to \*=INFO after review

#### STEP 5

### Monitor Cache Statistics in ACCE

4 min

26. In ACCE, navigate to: Object Stores > TrainingOS > Storage
27. Click Storage Areas, then select your cache area (if configured) or the primary storage area
28. Click Properties > Statistics tab

29. Record the following statistics:

|                           |                                                             |
|---------------------------|-------------------------------------------------------------|
| <b>Cache Hit Count</b>    | Number of times content was served from cache               |
| <b>Cache Miss Count</b>   | Number of times content had to be read from primary storage |
| <b>Hit Ratio</b>          | Hit Count / (Hit + Miss) * 100. Target: > 80%               |
| <b>Current Cache Size</b> | Amount of disk space used by the cache                      |

**TIP:** In the training lab, the cache hit ratio may be low (0-50%) because we have not been accessing documents repeatedly. In production with regular user access, a well-sized cache achieves 80-95% hit ratio.

| VERIFICATION CHECKLIST   |                                                |
|--------------------------|------------------------------------------------|
| <input type="checkbox"/> | ACCE Storage Statistics tab accessible         |
| <input type="checkbox"/> | Cache Hit Count and Miss Count values recorded |
| <input type="checkbox"/> | Hit Ratio calculated and noted                 |

|                   |                                              |       |
|-------------------|----------------------------------------------|-------|
| <b>STEP<br/>6</b> | <b>Check WAS SystemOut.log for CE Errors</b> | 7 min |
|-------------------|----------------------------------------------|-------|

30. Open the WAS SystemOut.log file:

```
notepad "C:\IBM\WAS\profiles\FileNetServer\logs\server1\SystemOut.log"
```

31. Search for the following keywords to identify any issues (Ctrl+F in Notepad):

|                            |                                                                |
|----------------------------|----------------------------------------------------------------|
| <b>Search: ERROR</b>       | Find all ERROR-level log entries – these require investigation |
| <b>Search: OutOfMemory</b> | JVM heap exhaustion – increase -Xmx if found                   |
| <b>Search: SQLSTATE</b>    | DB2 SQL errors – connection or query problems                  |
| <b>Search: FNCR</b>        | FileNet Content Engine error codes                             |
| <b>Search: FNRCA</b>       | FileNet CE API operation codes – normal in trace mode          |

32. For each ERROR found, record the message and look up the resolution in ACCE documentation or IBM TechNote

| VERIFICATION CHECKLIST   |                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | SystemOut.log reviewed for ERROR entries                                                       |
| <input type="checkbox"/> | No OutOfMemoryError present in log (if found, JVM heap was increased in Step 1)                |
| <input type="checkbox"/> | No DB2 SQLSTATE errors present (if found, verify DB2 is running and pool settings are correct) |

**LAB-10-04 | Certification Exam Drill | IBM C1000-074***Duration: 55 Minutes | Timed practice exam simulation with domain review and answer explanation*

**NOTE:** This lab simulates the IBM C1000-074 exam format. You have 55 minutes to answer 20 questions (matching the exam's ~90 min / 63 question pace). Do not refer to notes during the timed section. Review answers after the timer ends.

**Exam Domain Weightings – C1000-074**

| # | Domain                        | Weight | Questions (of 63) |
|---|-------------------------------|--------|-------------------|
| 1 | FileNet Architecture          | 20%    | ~13               |
| 2 | Content Engine Administration | 26%    | ~16               |
| 3 | Workflow Management           | 20%    | ~13               |
| 4 | Security Configuration        | 18%    | ~11               |
| 5 | Deployment Tools              | 16%    | ~10               |

|                   |                                            |        |
|-------------------|--------------------------------------------|--------|
| <b>STEP<br/>1</b> | <b>Timed Drill – 20 Questions (40 min)</b> | 40 min |
|-------------------|--------------------------------------------|--------|

**NOTE:** Set a 40-minute timer. Answer the questions below without referring to notes. Circle your answer. Review answers in Step 2 after the timer ends.

**INSTRUCTIONS:** For each question, circle the letter (A/B/C/D) of the best answer. Each question has exactly one correct answer.

**Q1. Which three databases are required for a standard IBM FileNet P8 V5.5 deployment?**

- A) GCDDb, APPDB, USERDB
- B) GCDDb, OSDB, PEDB
- C) OSDB, PEDB, CMISDB
- D) CEDB, WFDB, OSDB

**Q2. In ACCE, where do you configure the connection between the Content Engine domain and the Process Engine?**

- A) P8Domain > Object Stores > Connections
- B) P8Domain > Process Engine > Connection Points
- C) P8Domain > Security > Process Connections
- D) TrainingOS > Process Engine > Connection Points

**Q3. A user has Deny:Delete from Group\_A and Allow:Delete from Group\_B. What is their effective Delete permission?**

- A) Allow — the most permissive wins
- B) Depends on which group was created first
- C) Deny — Deny always overrides Allow
- D) No access — conflicting ACEs cancel

**Q4. Which CMIS endpoint supports JSON responses in FileNet P8 V5.5.8?**

- A) /fncmis/resources/

- B) /CE\_API/
- C) /fncmis/browser/
- D) /wsi/FNCEWS40MTOM/

**Q5. What is the purpose of a PropertyFilter in the Java CEI API?**

- A) Filter which documents are returned from a search
- B) Control which properties are fetched from the server per operation
- C) Define allowed values for a property
- D) Filter event subscriptions by property change

**Q6. Which FDM import mode creates new objects AND updates existing ones?**

- A) Create Only
- B) Replace
- C) Update Only
- D) Create or Update

**Q7. What file extension does Process Designer use for exported workflow definitions?**

- A) .xml
- B) .wf
- C) .pep
- D) .bpmn

**Q8. In WAS, the -Xmx JVM argument controls which memory setting?**

- A) Initial heap size
- B) Maximum heap size
- C) Nursery space size
- D) Permanent generation size

**Q9. Which special identity represents ALL authenticated users in a FileNet P8 ACL?**

- A) #EVERYONE
- B) #CREATOR-OWNER
- C) #ALL-USERS
- D) #AUTHENTICATED-USERS

**Q10. What must exist in the target environment BEFORE an FDM import can be run?**

- A) Nothing — FDM creates everything
- B) The target object store must already exist
- C) Only the WAS server needs to be running
- D) The FDM package must be on a shared network drive

**Q11. What is the default LTPA token timeout in WAS?**

- A) 15 minutes
- B) 60 minutes
- C) 30 minutes
- D) 120 minutes

**Q12. Which CE SQL clause restricts a search to documents within a specific folder hierarchy?**

- A) WHERE FolderPath =
- B) INFOLDER
- C) UNDER FOLDER
- D) WHERE This INFOLDER

**Q13. What type of storage area is required for SEC Rule 17a-4 compliance?**

- A) Database Storage Area

- B) Advanced Storage Area
- C) File System Storage Area
- D) Fixed Content Device (FCD)

**Q14. FDM exports which of the following? (Choose best answer)**

- A) Document binary content and metadata
- B) Configuration metadata only (classes, workflows, policies)
- C) LDAP user accounts and configuration metadata
- D) WAS configuration and CE metadata

**Q15. What is an Isolated Region in Process Engine used for?**

- A) Isolating dev workflows from prod
- B) Preventing users from accessing certain queues
- C) Grouping workflows for performance isolation on a PE server
- D) Creating separate databases per workflow type

**Q16. Which WAS log file is the primary source for FileNet P8 authentication errors?**

- A) CE\_trace.log
- B) SystemOut.log
- C) audit.log
- D) security.log

**Q17. Which property cardinality allows storing multiple ordered values of the same type?**

- A) SINGLE
- B) ENUM
- C) LIST
- D) MULTI

**Q18. In FileNet P8, what is the role of the #CREATOR-OWNER special identity?**

- A) The currently logged-in user
- B) The WAS administrator
- C) The domain administrator (ceadmin)
- D) The user who created a specific document instance

**Q19. Which tool in WAS is used to configure the LDAP repository for FileNet authentication?**

- A) ACCE > Security > LDAP
- B) WAS Admin Console > Security > Global Security > Federated Repositories
- C) WAS Admin Console > Resources > LDAP
- D) FileNet Security Manager

**Q20. After an FDM import, which step is needed because LDAP group GUIDs differ between environments?**

- A) Re-run the FDM import with Replace mode
- B) Re-assign LDAP groups to document class security roles in ACCE
- C) Rebuild the LDAP repository in WAS
- D) Delete and recreate all document classes

**STEP  
2****Answer Key and Domain Mapping Review**

15 min

Score your answers and review explanations for any you missed. Each question is mapped to a C1000-074 exam domain.

| Q# | Ans | Domain          | Key Concept                                                                   |
|----|-----|-----------------|-------------------------------------------------------------------------------|
| 1  | B   | Architecture    | Three required DBs: GCDDb, OSDB, PEDB                                         |
| 2  | B   | Architecture    | Connection Points under P8Domain > Process Engine                             |
| 3  | C   | Security        | Deny always overrides Allow — no exceptions                                   |
| 4  | C   | CE Admin        | CMIS Browser Binding at /fncmis/browser/ returns JSON                         |
| 5  | B   | CE Admin        | PropertyFilter controls property retrieval — improves performance             |
| 6  | D   | Deployment      | Create or Update handles both new and existing objects                        |
| 7  | C   | Workflow        | Process Designer exports workflow as .pep file                                |
| 8  | B   | CE Admin        | -Xmx sets maximum JVM heap size                                               |
| 9  | D   | Security        | #AUTHENTICATED-USERS = all logged-in users                                    |
| 10 | B   | Deployment      | Target object store must exist before FDM import                              |
| 11 | C   | Security        | LTPA default timeout = 30 minutes                                             |
| 12 | D   | CE Admin        | WHERE This INFOLDER '/path' restricts to folder scope                         |
| 13 | D   | CE Admin        | FCD (Fixed Content Device) for WORM/SEC 17a-4                                 |
| 14 | B   | Deployment      | FDM exports config metadata ONLY, not binary content                          |
| 15 | C   | Workflow        | Isolated Region = performance isolation for workflow groups                   |
| 16 | B   | Troubleshooting | SystemOut.log = primary WAS/CE diagnostic log                                 |
| 17 | C   | CE Admin        | LIST cardinality = multiple ordered values                                    |
| 18 | D   | Security        | #CREATOR-OWNER resolves to the creator of each specific object                |
| 19 | B   | Security        | VMM LDAP config: WAS Admin Console > Global Security > Federated Repositories |
| 20 | B   | Deployment      | Post-import: re-assign LDAP groups because GUIDs differ                       |

## Scoring Guide:

|                                                 |                                                      |                                                      |                                                                    |
|-------------------------------------------------|------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------|
| <b>18-20 correct</b><br>Excellent — exam ready! | <b>15-17 correct</b><br>Good — review missed domains | <b>12-14 correct</b><br>Fair — re-study weak domains | <b>&lt; 12 correct</b><br>Needs more study — review study material |
|-------------------------------------------------|------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------|

**IBM FileNet P8 V5.5.8 Administration & Development**