




Appendix

Contents

Appendix.....	1
Use case order.....	2
Sequence of events in the flow diagram Use case Order	3
Use case order (using "anbudsområde")	3
Sequence of events in the flow diagram Use case Order (using "anbudsområde")	4



Use case order




Sequence of events in the flow diagram Use case Order



1. The client creates an order for traveler Client #1 and Client #2.
2. The order is send to the provider (MSG 2000 Order)
3. The provider confirms the order (MSG 2001 Order confirmation)
4. The client reschedules the trip.
5. The client send a new updated order with the same IdOrder as the previously sent order (Client #1 and Client #2) and with the process flag orderAlteration = true, due to that the pickup times and the drop off times has changed.
6. The provider confirms the order (MSG 2001 Order confirmation).

Note: The 2000 message with process flag orderAlteration=True has a referencesTo section that contains known ids that the Client has received from the Providers 2001 and 3003 messages.

The referencesTo section contains references from both Client and Provider side.



Use case order (using "anbudsområde")



Sequence of events in the flow diagram Use case Order (using "anbudsområde")

1. The client creates an order for traveler Client #1.
2. The order is send to the provider (MSG 2000 Order)
3. The provider confirms the order (MSG 2001 Order confirmation)
4. The client reschedules the trip.
5. The client send a new updated order with the same IdOrder as the previously sent order and with the process flag orderAlteration = true.
6. The provider confirms the order (MSG 2001 Order confirmation)
7. Provider send Order Reject Request (MSG 2005)
8. If the provider is not the last candidate
 - a. Client sends Reject Request Accepted (MSG 2006) to the provider
 - b. Client sends Order Cancellation (MSG 2010)
 - c. Provider confirms with Order Cancellation Confirmation (MSG 2011)
 - d. Client send the order to the next candidate.
9. If the provider is last candidate
 - a. Client sends Order Reject Request Rejected (MSG 2007).

Note: The 2000 message with process flag orderAlteration=True has a referencesTo section that contains known ids that the Client has received from the Providers 2001 and 3003 messages.

The referencesTo section contains references from both Client and Provider side.

