

Masterarbeits

Structure embeddings for OpenSSH heap dump analysis

A report by

Lahoche, Clément Claude Martial

Prüfer.

Prof. Dr. Michael Granitzer

Christofer Fellicious

Prof. Dr. Pierre-Edouard Portier

Abstract

Acknowledgements

Contents

1	Introduction	1
2	Research Questions	1
3	Structure of the Thesis	1
4	Example citation & symbol reference	1
5	Example reference	1
6	Example image	2
7	Example table	2
8	Background	3
9	Methods	4
10	Results	5
11	Discussion	6
12	Conclusion	7
$\mathbf{A}\mathbf{p}$	pendix A Code	8
\mathbf{Ap}	pendix B Math	8
$\mathbf{A}\mathbf{p}$	pendix C Dataset	8
\mathbf{Re}	rerences	10
\mathbf{Ad}	ditional bibliography	10

List of Figures

1	Meaningful caption for this image	2
\mathbf{List}	of Tables	
1	Meaningful caption for this table	2

1 Introduction

Digital forensics stands as a cornerstone of cybersecurity and investigation. It provides the means to

retrieve crucial evidence from devices, including personal computers. Such evidence is instrumental in

identifying malware or tracing the digital footprints of potential intruders. A predominant technique

in this domain involves analyzing the contents of a device's primary memory. The integration of

machine learning offers a promising avenue to enhance and refine these analysis processes.

Moreover, As the demand for secure communication channels grows, protocols like Secure Shell

(SSH) have become ubiquitous. However, these very channels, designed for security, can sometimes ob-

scure malicious activities, making traditional investigative methods less effective. Recent research has

highlighted innovative approaches to address these challenges. For instance, the study on "SmartKex:

Machine Learning Assisted SSH Keys Extraction From The Heap Dump" underscores the potential

of machine learning in enhancing the extraction of session keys from memory snapshots of OpenSSH

processes. Furthering this line of inquiry, another pivotal work titled "SSHkex: Leveraging virtual machine introspection for extracting SSH keys and decrypting SSH network traffic" introduced the

concept of leveraging Virtual Machine Introspection (VMI) for extracting SSH's session keys directly

from a server's memory.

2 Research Questions

Write down and explain your research questions (2-5)

3 Structure of the Thesis

Explain the structure of the thesis.

4 Example citation & symbol reference

For symbols look at.

5 Example reference

Example reference: Look at chapter 1, for sections, look at section 4.

1



Figure 1: Meaningful caption for this image

First column	Number column
Accuracy	0.532
F1 score	0.87

Table 1: Meaningful caption for this table

6 Example image

Example figure reference: Look at Figure 1 to see an image. It can be jpg, png, or best: pdf (if vector graphic).

7 Example table

Table 1 shows a simple table¹

 $^{^1\}mathrm{Check}$ https://en.wikibooks.org/wiki/LaTeX/Tables on syntax

8 Background

Introduce the related state-of-the-art and background information in order to understand the method developed in the thesis.

9 Methods

Describe the method/software/tool/algorithm you have developed here

10 Results

Describe the experimental setup, the used datasets/parameters and the experimental results achieved

11 Discussion

Discuss the results. What is the outcome of your experimetns?

12 Conclusion

Summarize the thesis and provide a outlook on future work.

- A Code
- B Math
- C Dataset

Acronymes

 $\mathbf{VMI}\ \mathrm{Virtual}\ \mathrm{Machine}\ \mathrm{Introspection}.\ 1$

References

- [1] Christofer Fellicious et al. "SmartKex: Machine Learning Assisted SSH Keys Extraction From The Heap Dump". In: arXiv:2209.05243 (Sept. 13, 2022). arXiv: 2209.05243 [cs]. URL: http://arxiv.org/abs/2209.05243 (visited on 08/17/2023).
- [2] Stewart Sentanoe and Hans P. Reiser. "SSHkex: Leveraging virtual machine introspection for extracting SSH keys and decrypting SSH network traffic". In: Forensic Science International: Digital Investigation 40 (Apr. 2022), p. 301337. ISSN: 26662817. DOI: 10.1016/j.fsidi.2022. 301337. URL: https://linkinghub.elsevier.com/retrieve/pii/S2666281722000063 (visited on 08/17/2023).

Additional bibliography

- [3] Vivek Gite. How To Reuse SSH Connection To Speed Up Remote Login Process Using Multiplexing. nixCraft. Aug. 20, 2008. URL: https://www.cyberciti.biz/faq/linux-unix-reuse-openssh-connection/(visited on 10/21/2022).
- [4] Weijie Huang and Jun Wang. "Character-level Convolutional Network for Text Classification Applied to Chinese Corpus". In: arXiv:1611.04358 (Nov. 15, 2016). arXiv: 1611.04358[cs]. URL: http://arxiv.org/abs/1611.04358 (visited on 08/17/2023).

Eidesstattliche Erklärung

Hiermit versichere ich, dass ich diese Masterarbreit selbstständig und ohne Benutzung anderer als
der angegebenen Quellen und Hilfsmittel angefertigt habe und alle Ausführungen, die wörtlich oder
sinngemäß übernommen wurden, als solche gekennzeichnet sind, sowie, dass ich die Masterarbreit in
gleicher oder ähnlicher Form noch keiner anderen Prüfungsbehörde vorgelegt habe.