



FruitMax® Brown 900 WS\10KG

Certificate of Analysis

Product Data

Material : 719513
Batch : 0000006513
Date of Production : 07.10.2023
Best Before Date : 06.10.2024
Cert. Print Date : 03.11.2023

Customer Information

Sales Order : 1000050327
Customer Name : Jupiter International Co., Ltd.
Customer Code :
Purchase Order : OTR-2210-26(Air)
Delivery No. : 2000069678
Delivery Date : 06.11.2023

Laboratory Analysis

Test Name	Unit	Specification	Result
Per batch:			
Color strength	Str. EBC	12000-14000	12700
Color	---	Compare to standard	Conforms
pH		3.0-5.0	3.8
Per monitoring program:			
Rel. Density / Spec. Gravity		1.18-1.21	Conforms
Aerobic Viable Count, 30°C	cfu/g	<=1000	Conforms
Yeasts and Molds	cfu/g	<=100	Conforms
Enterobacteriaceae	cfu/g	<=10	Conforms
Aerobic mesophilic spores	cfu/g	<=100	Conforms
Sulphite red. bacteria,spores	cfu/g	<=10	Conforms
Salmonella	---	Absent in 25g	Conforms
Listeria	---	Absent in 25g	Conforms
E. coli	---	Absent in 1g	Conforms
S. aureus	---	Absent in 1g	Conforms
Arsenic	ppm	<=1.0	Conforms
Cadmium	ppm	<=0.1	Conforms
Lead	ppm	<=0.2	Conforms
Mercury	ppm	<=1.0	Conforms

Comments: