



Longlife Biochemical Co., Ltd.

Room 609, Huijie Plaza
No.268 Zhongshan Road,
Nanjing, The P. R. of China

Tel: 0086-25-83241153,83241163
Fax:0086-25-83241173
Email: longlife@vip.163.com

Certificate of Analysis

Batch No.	CJ250421
Quantity:	1000kgs
Manufacturing Date:	April 21, 2025
Expiry Date:	April 20, 2027
Date of Analysis:	April 21, 2025
Packing:	25kg/fiber drum
P.O. No.	25HJ0102A

Tromethamine

(Trihydroxymethylaminomethane)

Items	Specification	Results
Appearance:	A white crystal	Pass
Identification:	A: IR B: Salicylaldehyde Identification C: Ceric ammonium nitrate Identification	Pass
Taste:	Slightly sweet taste with bitter.	Pass
Melting point:	168 °C ∞ 171 °C	169.6 ∞ 170.4 °C
Color of solution:	Clear and colorless	Pass
pH value(in 5% solution):	10.0 ∞ 11.5	10.9
Loss on drying:	Not more than 0.5%	0.17%
Residue on Ignition:	Not more than 0.05%	0.01%
Insoluble in water:	Not more than 0.03%	0.01%
Pb:	Not more than 10ppm	Pass
As:	Not more than 2ppm	Pass
Hg:	Not more than 1ppm	Pass
Cd:	Not more than 1ppm	Pass
Sb:	Not more than 1ppm	Pass
Ni:	Not more than 10ppm	Pass
Nitrosamine:	Not more than 50ppb	Pass
Fe:	Not more than 5ppm	2ppm
SO ₄ ²⁻ :	Not more than 5ppm	3ppm
Cl ⁻ :	Not more than 3ppm	2ppm
Absorbance(260nm,20% water solution):	Not more than 0.1	0.05
Secondary amine:	Not more than 0.5%	Pass
Assay:	99.5 ∞ 101.0%	99.75%

We herewith confirm that above mentioned products:

Don't use with Nitrosating system

Avoid the formation of nitrosamine

Lowest degree of purity: 99%;

Maximum content of secondary alkylamine is 0.5% (in terms of raw material)

Maximum content of nitrosamine is not more than 50ppb in product;

Store in containers without nitrite. Avoid the formation of nitrosamine.

★ All analytical methods and results confirms to the requirements of USP34.

Q. C. Manager: Xu Kaijun

Inspector: WH-005

