

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03

KELTROL® F

Issue Date: 01/Jun/2015

Print Date: 09/Oct/2016

Revision Number: 1.2

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: KELTROL® F

Chemical Name Xanthan Gum

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Food additive. Stabilizer. Thickening agent.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: CP Kelco U.S., Inc.
a Huber Company
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 800 535 2687

E-mail customer.request@cpkelco.com

Internet www.cpkelco.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified.

Health Hazards Not classified

Environmental Hazard Not classified.

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

2.2. Label elements

Symbols/Pictogram None

Signal Word None

Hazard Statements May form combustible dust concentrations in air

KELTROL® F

Issue Date: 01/Jun/2015
 Print Date: 09/Oct/2016

Revision Number: 1.2
 Page 2 of 10

Precautionary Statements

Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood. Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection Combustible dust may form combustible (explosive) dust-air mixtures Take precautionary measures against static discharges
Response	IF exposed or concerned: Get medical advice/attention Wash with plenty of soap and water
Storage	Store away from incompatible materials Keep in a dry place
Disposal	Dispose of contents/containers in accordance with local regulations

Hazards not otherwise classified (HNOc) COMBUSTIBLE DUST MAY FORM COMBUSTIBLE (EXPLOSIVE) DUST/ AIR MIXTURES. Slippery, can cause falls if walked on.

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	% by Wt
Xanthan gum	11138-66-2	Y	Y	Y	Exempt	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) Combustible dusts	--

Legend

Y: Yes N: No Exempt ,

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Based on available data, the classification criteria are not met.

KELTROL® F

Issue Date: 01/Jun/2015
Print Date: 09/Oct/2016

Revision Number: 1.2
Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

General Advice Treat as "Class A" fire. Product will burn when in contact with a flame. Self extinguishes when ignition source is removed. Tends to smoulder.

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam.

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Avoid dust formation.

Dust Explosion Hazard Can contain sufficient fines to cause a combustible dust explosion.

Hazardous Combustion Products Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures Water mist may be used to cool closed containers. Combustible dust may form combustible (explosive) dust-air mixtures.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Avoid dust formation. Keep unauthorized personnel away. Slippery, can cause falls if walked on. Use personal protection recommended in Section 8.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Dispose of in accordance with federal, state and local regulations.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Small Spill: Vacuum or sweep material and place in a

KELTROL® F

Issue Date: 01/Jun/2015
Print Date: 09/Oct/2016

Revision Number: 1.2
Page 4 of 10

disposal container. The use of water wash down is not recommended unless the spilled material is already wet.

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Do not breathe dust
Ensure adequate ventilation
Wear appropriate personal protective clothing to prevent skin contact
Handle in accordance with good industrial hygiene and safety practice
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Use only non-sparking tools

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational Exposure Limits****OSHA**

*Dust: OSHA has not established specific exposure limits for this material. However, OSHA has established limits for particulates not otherwise regulated (PNOR) which are the least stringent exposure limits applicable to dusts.

Xanthan gum - 11138-66-2

OSHA - TWA
ACGIH-TWA

Not established
0.1 mg/m³

Predicted No Effect Concentration (PNEC)

No information available

Biological Limit Values:

No information available

8.2. Exposure controls**Engineering Measures**

Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand Protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

KELTROL® F

Issue Date: 01/Jun/2015
Print Date: 09/Oct/2016

Revision Number: 1.2
Page 5 of 10

Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical State	Solid.
Color	White to Tan
Odor	Odorless
Odor Threshold	No information available
pH:	Neutral
Melting Point / Melting Range	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point:	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Explosive Properties	Not applicable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Water Solubility	Soluble
Partition coefficient	No information available
Autoignition Temperature	Not applicable
Viscosity	No data available
Specific Gravity	No data available
Oxidizing Properties	Not oxidizing
Decomposition Temperature	No data available

SECTION 10: Stability and reactivity

KELTROL® F

Issue Date: 01/Jun/2015
Print Date: 09/Oct/2016

Revision Number: 1.2
Page 6 of 10

10.1. Reactivity	None.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerization does not occur.
10.4. Conditions to avoid	Dust formation. Keep away from heat, sparks and flame. Strong oxidizing agents.
10.6. Hazardous decomposition products	None known.

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust.
Skin	Not a skin sensitizer. Prolonged or repeated contact may dry skin and cause irritation.
Eyes	Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects**Xanthan gum - 11138-66-2**

Oral LD50	> 5000 mg/kg Rat
Inhalation LC50	> 21 mg/l Rabbit

Acute Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.

KELTROL® F

Issue Date: 01/Jun/2015
 Print Date: 09/Oct/2016

Revision Number: 1.2
 Page 7 of 10

Carcinogenicity	Based on available data, the classification criteria are not met
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Mixture versus substance information	Substance.

SECTION 12: Ecological information

12.1. Ecotoxicity	Not classified.
<u>Xanthan gum - 11138-66-2</u>	
96-Hour LC50	Oncorhynchus mykiss (rainbow trout) 490 mg/l
48-Hour EC50	Daphnia Magna (Water Flea) 980 mg/l
BOD	BOD = ~200 mg O2/gram
COD	COD = ~1600 mg O2/gram
12.2. Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
Partition coefficient	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Disposal Methods	Dispose of waste product or used containers according to local regulations

Xanthan gum - 11138-66-2
 European Waste Catalog 160306

KELTROL® F

Issue Date: 01/Jun/2015
 Print Date: 09/Oct/2016

Revision Number: 1.2
 Page 8 of 10

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG Transportation of Dangerous Goods (Canada) Not regulated

US DOT Not regulated

ADR Not regulated

RID Not regulated

ADN Not regulated

IATA Not regulated

IMDG/IMO Not regulated

ICAO Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	South Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Xanthan gum	11138-66-2	234-394-2	Exempt	Y	Y	Y	8-535 (CSCL) - (ISHL)	KE-35422	Y	Y	Y	Y	Y

Legend

Y: Yes N: No Exempt

US Federal Regulations

EPA

KELTROL® F

Issue Date: 01/Jun/2015

Print Date: 09/Oct/2016

Revision Number: 1.2

Page 9 of 10

CERCLA/SARA RQ

Not listed

CAA (Clean Air Act)

Not listed

CWA (Clean Water Act)

Not listed

U.S. State Right-to-Know Regulations**Xanthan gum - 11138-66-2**

California Proposition 65

-

Massachusetts

-

Minnesota

-

New Jersey Worker and

-

Community Right-to-Know Act:

Pennsylvania

-

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

Not Listed

CANADA**WHMIS:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

SECTION 16: Other information**Prepared by**

CP Kelco Global Regulatory Affairs
Email: Regulatory.Affairs@cpkelco.com

Reason for Version

OSHA (Occupational Safety and Health Administration of the US Department of Labor). May 25, 2012.

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms**ACRONYMS: INTERNATIONAL:**

ADR: International Carriage of Dangerous Goods by Road.

BOD: Biochemical Oxygen Demand.

CLP: Classification, Labeling and Packaging.

COD: Chemical Oxygen Demand.

DN(M)EL : Derived Non(Minimum) Effect Level - PNEC : Predicted No Effect Level

D.O.T.: U.S. Department of Transportation.

ICAO International Civil Aviation Organization.

IATA: International Air Transport Association.

IARC: International Agency for Research on Cancer.

IMO: International Maritime Organization.

IMDG: International Maritime Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

OES: Occupational Exposure Standard.

OR: EU REACH Only Representative.

PPE: Personal protection equipment.

RID: International Carriage by Rail.

SCBA: self contained breathing apparatus.

STEL (Short Term Exposure Limit) SVHC: Substances of Very High Concern for Authorization

TLV-STEL: Threshold Limit Values - Short Term Exposure Limits.

TWA: Time Weighted Averages.

North America:

CERCLA RQ: US EPA Comprehensive Environmental, Response, and Liability Act Reportable

Safety Data Sheet

KELTROL® F

Issue Date: 01/Jun/2015
Print Date: 09/Oct/2016

Revision Number: 1.2
Page 10 of 10

Quantity.
CERCLA: US EPA Comprehensive Environmental Response, Compensation, and Liability Act of 1980.
CONEG: Conference of North Eastern Governors.
NIOSH/MSHA - National Institute for Occupational Safety and Health/Mine Safety and Health Administration.
SARA: Superfund Amendments and Reauthorization Act (US EPA).
TDG: Canada Transport of Dangerous Goods.
WHMIS: Canada's Workplace Hazardous Materials Information System.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet